arXiv:1510.08375v1 [math.CO] 28 Oct 2015

Completeness of cubic curves in PG$(2, q)$, $q \leq 81$

Daniele Bartoli Stefano Marcugini
Fernanda Pambianco *

Dipartimento di Matematica e Informatica,
Università degli Studi di Perugia, Italy

October 29, 2015

Abstract

Theoretical results are known about the completeness of a planar algebraic cubic curve as a $(n, 3)$-arc in PG$(2, q)$. They hold for q big enough and sometimes have restriction on the characteristic and on the value of the j-invariant. We determine the completeness of all cubic curves for $q \leq 81$.

1 Introduction

In the projective plane PG$(2, q)$ over the Galois field $\mathbb{F}_q$ an (n, r)-arc is a set of n points no $(r + 1)$ of which are collinear and with r collinear points. An (n, r)-arc is called complete if it is not contained in an $(n + 1, r)$-arc of the same projective plane. An $(n, 2)$-arc is simply called an arc of size n or an n-arc. For a detailed description of the most important properties of these geometric structures, we refer the reader to [14]. The largest size of a (n, r)-arc of PG$(2, q)$ is indicated by $m_r(2, q)$, while the minimum size of a complete (n, r)-arc is indicated by $t_r(2, q)$. In [2] and [15] bounds for $m_r(2, q)$ are given. In particular $m_3(2, q) \leq 2q + 1$ for $q \geq 4$; see also [22]. The exact values of $m_3(2, q)$ and $t_3(2, q)$ are known for $q \leq 16$; see [3] and the references therein, whereas the complete classification of the $(n, 3)$-arcs is known for $q \leq 13$; see [7] and the references therein.

*Partially supported by the Italian Ministero dell'Istruzione, dell'Università e della Ricerca (MIUR) and by the Gruppo Nazionale per le Strutture Algebriche, Geometriche e le loro Applicazioni (GNSAGA).

In [8] and [15] the relationship between the theory of complete (n,r)-arcs, coding theory and mathematical statistics is presented.

A linear $[n,k,n-k]_q$ code C such that its dual code $C^\perp$ has minimum distance equal to n is called NMDS. In [10, 11] it is observed that every $[n,3,n-3]_q$ NMDS code is equivalent to an $(n,3)$-arc in $\mathrm{PG}(2,q)$.

This means that results on the existence and completeness of $(n,3)$-arcs in $\mathrm{PG}(2,q)$ correspond to results on the existence and non-extendibility of $[n,3,n-3]_q$ NMDS codes, respectively.

This paper addresses the problem of the completeness of plane cubic curves as (n,3)-arcs in $\mathrm{PG}(2,q)$. This problem is stated in [16], where the following answer is given:

Theorem 1.1. *[16, Theorem 5.1] If $q \geq 79$ and q is not a power of 2 or 3, then a non-singular cubic $\mathscr{C}$ with n $\mathbb{F}_q$-rational points is a complete $(n,3)$-arc unless $j(\mathscr{C}) = 0$ in which case the completion of $\mathscr{C}$ has at most $n+3$ points.*

An extension of this result is given by [13, Theorem 1.1, Corollary 4.2] from which, in the case of plane cubic curves, we obtain:

Theorem 1.2. *Let $q \geq 121$ be an odd prime power. Let $\mathscr{C}$ be a non-singular plane cubic curve defined over $\mathbb{F}_q$ whose j-invariant $j(\mathscr{C})$ is different from 0. Then $\mathscr{C}$ is a complete $(n,3)$-arc.*

If $j(\mathscr{C}) = 0$, then we have (see [13, Theorem 4.3, Corollary 4.2]):

Theorem 1.3. *Let $q = p^r$, $p > 3$, $q > 9887$. Let $\mathscr{C}$ be a non-singular plane cubic curve defined over $\mathbb{F}_q$, with $j(\mathscr{C}) = 0$ and having an even number of $\mathbb{F}_q$-rational points. If r is even or $p \equiv 1 \pmod 3$ then $\mathscr{C}$ is a complete $(n,3)$-arc.*

Theoretical results on completeness of absolutely irreducible singular cubic curves can be found in [4].

The maximum number of $\mathbb{F}_q$-rational points on a non-singular algebraic curve of genus g, is denoted by $N_q(g)$. The exact value of $N_q(g)$ is not known in general, but the Hasse-Weil Bound states that

$$q + 1 - 2g\sqrt{q} \leq N_q(g) \leq q + 1 + 2g\sqrt{q}.$$

If a plane curve of genus g has degree n, then $2g \leq (n-1)(n-2)$. In particular, non-singular cubic curves have $g = 1$, i.e. they are elliptic curves and therefore the number of their $\mathbb{F}_q$-rational points satisfies

$$q + 1 - 2\sqrt{q} \leq k \leq q + 1 + 2\sqrt{q}$$

and can take every value in this interval other than $q+1+mp$, where $q=p^h$ with p prime. For these results, see [9, 17, 18, 23].

An absolutely irreducible singular cubic curve has q, $q+1$ or $q+2$, $\mathbb{F}_q$-rational points depending on the fact that it contains a node, a cusp or an isolated double point, respectively; see [14, Table 11.7].

The Hasse-Weil bound is lower than the bound on $m_3(2,q)$. In the cases when the value of $m_3(2,q)$ is known, it is actually greater than $q+1+2\sqrt{q}$ if $q \neq 4$; see [3]. For $q \leq 16$, Table 1 gives the values of $m_3(2,q)$ and of $q+1+\lfloor 2\sqrt{q} \rfloor$. For all $q \leq 81$ a non-singular cubic curve with $q+1+\lfloor 2\sqrt{q} \rfloor$ $\mathbb{F}_q$-rational points exists, it is complete as $(n,3)$-arc if $q=4$ or $q \geq 8$.

Table 1 The values of $m_3(2,q)$ and $q+1+\lfloor 2\sqrt{q} \rfloor$ for $q \leq 16$

q	2	3	4	5	7	8	9	11	13	16
$m_3(2,q)$	7	9	9	11	15	15	17	21	23	28
$q+1+\lfloor 2\sqrt{q} \rfloor$	5	7	9	10	13	14	16	18	21	25

We follow the classification of cubic curves given in [14], where two plane curves are said to be projectively equivalent if there is a projective transformation of the projective plane $\mathrm{PG}(2,q)$ mapping an equation of one curve to an equation of the other.

The number of projectively distinct elliptic cubics with precisely k points, denoted by $E(k,q)$ is calculated in [18].

Also a notion of isomorphism is defined for elliptic curves. We follow the presentation given in [18]; see also [21].

Definition 1.4. *Let $\mathbb{K}$ be a field; an elliptic curve $\mathscr{C}$ over $\mathbb{K}$ is a projective non-singular algebraic curve of genus 1 defined over $\mathbb{K}$ furnished with a point 0 on $\mathscr{C}$ which is defined over $\mathbb{K}$.*

Let $\overline{\mathbb{K}}$ denote an algebraic closure of $\mathbb{K}$, by $\mathrm{E}(\overline{\mathbb{K}})$ we denote the set of points on $\mathscr{C}$ defined over $\overline{\mathbb{K}}$. This set is in a natural geometric way an abelian group with 0 as the zero-element. The set $\mathrm{E}(\mathbb{K})$ of points on $\mathscr{C}$ that are defined over $\mathbb{K}$ is a subgroup of $\mathrm{E}(\overline{\mathbb{K}})$; see [21].

Definition 1.5. *A morphism of elliptic curves over $\mathbb{K}$, $f\colon \mathscr{C}_1 \longrightarrow \mathscr{C}_2$, is an algebraic map defined over $\mathbb{K}$ that respects the group law; in particular $f(0_1)=0_2$. An isomorphism is a morphism that has a two-sided inverse.*

Every elliptic curve $\mathscr{C}$ over $\mathbb{K}$ in $\mathbb{P}^2_{\mathbb{K}}$ is isomorphic to a curve given by an equation:

$$Y^2T+a_1XYT+a_3YT^2 = X^3+a_2X^2T+a_4XT^2+a_6T^3 \quad (a_i \in \mathbb{K}); \qquad (1)$$

the point 0 is the point at infinity $(0:1:0)$. This follows from the Riemann-Roth theorem. We have the usual formulaire:

$b_2 = a_1^2 + 4a_2$,
$b_4 = a_1a_3 + 2a_4$,
$b_6 = a_3^2 + 4a_6$,
$b_8 = a_1^2a_6 - a_1a_3a_4 + 4a_2a_6 + a_2a_3^2 - a_4^2$,
$c_4 = b_2^2 - 24b_4$
$c_6 = -b_2^3 + 36b_2b_4 - 216b_6$
$\Delta = -b_2^2b_8 - 8b_4^3 : -27b_6^2 + 9b_2b_4b_6$,
$j = c_4^3/\Delta$.

A curve given by Eq. (1) is an elliptic curve if and only if the discriminant Δ is not zero. The j-invariant of an elliptic curve $\mathscr{C}$ depends only on its isomorphism class: two elliptic curves over $\mathbb{K}$ have the same j-invariant if and only if they are isomorphic over $\overline{\mathbb{K}}$. This is in general not true over $\mathbb{K}$: there may be non-isomorphic curves over $\mathbb{K}$ that are isomorphic over $\overline{\mathbb{K}}$. Two values of j deserve special attention: they are the values 0 and 1728. The elliptic curves whose j-invariants assume these values correspond to the harmonic curves if $j = 1728$ and to the equianharmonic curves if $j = 0$ in the sense of Hirschfeld [14]. If the characteristic of $\mathbb{K}$ is 2 or 3 we have that $0 = 1728$ and the elliptic curves over $\mathbb{K}$ with j-invariants equal to $0 = 1728$ correspond to the superharmonic curves in Hirschfeld's book.

In Section 2 we give tables summarizing the completeness of all inequivalent absolutely irreducible singular cubic curves and non-singular cubic curves for $q \leq 81$. In Section 3 for each q we give detailed tables that for each equation present the type of cubic curve, the number of residual points, and the j-invariant.

Appendix contains an Errata for [14, Chapter 11].

2 Completeness of planar cubic curves, $q \leq 81$

In this section we present a summary of the results we obtained about the completeness of absolutely irreducible singular cubic curves and about non-singular cubic curves as $(n, 3)$-arcs in $\mathrm{PG}(2, q)$ for $q \leq 73$ and $q = 81$, cases in which Theorem 1.1 does not hold. For the sake of completeness also the case $q = 79$ is considered. The following section gives a detailed description of such cubic curves. For the classification of planar cubic curves see [14], where all the inequivalent equations are listed. The equations depend on the value $m = q \bmod 12$; see [14].

The results in this section have been obtained by computer. For each

equation the set $\mathcal{C}$ of $\mathbb{F}_q$-rational points has been computed. Then the completeness of $\mathcal{C}$ as $(n, 3)$-arc has been tested.

When necessary, the projective equivalence of couples of equations $\mathfrak{e}_1$, $\mathfrak{e}_2$ has been verified. In this case we proceeded in the following way.

1. Compute the set of $\mathbb{F}_q$-rational points of the two equations, let they be $\mathcal{C}_1$, $\mathcal{C}_2$, respectively.

2. If $\mathcal{C}_1$ and $\mathcal{C}_2$ are not projectively equivalent, then $\mathfrak{e}_1$ and $\mathfrak{e}_2$ are not projectively equivalent.

3. If $\mathcal{C}_1$ and $\mathcal{C}_2$ are projectively equivalent, then compute a projective transformation π sending $\mathcal{C}_1$ to $\mathcal{C}_2$ and the stabilizer $\mathcal{S}$ of $\mathcal{C}_2$ in $\mathrm{PGL}(3, q)$.

4. Then if a projective transformation from $\mathfrak{e}_1$ to $\mathfrak{e}_2$ exists, it can be obtained composing π and a projectivity of $\mathcal{S}$.

All computations have been performed using MAGMA; see [5].

Table 2 summarizes the results: for $q \leq 81$ the numbers of complete and incomplete absolutely irreducible (a. i.) singular cubic curves and non-singular cubic curves are given.

Table 2 Completeness of plane cubic curves as $(n, 3)$-arcs

q	# of inc. a. i. sing. cubic curves	# of comp. a. i. sing. cubic curves	# of inc. non-sing. cubic curves	# of comp. non-sing. cubic curves	q	# of inc. a. i. sing. cubic curves	# of comp. a. i. sing. cubic curves	# of inc. non-sing. cubic curves	# of comp. non-sing. cubic curves
2	4	0	6	0	3	4	0	10	0
4	4	0	16	2	5	4	0	15	1
7	4	0	21	5	8	4	0	19	5
9	4	0	24	6	11	4	0	25	7
13	4	0	32	14	16	3	1	32	22
17	4	0	29	23	19	4	0	32	30
23	2	2	27	41	25	1	3	26	56
27	2	2	32	50	29	2	2	26	62
31	1	3	27	71	32	2	2	34	62
37	1	3	21	97	41	2	2	16	108
43	1	3	10	124	47	2	2	10	130
49	1	3	8	146	53	2	2	5	155
59	2	2	5	171	61	1	3	2	188
64	1	3	0	198	67	1	3	0	206
71	2	2	3	209	73	1	3	1	225
79	1	3	0	242	81	2	2	2	244

In the following tables the symbol N^c denotes c complete cubic curves having N $\mathbb{F}_q$-rational points, while the symbol N_r^c denotes c incomplete cubic curves having N $\mathbb{F}_q$-rational points and r residual points, i.e. r points of $\mathrm{PG}(2, q)$ not belonging to the $\mathbb{F}_q$-rational points of the cubic curve and not lying on trisecant lines of the $\mathbb{F}_q$-rational points of the cubic curve.

Table 3 gives detailed results for absolutely irreducible singular cubic curves. Table 4 and Table 5 give detailed results for incomplete non-singular cubic curves and for complete non-singular cubic curves, respectively.

Table 3 Classification of absolutely irreducible (a. i.) singular cubic curves

q	# of a. i. singular cubic curves	q	# of a. i. singular cubic curves	q	# of a. i. singular cubic curves
2	$2_5^1, 3_4^1, 4_3^2$	3	$3_{10}^1, 4_8^1, 4_9^1, 5_7^1$	4	$4_{15}^1, 4_{17}^1, 5_{14}^1, 6_{11}^1$
5	$5_{23}^1, 6_{19}^1, 7_{12}^1, 7_{15}^1$	7	$7_{30}^1, 7_{35}^1, 8_{25}^1, 9_{16}^1$	8	$8_{36}^1, 9_{22}^1, 10_{12}^1, 10_{18}^1$
9	$9_{36}^1, 10_5^1, 10_{27}^1, 11_{14}^1$	11	$11_{31}^1, 12_{21}^1, 13_9^1, 13_{12}^1$	13	$13_{21}^1, 13_{28}^1, 14_{16}^1, 15_5^1$
16	$16_{12}^1, 16_{15}^1, 17^1, 18_1^1$	17	$17_8^1, 18_{17}^1, 19_6^2$	19	$19_3^1, 19_4^1, 20_6^1, 21_3^1$
23	$23^1, 24_1^1, 25^1, 25_3^1$	25	$25^2, 26^1, 27_1^1$	27	$27^1, 28^1, 28_{14}^1, 29_1^1$
29	$29^1, 30_1^1, 31^1, 31_3^1$	31	$31^2, 32^1, 33_1^1$	32	$32^1, 33_1^1, 34^1, 34_3^1$
37	$37^2, 38^1, 39_1^1$	41	$41^1, 42_1^1, 43^1, 43_3^1$	43	$43^2, 44^1, 45_1^1$
47	$47^1, 48_1^1, 49^1, 49_3^1$	49	$49^2, 50^1, 51_1^1$	53	$53^1, 54_1^1, 55^1, 55_3^1$
59	$59^1, 60_1^1, 61^1, 61_3^1$	61	$61^2, 62^1, 63_1^1$	64	$64^2, 65^1, 66_1^1$
67	$67^2, 68^1, 69_1^1$	71	$71^1, 72_1^1, 73^1, 73_3^1$	73	$73^2, 74^1, 75_1^1$
79	$79^2, 80^1, 81_1^1$	81	$81^1, 82^1, 82_{41}^1, 83_1^1$		

Table 4 Classification of incomplete non-singular cubic curves

q	incomplete non-singular cubic curves
2	$1_6^1, 2_5^1, 3_4^2, 4_3^1, 5_2^1$
3	$1_{12}^1, 2_{11}^1, 3_9^1, 3_{10}^1, 4_8^2, 5_6^1, 6_3^1, 6_4^1, 7_2^1$
4	$1_{20}^1, 2_{19}^1, 3_{16}^2, 3_{18}^2, 4_{15}^2, 5_{12}^1, 6_7^2, 6_9^2, 7_5^2, 8_2^1$
5	$2_{29}^1, 3_{25}^1, 3_{28}^1, 4_{24}^2, 5_{20}^1, 6_{13}^2, 6_{16}^2, 7_{10}^1, 8_4^1, 8_5^1, 9_4^1, 10_1^1$
7	$3_{49}^1, 3_{54}^1, 4_{48}^2, 5_{42}^1, 6_{31}^2, 6_{36}^2, 7_{26}^2, 8_{16}^1, 8_{17}^1, 9_6^1, 9_9^1, 9_{12}^2, 10_4^1, 10_5^1, 11_3^1, 13_1^1$
8	$4_{63}^1, 5_{56}^1, 6_{43}^3, 6_{49}^3, 8_{26}^3, 9_{13}^1, 9_{19}^1, 10_9^3, 12_4^3$
9	$4_{80}^1, 5_{72}^1, 6_{57}^2, 6_{64}^2, 7_{50}^1, 8_{36}^1, 8_{37}^2, 9_{21}^2, 9_{28}^2, 10_{15}^2, 11_8^2, 12_1^1, 12_3^4, 13_7^1$
11	$6_{91}^1, 6_{100}^1, 7_{82}^1, 8_{64}^1, 8_{65}^1, 9_{42}^1, 9_{43}^1, 9_{52}^2, 10_{33}^2, 11_{20}^1, 12_6^1, 12_7^1, 12_9^1, 12_{10}^2,$ $12_{12}^1, 12_{13}^2, 13_5^1, 14_1^1, 14_3^1, 15_1^1, 15_3^1$
13	$7_{122}^1, 8_{100}^1, 8_{101}^1, 9_{54}^1, 9_{73}^1, 9_{81}^1, 9_{84}^2, 10_{58}^1, 10_{59}^2, 11_{42}^1, 12_{12}^1, 12_{19}^1,$ $12_{21}^1, 12_{24}^3, 12_{27}^2, 13_{14}^1, 13_{17}^1, 14_6^1, 14_8^1, 15_3^3, 15_6^1, 16_2^2, 17_1^1, 18_1^1$
16	$9_{108}^1, 9_{144}^1, 10_{113}^2, 12_{58}^4, 12_{63}^4, 13_{41}^2, 14_{26}^4, 16_4^1, 16_9^4, 18_4^4, 18_9^5$
17	$10_{135}^1, 11_{105}^1, 12_{70}^1, 12_{72}^1, 12_{73}^1, 12_{76}^1, 12_{79}^1, 12_{82}^1, 13_{53}^1, 14_{31}^1, 14_{35}^1, 15_{15}^1,$ $15_{21}^2, 15_{25}^2, 15_{28}^1, 16_4^1, 16_6^1, 16_{13}^1, 16_{16}^1, 17_3^1, 18_4^2, 18_6^2, 19_2^1, 20_1^1, 24_1^1$
19	$12_{96}^1, 12_{103}^1, 12_{117}^1, 12_{120}^1, 13_{83}^1, 13_{86}^1, 14_{56}^1, 14_{61}^1, 15_{28}^1, 15_{39}^2, 15_{42}^1, 16_{22}^3,$ $16_{25}^1, 17_{15}^1, 18_3^2, 18_6^1, 18_7^1, 18_9^3, 19_2^1, 19_3^2, 20_1^1, 20_2^1, 20_3^1, 22_1^2$
23	$15_{87}^1, 15_{100}^1, 16_{64}^1, 16_{68}^1, 17_{40}^1, 18_{16}^1, 18_{24}^1, 18_{25}^2, 18_{27}^1, 18_{31}^1, 18_{33}^2, 19_{12}^1,$ $20_6^1, 20_{10}^2, 20_{12}^1, 21_3^1, 21_4^1, 21_7^1, 21_9^1, 22_2^1, 22_3^1, 24_1^2, 24_3^1$
25	$16_{96}^1, 17_{71}^1, 18_{39}^4, 18_{42}^2, 18_{45}^1, 19_{33}^2, 20_{16}^2, 20_{20}^2, 21_{21}^2,$ $22_3^2, 22_5^2, 23_5^2, 24_4^2, 25_3^1$
27	$18_{54}^1, 18_{73}^1, 19_{59}^1, 20_{30}^3, 20_{32}^1, 21_{15}^3, 21_{18}^3, 23_8^3, 24_3^9, 26_1^3, 26_2^3, 28_1^1$
29	$20_{40}^1, 20_{55}^1, 21_{30}^2, 21_{31}^1, 21_{34}^1, 22_{13}^1, 22_{18}^1, 23_{16}^1, 24_1^1, 24_4^1, 24_6^3, 24_9^2, 24_{12}^1,$ $25_1^1, 25_5^1, 26_2^1, 26_3^1, 27_3^1, 30_1^2, 30_4^2$
31	$21_{27}^1, 21_{54}^1, 22_{29}^1, 22_{30}^1, 23_{16}^1, 24_6^1, 24_9^2, 24_{16}^1, 24_{18}^1, 24_{25}^1, 25_7^1, 25_8^1, 25_9^1,$ $26_2^1, 26_4^1, 27_3^2, 27_6^1, 28_1^2, 28_2^2, 29_1^1, 30_3^1, 30_6^1, 33_1^1$
32	$22_{33}^1, 24_9^5, 24_{28}^5, 25_2^1, 26_5^5, 28_2^5, 30_1^5, 30_3^5, 33_1^1, 33_4^1$
37	$26_{22}^1, 27_9^1, 27_{16}^1, 27_{18}^2, 28_2^1, 28_4^1, 28_5^1, 28_9^1, 29_1^1,$ $30_3^5, 30_4^2, 31_1^1, 32_2^1, 33_3^1, 34_1^1$
41	$30_3^1, 30_6^1, 30_{12}^1, 30_{16}^1, 31_1^1, 32_2^2, 32_3^1, 32_4^1, 33_1^1, 34_1^1, 35_1^1, 36_4^1, 42_1^2, 42_3^1$
43	$31_6^1, 32_5^1, 33_6^1, 34_1^2, 34_2^1, 35_1^2, 37_2^1, 38_2^1$

Table 4 Continue

q	incomplete non-singular cubic curves
47	$35_1^1, 36_3^3, 36_6^1, 40_1^1, 45_1^1, 48_1^2, 48_3^1$
49	$37_3^1, 37_5^1, 40_1^4, 41_1^2$
53	$42_1^1, 43_2^1, 54_1^2, 54_3^1$
59	$45_3^1, 47_1^1, 60_1^2, 60_3^1$
61	$48_3^1, 54_1^1$
64	0
67	0
71	$72_1^2, 72_3^1$
73	60_1^1
79	0
81	82_1^2

Table 5 Classification of complete non-singular cubic curves

q	complete non-singular cubic curves
2	0
3	0
4	9^2
5	9^1
7	$9^1, 12^4$
8	$12^3, 13^1, 14^1$
9	$12^1, 14^2, 15^2, 16^1$
11	$15^2, 16^2, 17^1, 18^2$
13	$16^2, 18^6, 19^2, 20^2, 21^2$
16	$17^1, 18^4, 20^4, 21^4, 22^4, 24^4, 25^1$
17	$18^4, 20^3, 21^6, 22^2, 23^1, 24^5, 25^1, 26^1$
19	$18^2, 20^1, 21^6, 22^1, 23^1, 24^8, 25^2, 26^2, 27^5, 28^2$
23	$21^2, 23^2, 24^9, 25^2, 26^2, 27^6, 28^4, 29^1, 30^8, 31^1, 32^2, 33^2$
25	$21^2, 24^{10}, 25^2, 27^9, 28^6, 29^2, 30^8, 31^2, 32^4, 33^4, 34^3, 35^1, 36^3$
27	$24^3, 27^6, 28^1, 29^3, 30^{12}, 32^6, 33^6, 35^3, 36^8, 37^1, 38^1$
29	$24^4, 26^1, 27^5, 28^4, 29^2, 30^8, 31^2, 32^4, 33^6, 34^3, 35^2, 36^{12}, 37^1, 38^2, 39^4, 40^2$
31	$24^2, 27^6, 28^2, 29^1, 30^6, 31^2, 32^6, 33^3, 34^4, 35^2, 36^{16}, 37^3, 38^2, 39^6, 40^4, 41^1, 42^4, 43^1$

Table 5 Continue

q	complete non-singular cubic curves
32	$30^{10}, 32^5, 34^5, 36^{20}, 38^5, 40^5, 41^1, 42^{10}, 44^1$
37	$27^1, 30^1, 31^2, 32^3, 33^3, 34^3, 35^3, 36^{20}, 37^3, 38^2, 39^6, 40^8, 41^3, 42^8,$ $43^2, 44^4, 45^9, 46^4, 47^1, 48^8, 49^2, 50^1$
41	$33^5, 34^2, 35^1, 36^{13}, 37^3, 38^2, 39^8, 40^6, 41^1, 42^{13}, 43^1, 44^6, 45^8, 46^2,$ $47^3, 48^{14}, 49^2, 50^3, 51^6, 52^4, 53^1, 54^4$
43	$32^1, 33^3, 36^{16}, 37^1, 38^3, 39^6, 40^8, 41^1, 42^8, 43^5, 44^4, 45^{13}, 46^4, 47^1,$ $48^{16}, 49^3, 50^4, 51^4, 52^6, 53^2, 54^9, 55^2, 56^2, 57^2$
47	$36^4, 37^1, 38^2, 39^6, 40^5, 41^3, 42^{12}, 43^1, 44^4, 45^9, 46^4, 47^2, 48^{17}, 49^2,$ $50^4, 51^{10}, 52^4, 53^1, 54^{12}, 55^3, 56^6, 57^6, 58^2, 59^1, 60^8, 61^1$
49	$36^3, 38^2, 39^6, 40^2, 42^8, 44^6, 45^{13}, 46^6, 47^2, 48^{16}, 49^4, 50^2, 51^8, 52^8,$ $53^2, 54^{18}, 55^5, 56^6, 58^4, 59^2, 60^{12}, 61^3, 62^2, 63^5, 64^1$
53	$40^2, 41^1, 42^7, 43^1, 44^4, 45^{10}, 46^2, 47^1, 48^{20}, 49^2, 50^5, 51^8, 52^6, 53^3,$ $54^9, 55^3, 56^6, 57^8, 58^5, 59^2, 60^{20}, 61^1, 62^2, 63^{10}, 64^4, 65^2, 66^8, 67^1,$ 68^2
59	$45^1, 46^2, 48^{12}, 49^2, 50^4, 51^8, 52^4, 53^2, 54^{14}, 55^3, 56^8, 57^{10}, 58^2, 59^2,$ $60^{21}, 61^2, 62^2, 63^{10}, 64^8, 65^3, 66^{14}, 67^2, 68^4, 69^8, 70^4, 71^2, 72^{12}, 73^1,$ $74^2, 75^2$
61	$47^1, 48^7, 49^3, 50^3, 51^4, 52^8, 53^1, 54^{17}, 55^4, 56^6, 57^8, 58^4, 59^2, 60^{16},$ $61^5, 62^6, 63^{14}, 64^8, 65^2, 66^8, 67^4, 68^6, 69^8, 70^6, 71^1, 72^{20}, 73^2, 74^3,$ $75^6, 76^4, 77^1$
64	$49^1, 50^3, 52^6, 54^{22}, 56^7, 57^4, 58^9, 60^{24}, 62^6, 64^{12}, 65^1, 66^{24}, 68^6, 70^{12},$ $72^{27}, 73^2, 74^7, 76^8, 78^{12}, 80^3, 81^2$
67	$52^2, 53^1, 54^9, 55^3, 56^6, 57^6, 58^4, 59^2, 60^{16}, 61^4, 62^2, 63^{14}, 64^{10}, 65^4,$ $66^{16}, 67^2, 68^4, 69^4, 70^8, 71^4, 72^{26}, 73^5, 74^2, 75^8, 76^8, 77^2, 78^8, 79^3,$ $80^6, 81^9, 82^3, 83^1, 84^4$
71	$56^2, 57^6, 58^2, 59^2, 60^{16}, 61^1, 62^4, 63^8, 64^8, 65^2, 66^{16}, 67^4, 68^4, 69^{10},$ $70^4, 71^3, 72^{25}, 73^3, 74^4, 75^{10}, 76^4, 77^4, 78^{16}, 79^2, 80^8, 81^8, 82^4, 83^1,$ $84^{16}, 85^2, 86^2, 87^6, 88^2$
73	$57^2, 58^3, 59^1, 60^{11}, 61^2, 62^2, 63^{13}, 64^8, 65^3, 66^8, 67^5, 68^8, 69^4, 70^8,$ $71^3, 72^{27}, 73^4, 74^4, 75^8, 76^9, 77^3, 78^{16}, 79^2, 80^8, 81^{14}, 82^4, 83^3, 84^{16},$ $85^5, 86^2, 87^4, 88^6, 89^1, 90^7, 91^1$
79	$63^5, 64^4, 65^2, 66^8, 67^3, 68^4, 69^8, 70^8, 71^2, 72^{26}, 73^2, 74^4, 75^8, 76^{10},$ $77^3, 78^8, 79^6, 80^{10}, 81^{18}, 82^4, 83^3, 84^{20}, 85^4, 86^4, 87^4, 88^{10}, 89^2,$ $90^{22}, 91^4, 92^4, 93^6, 94^4, 95^2, 96^8, 97^2$
81	$64^1, 65^2, 66^8, 68^7, 69^8, 71^4, 72^{24}, 73^1, 74^8, 75^{10}, 77^8, 78^{16}, 80^{14}, 81^8,$ $83^4, 84^{28}, 86^8, 87^{16}, 89^5, 90^{16}, 91^1, 92^{12}, 93^8, 95^4, 96^{14}, 98^4, 99^4, 100^1$

3 Detailed description of planar cubic curves, $q \leq 81$

In this section we give a detailed description of absolutely irreducible (a. i.) singular cubic curves and of non-singular cubic curves for each $q \leq 81$. Complete and incomplete cubic curves are described in different tables. For singular cubics the type, the equation and the number of $\mathbb{F}_q$-rational points are given. For incomplete curves also the number of residual points is given. The symbol $\mathcal{N}_i^j$ denotes an absolutely irreducible singular cubic with i $\mathbb{F}_q$-rational inflexions and j distinct $\mathbb{F}_q$-rational tangents at the double point.

For non-singular cubics the type, the equation, the number of $\mathbb{F}_q$-rational points and the j-invariant are given. For incomplete curves also the number of residual points is given.

The symbols $\mathcal{G}$, $\mathcal{H}$, $\mathcal{E}$, $\mathcal{S}$ denote general, harmonic, equianharmonic, superharmonic non-singular cubic curves, respectively.

Also, the lower suffix on $\mathcal{G}$, $\mathcal{H}$, $\mathcal{E}$, $\mathcal{S}$ is the number of rational inflexions; the upper suffix on $\mathcal{G}$, $\mathcal{H}$, $\mathcal{E}$ is the number of rational inflexional triangles; the upper suffix on $\mathcal{S}$ is the number of rational points in which the harmonic polar meets the curve; $\overline{\mathcal{E}}_3^r$ denotes equianharmonic non-singular cubic curves with three concurrent inflexional tangents; $\overline{\mathcal{E}}_0^4$ denotes equianharmonic non-singular cubic curves with canonical equation of the form $X^3 + \xi Y^3 + \xi^2 T^3$, with ξ a primitive element of $\mathbb{F}_q$; see [14, Cap. 11] for the details.

Table 6 $q = 2$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$YT^2 + Y^2T + XT^2 + XYT + XY^2$	4	3
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	2	5
$\mathcal{N}_1^1$	$T^3 + XY^2$	3	4
$\mathcal{N}_0^0$	$T^3+Y^2T+XT^2+Y^3+XYT+XY^2$	4	3

Table 7 $q = 2$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\overline{\mathcal{E}}_3^2$	$T^3 + XY^2 + X^2Y$	3	4	0
$\mathcal{G}_1^0$	$YT^2 + XYT + XY^2 + X^3$	4	3	1
$\mathcal{G}_1^0$	$YT^2 + XYT + XY^2 + X^2Y + X^3$	2	5	1
$\mathcal{E}_1^0$	$YT^2 + Y^2T + XY^2 + X^3$	5	2	0
$\mathcal{E}_1^0$	$YT^2 + Y^2T + Y^3 + XY^2 + X^3$	1	6	0
$\mathcal{E}_0^2$	$T^3 + Y^3 + XY^2 + X^3$	3	4	0

Table 8 $q = 3$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_q^1$	$T^3 + XY^2$	4	8
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	3	10
$\mathcal{N}_1^0$	$XT^2 + Y^3 + XY^2$	5	7
$\mathcal{N}_0^1$	$T^3 + YT^2 + XY^2$	4	9

Table 9 $q = 3$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3$	$T^3 + Y^3 + XYT + X^3$	6	3	2
$\mathcal{G}_3$	$2T^3 + 2Y^3 + XYT + 2X^3$	3	9	1
$\mathcal{S}_1^3$	$YT^2 + 2XY^2 + X^3$	4	8	0
$\mathcal{S}_1^1$	$YT^2 + XY^2 + X^3$	4	8	0
$\mathcal{S}_1^0$	$YT^2 + 2Y^3 + 2XY^2 + X^3$	7	2	0
$\mathcal{S}_1^0$	$YT^2 + Y^3 + 2XY^2 + X^3$	1	12	0
$\mathcal{G}_1$	$YT^2 + 2Y^3 + X^2Y + X^3$	5	6	1
$\mathcal{G}_1$	$YT^2 + Y^3 + X^2Y + X^3$	2	11	2
$\mathcal{G}_0$	$2YT^2 + Y^3 + 2XY^2 + 2X^2T + X^2Y + X^3$	6	4	2
$\mathcal{G}_0$	$2T^3 + 2YT^2 + Y^3 + 2XY^2 + 2X^2T + X^2Y + X^3$	3	10	1

The sets of $\mathbb{F}_q$-rational points of cubics $YT^2+XY^2+X^3$ and $YT^2+2XY^2+X^3$ are equivalent.

Table 10 $q = 4$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^2$	$T^3 + Y^3 + XYT$	4	15
$\mathcal{N}_1^1$	$T^3 + XY^2$	5	14
$\mathcal{N}_1^0$	$\xi^2YT^2 + \xi Y^2T + \xi XT^2 + \xi^2Y^3 + XYT + XY^2$	6	11
$\mathcal{N}_0^2$	$\xi T^3 + Y^3 + XYT$	4	17

Table 11 $q = 4$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^1$	$\xi^2T^3 + \xi^2YT^2 + \xi^2Y^2T + \xi^2XT^2 + \xi^2Y^3 + XYT + \xi^2XY^2 + \xi^2X^2T + \xi^2X^2Y + \xi^2X^3$	6	7	ξ^2
$\mathcal{G}_3^1$	$\xi T^3 + \xi YT^2 + \xi Y^2T + \xi XT^2 + \xi Y^3 + XYT + \xi XY^2 + \xi X^2T + \xi X^2Y + \xi X^3$	6	7	ξ
$\overline{\mathcal{E}}_3^1$	$\xi^2T^3 + XY^2 + X^2Y$	3	16	0
$\overline{\mathcal{E}}_3^1$	$\xi T^3 + XY^2 + X^2Y$	3	16	0
$\mathcal{E}_1^4$	$YT^2 + Y^2T + \xi Y^3 + X^3$	1	20	0
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi^2XY^2 + X^3$	4	15	ξ^2
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi XY^2 + X^3$	4	15	ξ
$\mathcal{E}_1^1$	$YT^2 + Y^2T + XY^2 + \xi^2X^3$	7	5	0
$\mathcal{E}_1^1$	$YT^2 + Y^2T + XY^2 + \xi X^3$	7	5	0
$\mathcal{G}_1^0$	$YT^2 + XYT + XY^2 + X^3$	8	2	1
$\mathcal{G}_1^0$	$YT^2 + XYT + XY^2 + \xi X^2Y + X^3$	2	19	1
$\mathcal{E}_1^0$	$YT^2 + Y^2T + \xi Y^3 + XY^2 + X^3$	5	12	0
$\mathcal{G}_0^1$	$\xi^2T^3 + \xi YT^2 + \xi Y^3 + \xi XYT + XY^2 + X^2T + X^3$	6	9	ξ^2
$\mathcal{G}_0^1$	$\xi T^3 + \xi^2YT^2 + \xi^2Y^3 + \xi^2XYT + XY^2 + X^2T + X^3$	6	9	ξ
$\mathcal{E}_0^1$	$\xi^2YT^2 + XY^2 + X^2T$	3	18	0
$\mathcal{E}_0^1$	$\xi YT^2 + XY^2 + X^2T$	3	18	0

The sets of $\mathbb{F}_q$-rational points of cubics $\xi YT^2 + XY^2 + X^2T$ and $\xi^2YT^2 + XY^2 + X^2T$ are equivalent.

The sets of $\mathbb{F}_q$-rational points of cubics $\xi T^3 + \xi YT^2 + \xi Y^2T + \xi XT^2 + \xi Y^3 + XYT + \xi XY^2 + \xi X^2T + \xi X^2Y + \xi X^3$ and $\xi^2T^3 + \xi^2YT^2 + \xi^2Y^2T + \xi^2XT^2 + \xi^2Y^3 + XYT + \xi^2XY^2 + \xi^2X^2T + \xi^2X^2Y + \xi^2X^3$ are equivalent.

The sets of $\mathbb{F}_q$-rational points of cubics $\xi T^3 + XY^2 + X^2Y$ and $\xi^2T^3 + XY^2 + X^2Y$ are equivalent.

The sets of rational points of cubics $\xi^2T^3 + \xi YT^2 + \xi Y^3 + \xi XYT + XY^2 + X^2T + X^3$ and $\xi T^3 + \xi^2YT^2 + \xi^2Y^3 + \xi^2XYT + XY^2 + X^2T + X^3$ are equivalent.

The sets of $\mathbb{F}_q$-rational points of cubics $YT^2 + XYT + \xi XY^2 + X^3$ and $YT^2 + XYT + \xi^2XY^2 + X^3$ are equivalent.

The sets of $\mathbb{F}_q$-rational points of cubics $YT^2 + Y^2T + XY^2 + \xi X^3$ and $YT^2 + Y^2T + XY^2 + \xi^2X^3$ are equivalent.

Table 12 $q = 4$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	9	0
$\overline{\mathcal{E}}_0^4$	$\xi^2 T^3 + \xi Y^3 + X^3$	9	0

Table 13 $q = 5$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$YT^2 + 3XT^2 + Y^3 + XY^2$	7	12
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	5	23
$\mathcal{N}_1^1$	$T^3 + XY^2$	6	19
$\mathcal{N}_0^0$	$4T^3+YT^2+Y^2T+3XT^2+Y^3+XY^2$	7	15

Table 14 $q = 5$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^2$	$3T^3 + 4YT^2 + 4Y^2T + 4XT^2 + 3Y^3 + 4XYT + 4XY^2 + 4X^2T + 4X^2Y + 3X^3$	3	25	2
$\overline{\mathcal{E}}_3^2$	$2T^3 + XY^2 + X^2Y$	6	13	0
$\mathcal{E}_3^2$	$T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 2XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$	6	13	0
$\mathcal{H}_1^0$	$YT^2 + 3XY^2 + X^3$	10	1	3
$\mathcal{H}_1^0$	$YT^2 + 4XY^2 + X^3$	8	4	3
$\mathcal{H}_1^0$	$YT^2 + XY^2 + X^3$	4	24	3
$\mathcal{H}_1^0$	$YT^2 + 2XY^2 + X^3$	2	29	3
$\mathcal{G}_1$	$YT^2 + Y^3 + 4XY^2 + X^3$	8	5	1
$\mathcal{G}_1$	$YT^2 + Y^3 + 2XY^2 + X^3$	7	10	4
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 3XY^2 + X^3$	5	20	4
$\mathcal{G}_1$	$YT^2 + 2Y^3 + XY^2 + X^3$	4	24	1
$\mathcal{G}_0^2$	$T^3+4Y^2T+4Y^3+XYT+3XY^2+4X^2T+4X^3$	9	4	2
$\mathcal{G}_0^2$	$T^3+2Y^2T+4Y^3+3XYT+3XY^2+2X^2T+4X^3$	3	28	2
$\mathcal{E}_0^2$	$T^3 + 4Y^3 + 3XY^2 + 4X^3$	6	16	0
$\mathcal{E}_0^2$	$T^3+3Y^2T+4Y^3+2XYT+3XY^2+3X^2T+4X^3$	6	16	0

The sets of $\mathbb{F}_q$-rational points of cubics $2T^3 + XY^2 + X^2Y$ and $T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 2XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$ are equivalent. The sets of $\mathbb{F}_q$-rational points of cubics $YT^2 + 2Y^3 + XY^2 + X^3$ and $YT^2 + XY^2 + X^3$ are equivalent.

Table 15 $q = 5$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$4T^3 + 2YT^2 + 2Y^2T + 2XT^2 + 4Y^3 + 2XY^2 + 2X^2T + 2X^2Y + 4X^3$	9	2

Table 16 $q = 7$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^2$	$T^3 + Y^3 + XYT$	7	30
$\mathcal{N}_1^1$	$T^3 + XY^2$	8	25
$\mathcal{N}_1^0$	$2YT^2 + 4XT^2 + Y^3 + XY^2$	9	16
$\mathcal{N}_0^2$	$2T^3 + Y^3 + XYT$	7	35

Table 17 $q = 7$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^1$	$6T^3 + 4YT^2 + 4Y^2T + 4XT^2 + 6Y^3 + 2XYT + 4XY^2 + 4X^2T + 4X^2Y + 6X^3$	9	6	3
$\mathcal{G}_3^1$	$5T^3 + YT^2 + Y^2T + XT^2 + 5Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 5X^3$	6	31	5
$\mathcal{G}_3^1$	$3T^3 + 2YT^2 + 2Y^2T + 2XT^2 + 3Y^3 + 5XYT + 2XY^2 + 2X^2T + 2X^2Y + 3X^3$	6	31	4
$\overline{\mathcal{E}}_3^1$	$3T^3 + XY^2 + X^2Y$	3	49	0
$\mathcal{E}_1^4$	$YT^2 + 2Y^3 + X^3$	7	26	0
$\mathcal{E}_1^1$	$YT^2 + 4Y^3 + X^3$	13	1	0
$\mathcal{E}_1^1$	$YT^2 + Y^3 + X^3$	4	48	0
$\mathcal{H}_1^0$	$YT^2 + XY^2 + X^3$	8	17	6
$\mathcal{H}_1^0$	$YT^2 + 3XY^2 + X^3$	8	16	6
$\mathcal{G}_1$	$YT^2 + Y^3 + XY^2 + X^3$	11	3	1
$\mathcal{G}_1$	$YT^2 + 3Y^3 + XY^2 + X^3$	10	5	5
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 3XY^2 + X^3$	10	4	4
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 3XY^2 + X^3$	7	26	3
$\mathcal{G}_1$	$YT^2 + 6Y^3 + XY^2 + X^3$	5	42	1
$\mathcal{G}_1$	$YT^2 + Y^3 + 3XY^2 + X^3$	4	48	2
$\overline{\mathcal{E}}_0^4$	$2T^3 + 3Y^3 + X^3$	9	9	0
$\mathcal{E}_0^4$	$2T^3 + 3Y^3 + 4XYT + X^3$	9	12	0
$\mathcal{G}_0^1$	$2T^3 + 2YT^2 + Y^3 + 4XYT + XY^2 + X^2T + 4X^3$	9	12	3
$\mathcal{G}_0^1$	$5T^3 + 3YT^2 + 4Y^3 + 2XYT + XY^2 + X^2T + 6X^3$	6	36	5
$\mathcal{G}_0^1$	$3T^3 + 2YT^2 + 5Y^3 + 6XYT + XY^2 + X^2T + 6X^3$	6	36	4
$\mathcal{E}_0^1$	$3YT^2 + XY^2 + X^2T$	3	54	0

The sets of $\mathbb{F}_q$-rational points of cubics $3T^3 + 2YT^2 + 2Y^2T + 2XT^2 + 3Y^3 + 5XYT + 2XY^2 + 2X^2T + 2X^2Y + 3X^3$ and $5T^3 + YT^2 + Y^2T + XT^2 + 5Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 5X^3$ are equivalent.
The sets of $\mathbb{F}_q$-rational points of cubics $YT^2 + Y^3 + 3XY^2 + X^3$ and $YT^2 + Y^3 + X^3$ are equivalent.

Table 18 $q = 7$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	9	0
$\mathcal{G}_3^1$	$4T^3 + 5YT^2 + 5Y^2T + 5XT^2 + 4Y^3 + 4XYT + 5XY^2 + 5X^2T + 5X^2Y + 4X^3$	12	2
$\overline{\mathcal{E}}_3^1$	$2T^3 + XY^2 + X^2Y$	12	0
$\mathcal{G}_0^1$	$T^3 + 3YT^2 + 5Y^3 + 6XYT + XY^2 + X^2T + 4X^3$	12	2
$\mathcal{E}_0^1$	$2YT^2 + XY^2 + X^2T$	12	0

Table 19 $q = 8$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$YT^2 + Y^2T + XT^2 + XYT + XY^2$	10	12
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	8	36
$\mathcal{N}_1^1$	$T^3 + XY^2$	9	22
$\mathcal{N}_0^0$	$\xi^2T^3 + \xi^6YT^2 + Y^2T + XT^2 + \xi^2Y^3 + XYT + XY^2$	10	18

Table 20 $q = 8$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^2$	$\xi^4T^3 + \xi^4YT^2 + \xi^4Y^2T + \xi^4XT^2 + \xi^4Y^3 + XYT + \xi^4XY^2 + \xi^4X^2T + \xi^4X^2Y + \xi^4X^3$	12	4	ξ^4
$\mathcal{G}_3^2$	$\xi^2T^3 + \xi^2YT^2 + \xi^2Y^2T + \xi^2XT^2 + \xi^2Y^3 + XYT + \xi^2XY^2 + \xi^2X^2T + \xi^2X^2Y + \xi^2X^3$	12	4	ξ^2
$\mathcal{G}_3^2$	$\xi T^3 + \xi YT^2 + \xi Y^2T + \xi XT^2 + \xi Y^3 + XYT + \xi XY^2 + \xi X^2T + \xi X^2Y + \xi X^3$	12	4	ξ
$\mathcal{G}_3^2$	$\xi^6T^3 + \xi^6YT^2 + \xi^6Y^2T + \xi^6XT^2 + \xi^6Y^3 + XYT + \xi^6XY^2 + \xi^6X^2T + \xi^6X^2Y + \xi^6X^3$	6	43	ξ
$\mathcal{G}_3^2$	$\xi^5T^3 + \xi^5YT^2 + \xi^5Y^2T + \xi^5XT^2 + \xi^5Y^3 + XYT + \xi^5XY^2 + \xi^5X^2T + \xi^5X^2Y + \xi^5X^3$	6	43	ξ^2
$\mathcal{G}_3^2$	$\xi^3T^3 + \xi^3YT^2 + \xi^3Y^2T + \xi^3XT^2 + \xi^3Y^3 + XYT + \xi^3XY^2 + \xi^3X^2T + \xi^3X^2Y + \xi^3X^3$	6	43	ξ^4
$\overline{\mathcal{E}}_3^2$	$\xi T^3 + XY^2 + X^2Y$	9	13	0
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^4XY^2 + X^2Y + X^3$	10	9	ξ^6
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^2XY^2 + X^2Y + X^3$	10	9	ξ^3
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi XY^2 + X^2Y + X^3$	10	9	ξ^5
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^4XY^2 + X^3$	8	26	ξ^6
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^2XY^2 + X^3$	8	26	ξ^3
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi XY^2 + X^3$	8	26	ξ^5
$\mathcal{G}_1^0$	$YT^2 + XYT + XY^2 + X^3$	4	63	1
$\mathcal{E}_1^0$	$YT^2 + Y^2T + XY^2 + X^3$	5	56	0
$\mathcal{G}_0^2$	$T^3+\xi^6Y^2T+\xi^4Y^3+\xi^3XYT+XY^2+\xi^6X^2T+X^3$	6	49	ξ
$\mathcal{G}_0^2$	$T^3+\xi^6Y^2T+\xi Y^3+XYT+XY^2+\xi^6X^2T+X^3$	6	49	ξ^4
$\mathcal{G}_0^2$	$T^3+\xi^5Y^2T+\xi Y^3+\xi^6XYT+XY^2+\xi^5X^2T+X^3$	6	49	ξ^2
$\mathcal{E}_0^2$	$T^3 + \xi^4Y^3 + XY^2 + X^3$	9	19	0

The sets of $\mathbb{F}_q$-rational points of cubics $\xi^6T^3 + \xi^6YT^2 + \xi^6Y^2T + \xi^6XT^2 + \xi^6Y^3+XYT+\xi^6XY^2+\xi^6X^2T+\xi^6X^2Y+\xi^6X^3$ and $\xi^3T^3+\xi^3YT^2+\xi^3Y^2T+\xi^3XT^2 + \xi^3Y^3 + XYT + \xi^3XY^2 + \xi^3X^2T + \xi^3X^2Y + \xi^3X^3$ are equivalent.
The sets of $\mathbb{F}_q$-rational points of cubics $\xi^6T^3 + \xi^6YT^2 + \xi^6Y^2T + \xi^6XT^2 + \xi^6Y^3+XYT+\xi^6XY^2+\xi^6X^2T+\xi^6X^2Y+\xi^6X^3$ and $\xi^5T^3+\xi^5YT^2+\xi^5Y^2T+\xi^5XT^2 + \xi^5Y^3 + XYT + \xi^5XY^2 + \xi^5X^2T + \xi^5X^2Y + \xi^5X^3$ are equivalent.

Table 21 $q = 8$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_1^0$	$YT^2 + XYT + XY^2 + X^2Y + X^3$	14	1
$\mathcal{E}_1^0$	$YT^2 + Y^2T + Y^3 + XY^2 + X^3$	13	0
$\mathcal{G}_0^2$	$T^3 + Y^2T + \xi^4Y^3 + \xi^4XYT + XY^2 + X^2T + X^3$	12	ξ^2
$\mathcal{G}_0^2$	$T^3 + Y^2T + \xi^2Y^3 + \xi^2XYT + XY^2 + X^2T + X^3$	12	ξ
$\mathcal{G}_0^2$	$T^3+Y^2T+\xi Y^3+\xi XYT+XY^2+X^2T+X^3$	12	ξ^4

Table 22 $q = 9$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_q^1$	$T^3 + XY^2$	10	5
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	9	36
$\mathcal{N}_1^0$	$\xi XT^2+Y^3+XY^2$	11	14
$\mathcal{N}_0^1$	$T^3 + YT^2 + XY^2$	10	27

Table 23 $q = 9$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3$	$\xi^7T^3 + \xi^7Y^3 + XYT + \xi^7X^3$	12	3	ξ^7
$\mathcal{G}_3$	$\xi^5T^3 + \xi^5Y^3 + XYT + \xi^5X^3$	12	3	ξ^5
$\mathcal{G}_3$	$\xi^6T^3 + \xi^6Y^3 + XYT + \xi^6X^3$	9	21	ξ^2
$\mathcal{G}_3$	$\xi^2T^3 + \xi^2Y^3 + XYT + \xi^2X^3$	9	21	ξ^6
$\mathcal{G}_3$	$\xi^3T^3 + \xi^3Y^3 + XYT + \xi^3X^3$	6	57	ξ^3
$\mathcal{G}_3$	$\xi T^3 + \xi Y^3 + XYT + \xi X^3$	6	57	ξ
$\mathcal{S}_1^3$	$YT^2 + \xi^7Y^3 + \xi^2XY^2 + X^3$	4	80	0
$\mathcal{S}_1^1$	$YT^2 + Y^3 + \xi^5XY^2 + X^3$	10	15	0
$\mathcal{S}_1^1$	$YT^2 + Y^3 + \xi^3XY^2 + X^3$	10	15	0
$\mathcal{S}_1^0$	$YT^2 + Y^3 + \xi^2XY^2 + X^3$	13	7	0
$\mathcal{S}_1^0$	$YT^2 + Y^3 + \xi^4XY^2 + X^3$	7	50	0
$\mathcal{G}_1$	$YT^2 + \xi^5Y^3 + \xi^5X^2Y + X^3$	11	8	ξ^6
$\mathcal{G}_1$	$YT^2 + \xi Y^3 + \xi^5X^2Y + X^3$	11	8	ξ^2
$\mathcal{G}_1$	$YT^2 + \xi^7Y^3 + \xi^5X^2Y + X^3$	8	36	ξ^4
$\mathcal{G}_1$	$YT^2 + \xi^6Y^3 + \xi^5X^2Y + X^3$	8	37	ξ^5
$\mathcal{G}_1$	$YT^2 + \xi^4Y^3 + \xi^5X^2Y + X^3$	8	37	ξ^7
$\mathcal{G}_1$	$YT^2 + \xi^3Y^3 + \xi^5X^2Y + X^3$	5	72	1
$\mathcal{G}_0$	$\xi^6T^3 + \xi^2YT^2 + Y^3 + \xi^2XY^2 + \xi^2X^2T + \xi^4X^2Y + X^3$	12	3	ξ^5
$\mathcal{G}_0$	$\xi^5T^3 + \xi^2YT^2 + Y^3 + \xi^2XY^2 + \xi^2X^2T + \xi^4X^2Y + X^3$	12	1	ξ^4
$\mathcal{G}_0$	$\xi^3T^3 + \xi^2YT^2 + Y^3 + \xi^2XY^2 + \xi^2X^2T + \xi^4X^2Y + X^3$	12	3	ξ^7
$\mathcal{G}_0$	$\xi^4T^3 + \xi^2YT^2 + Y^3 + \xi^2XY^2 + \xi^2X^2T + \xi^4X^2Y + X^3$	9	28	ξ^6
$\mathcal{G}_0$	$\xi^2YT^2 + Y^3 + \xi^2XY^2 + \xi^2X^2T + \xi^4X^2Y + X^3$	9	28	ξ^2
$\mathcal{G}_0$	$\xi^2T^3 + \xi^2YT^2 + Y^3 + \xi^2XY^2 + \xi^2X^2T + \xi^4X^2Y + X^3$	6	64	ξ^3
$\mathcal{G}_0$	$\xi T^3 + \xi^2YT^2 + Y^3 + \xi^2XY^2 + \xi^2X^2T + \xi^4X^2Y + X^3$	6	64	ξ

The sets of $\mathbb{F}_q$-rational points of cubics $\xi T^3 + \xi Y^3 + XYT + \xi X^3$ and $\xi^3T^3 + \xi^3Y^3 + XYT + \xi^3X^3$ are equivalent.

The sets of $\mathbb{F}_q$-rational points of cubics $\xi^2T^3 + \xi^2Y^3 + XYT + \xi^2X^3$ and $\xi^6T^3 + \xi^6Y^3 + XYT + \xi^6X^3$ are equivalent.
The sets of $\mathbb{F}_q$-rational points of cubics $\xi^2T^3+\xi^2YT^2+Y^3+\xi^2XY^2+\xi^2X^2T+\xi^4X^2Y + X^3$ and $\xi T^3 + \xi^2YT^2 + Y^3 + \xi^2XY^2 + \xi^2X^2T + \xi^4X^2Y + X^3$ are equivalent.

Table 24 $q = 9$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_3$	$\xi^4T^3 + \xi^4Y^3 + XYT + \xi^4X^3$	15	1
$\mathcal{G}_3$	$T^3 + Y^3 + XYT + X^3$	12	ξ^4
$\mathcal{S}_1^3$	$YT^2 + \xi^2Y^3 + \xi^4XY^2 + X^3$	16	0
$\mathcal{G}_1$	$YT^2 + Y^3 + \xi^5X^2Y + X^3$	14	ξ^3
$\mathcal{G}_1$	$YT^2 + \xi^2Y^3 + \xi^5X^2Y + X^3$	14	ξ
$\mathcal{G}_0$	$\xi^7T^3 + \xi^2YT^2 + Y^3 + \xi^2XY^2 + \xi^2X^2T + \xi^4X^2Y + X^3$	15	1

Table 25 $q = 11$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$2YT^2 + 3XT^2 + Y^3 + XY^2$	13	9
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	11	31
$\mathcal{N}_1^1$	$T^3 + XY^2$	12	21
$\mathcal{N}_0^0$	$10T^3 + 2YT^2 + Y^2T + 3XT^2 + Y^3 + XY^2$	13	12

Table 26 $q = 11$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{H}_3^2$	$T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 7XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$	12	6	1
$\mathcal{H}_3^2$	$8T^3 + 2YT^2 + 2Y^2T + 2XT^2 + 8Y^3 + 5XYT + 2XY^2 + 2X^2T + 2X^2Y + 8X^3$	12	7	1
$\mathcal{G}_3^2$	$9T^3 + 5YT^2 + 5Y^2T + 5XT^2 + 9Y^3 + 5XY^2 + 5X^2T + 5X^2Y + 9X^3$	15	1	10
$\mathcal{G}_3^2$	$6T^3 + 7YT^2 + 7Y^2T + 7XT^2 + 6Y^3 + 4XYT + 7XY^2 + 7X^2T + 7X^2Y + 6X^3$	9	42	10
$\mathcal{G}_3^2$	$4T^3 + YT^2 + Y^2T + XT^2 + 4Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 4X^3$	9	43	4
$\mathcal{G}_3^2$	$10T^3 + 8YT^2 + 8Y^2T + 8XT^2 + 10Y^3 + 6XYT + 8XY^2 + 8X^2T + 8X^2Y + 10X^3$	6	91	3
$\overline{\mathcal{E}}_3^2$	$2T^3 + XY^2 + X^2Y$	12	10	0
$\mathcal{E}_3^2$	$5T^3 + 4YT^2 + 4Y^2T + 4XT^2 + 5Y^3 + 9XYT + 4XY^2 + 4X^2T + 4X^2Y + 5X^3$	12	9	0
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 2XY^2 + X^3$	14	3	7
$\mathcal{G}_1$	$YT^2 + 10Y^3 + XY^2 + X^3$	14	1	9
$\mathcal{G}_1$	$YT^2 + 5Y^3 + XY^2 + X^3$	13	5	6
$\mathcal{G}_1$	$YT^2 + 6Y^3 + XY^2 + X^3$	11	20	6
$\mathcal{G}_1$	$YT^2 + Y^3 + XY^2 + X^3$	10	33	9
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 2XY^2 + X^3$	10	33	7
$\mathcal{G}_1$	$YT^2 + Y^3 + 2XY^2 + X^3$	8	65	8
$\mathcal{G}_1$	$YT^2 + 2Y^3 + XY^2 + X^3$	8	64	2
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 2XY^2 + X^3$	7	82	5
$\mathcal{H}_0^2$	$T^3 + 5Y^2T + 10Y^3 + 6XYT + 3XY^2 + 5X^2T + 10X^3$	12	10	1
$\mathcal{H}_0^2$	$T^3+4Y^2T+6Y^3+2XYT+3XY^2+4X^2T+10X^3$	12	12	1
$\mathcal{G}_0^2$	$T^3+Y^2T+10Y^3+10XYT+3XY^2+X^2T+10X^3$	15	3	10
$\mathcal{G}_0^2$	$T^3 + 4Y^2T + 10Y^3 + 7XYT + 3XY^2 + 4X^2T + 10X^3$	9	52	4
$\mathcal{G}_0^2$	$T^3+2Y^2T+6Y^3+XYT+3XY^2+2X^2T+10X^3$	9	52	10
$\mathcal{G}_0^2$	$T^3+5Y^2T+6Y^3+8XYT+3XY^2+5X^2T+10X^3$	6	100	3
$\mathcal{E}_0^2$	$T^3 + 8Y^2T + 10Y^3 + 3XYT + 3XY^2 + 8X^2T + 10X^3$	12	13	0
$\mathcal{E}_0^2$	$T^3 + 10Y^3 + 3XY^2 + 10X^3$	12	13	0

Table 27 $q = 11$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$3T^3 + 9YT^2 + 9Y^2T + 9XT^2 + 3Y^3 + 8XYT + 9XY^2 + 9X^2T + 9X^2Y + 3X^3$	18	3
$\mathcal{G}_3^2$	$7T^3 + 10YT^2 + 10Y^2T + 10XT^2 + 7Y^3 + 10XYT + 10XY^2 + 10X^2T + 10X^2Y + 7X^3$	15	4
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 2XY^2 + X^3$	17	5
$\mathcal{G}_1$	$YT^2 + 9Y^3 + XY^2 + X^3$	16	2
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 2XY^2 + X^3$	16	8
$\mathcal{G}_0^2$	$T^3 + 10Y^2T + 6Y^3 + 5XYT + 3XY^2 + 10X^2T + 10X^3$	18	3
$\mathcal{G}_0^2$	$T^3 + 2Y^2T + 10Y^3 + 9XYT + 3XY^2 + 2X^2T + 10X^3$	15	4

Table 28 $q = 13$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^2$	$T^3 + Y^3 + XYT$	13	21
$\mathcal{N}_1^1$	$T^3 + XY^2$	14	16
$\mathcal{N}_1^0$	$6YT^2 + 11XT^2 + Y^3 + XY^2$	15	5
$\mathcal{N}_0^2$	$2T^3 + Y^3 + XYT$	13	28

Table 29 $q = 13$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	9	54	0
$\mathcal{G}_3^1$	$T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 7XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$	18	1	7
$\mathcal{G}_3^1$	$9T^3 + YT^2 + Y^2T + XT^2 + 9Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 9X^3$	15	3	9
$\mathcal{G}_3^1$	$3T^3 + 9YT^2 + 9Y^2T + 9XT^2 + 3Y^3 + 6XYT + 9XY^2 + 9X^2T + 9X^2Y + 3X^3$	15	3	2
$\mathcal{G}_3^1$	$6T^3 + 5YT^2 + 5Y^2T + 5XT^2 + 6Y^3 + 11XYT + 5XY^2 + 5X^2T + 5X^2Y + 6X^3$	12	24	11
$\mathcal{G}_3^1$	$2T^3 + 6YT^2 + 6Y^2T + 6XT^2 + 2Y^3 + 6XY^2 + 6X^2T + 6X^2Y + 2X^3$	12	21	6
$\mathcal{G}_3^1$	$10T^3 + 4YT^2 + 4Y^2T + 4XT^2 + 10Y^3 + 9XYT + 4XY^2 + 4X^2T + 4X^2Y + 10X^3$	12	19	4
$\mathcal{G}_3^1$	$5T^3 + 2YT^2 + 2Y^2T + 2XT^2 + 5Y^3 + 5XYT + 2XY^2 + 2X^2T + 2X^2Y + 5X^3$	9	73	3
$\overline{\mathcal{E}}_3^1$	$2T^3 + XY^2 + X^2Y$	12	12	0
$\mathcal{H}_1^4$	$YT^2 + 2XY^2 + X^3$	10	59	12
$\mathcal{E}_1^1$	$YT^2 + 5Y^3 + X^3$	16	2	0
$\mathcal{E}_1^1$	$YT^2 + 7Y^3 + X^3$	7	122	0
$\mathcal{H}_1^0$	$YT^2 + 4XY^2 + X^3$	8	100	12
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 2XY^2 + X^3$	17	1	8
$\mathcal{G}_1$	$YT^2 + Y^3 + 7XY^2 + X^3$	16	2	4
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 4XY^2 + X^3$	14	6	5
$\mathcal{G}_1$	$YT^2 + 4Y^3 + XY^2 + X^3$	14	8	5
$\mathcal{G}_1$	$YT^2 + 6Y^3 + XY^2 + X^3$	13	14	9
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 7XY^2 + X^3$	13	17	2
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 7XY^2 + X^3$	11	42	8
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 4XY^2 + X^3$	10	58	7
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 7XY^2 + X^3$	10	59	10
$\mathcal{G}_1$	$YT^2 + Y^3 + 2XY^2 + X^3$	8	101	1
$\overline{\mathcal{E}}_0^4$	$4T^3 + 2Y^3 + X^3$	9	81	0
$\mathcal{E}_0^4$	$4T^3 + 2Y^3 + 10XYT + X^3$	9	84	0

Table 29 Continue 1

type	equation	n	# of residual points	$j-$inv.
$\mathcal{G}_0^1$	$T^3+4YT^2+10Y^3+9XYT+XY^2+X^2T+9X^3$	15	3	2
$\mathcal{G}_0^1$	$9T^3+2YT^2+11Y^3+6XYT+XY^2+X^2T+12X^3$	15	6	9
$\mathcal{G}_0^1$	$5T^3+4YT^2+11Y^3+6XYT+XY^2+X^2T+6X^3$	12	24	11
$\mathcal{G}_0^1$	$5T^3+2YT^2+9Y^3+12XYT+XY^2+X^2T+11X^3$	12	24	4
$\mathcal{G}_0^1$	$10T^3+2YT^2+5Y^3+11XYT+XY^2+X^2T+9X^3$	12	27	6
$\mathcal{G}_0^1$	$7T^3+4YT^2+5Y^3+11XYT+XY^2+X^2T+11X^3$	9	84	3
$\mathcal{E}_0^1$	$2YT^2+XY^2+X^2T$	12	27	0

Table 30 $q = 13$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{H}_9^4$	$T^3+Y^3+11XYT+X^3$	18	12
$\mathcal{G}_3^1$	$8T^3+11YT^2+11Y^2T+11XT^2+8Y^3+10XYT+$ $11XY^2+11X^2T+11X^2Y+8X^3$	18	10
$\overline{\mathcal{E}}_3^1$	$4T^3+XY^2+X^2Y$	21	0
$\mathcal{E}_1^4$	$YT^2+11Y^3+X^3$	19	0
$\mathcal{H}_1^0$	$YT^2+XY^2+X^3$	20	12
$\mathcal{G}_1$	$YT^2+5Y^3+7XY^2+X^3$	20	1
$\mathcal{G}_1$	$YT^2+Y^3+4XY^2+X^3$	19	3
$\mathcal{G}_1$	$YT^2+6Y^3+2XY^2+X^3$	16	11
$\mathcal{G}_1$	$YT^2+3Y^3+4XY^2+X^3$	16	6
$\mathcal{H}_0^4$	$4T^3+2Y^3+XYT+X^3$	18	12
$\mathcal{H}_0^4$	$4T^3+2Y^3+5XYT+X^3$	18	12
$\mathcal{G}_0^1$	$11T^3+2YT^2+12Y^3+3XYT+XY^2+X^2T+6X^3$	18	7
$\mathcal{G}_0^1$	$10T^3+4YT^2+9Y^3+12XYT+XY^2+X^2T+12X^3$	18	10
$\mathcal{E}_0^1$	$4YT^2+XY^2+X^2T$	21	0

Table 31 $q = 16$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^2$	$T^3 + Y^3 + XYT$	16	12
$\mathcal{N}_1^0$	$\xi^{14}YT^2 + \xi^7Y^2T + \xi^7XT^2 + \xi^9Y^3 + XYT + XY^2$	18	1
$\mathcal{N}_0^2$	$\xi^7T^3 + Y^3 + XYT$	16	15

Table 32 $q = 16$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_1^1$	$T^3 + XY^2$	17

Table 33 $q = 16$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_9^4$	$T^3 + Y^3 + \xi^7 XYT + X^3$	18	9	1
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	9	108	0
$\mathcal{G}_3^1$	$\xi^9 T^3 + \xi^9 YT^2 + \xi^9 Y^2 T + \xi^9 XT^2 + \xi^9 Y^3 + XYT + \xi^9 XY^2 + \xi^9 X^2 T + \xi^9 X^2 Y + \xi^9 X^3$	18	4	ξ^{11}
$\mathcal{G}_3^1$	$\xi^6 T^3 + \xi^6 YT^2 + \xi^6 Y^2 T + \xi^6 XT^2 + \xi^6 Y^3 + XYT + \xi^6 XY^2 + \xi^6 X^2 T + \xi^6 X^2 Y + \xi^6 X^3$	18	4	ξ^{14}
$\mathcal{G}_3^1$	$\xi^3 T^3 + \xi^3 YT^2 + \xi^3 Y^2 T + \xi^3 XT^2 + \xi^3 Y^3 + XYT + \xi^3 XY^2 + \xi^3 X^2 T + \xi^3 X^2 Y + \xi^3 X^3$	18	4	ξ^7
$\mathcal{G}_3^1$	$\xi^{12} T^3 + \xi^{12} YT^2 + \xi^{12} Y^2 T + \xi^{12} XT^2 + \xi^{12} Y^3 + XYT + \xi^{12} XY^2 + \xi^{12} X^2 T + \xi^{12} X^2 Y + \xi^{12} X^3$	18	4	ξ^{13}
$\mathcal{G}_3^1$	$\xi^8 T^3 + \xi^8 YT^2 + \xi^8 Y^2 T + \xi^8 XT^2 + \xi^8 Y^3 + XYT + \xi^8 XY^2 + \xi^8 X^2 T + \xi^8 X^2 Y + \xi^8 X^3$	12	58	ξ^4
$\mathcal{G}_3^1$	$\xi^4 T^3 + \xi^4 YT^2 + \xi^4 Y^2 T + \xi^4 XT^2 + \xi^4 Y^3 + XYT + \xi^4 XY^2 + \xi^4 X^2 T + \xi^4 X^2 Y + \xi^4 X^3$	12	58	ξ^2
$\mathcal{G}_3^1$	$\xi^2 T^3 + \xi^2 YT^2 + \xi^2 Y^2 T + \xi^2 XT^2 + \xi^2 Y^3 + XYT + \xi^2 XY^2 + \xi^2 X^2 T + \xi^2 X^2 Y + \xi^2 X^3$	12	58	ξ
$\mathcal{G}_3^1$	$\xi T^3 + \xi YT^2 + \xi Y^2 T + \xi XT^2 + \xi Y^3 + XYT + \xi XY^2 + \xi X^2 T + \xi X^2 Y + \xi X^3$	12	58	ξ^8
$\mathcal{G}_1^4$	$YT^2 + XYT + XY^2 + X^3$	16	4	1
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi^8 XY^2 + X^3$	16	9	ξ^{14}
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi^4 XY^2 + X^3$	16	9	ξ^7
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi^2 XY^2 + X^3$	16	9	ξ^{11}
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi XY^2 + X^3$	16	9	ξ^{13}
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi^5 XY^2 + \xi^7 X^2 Y + X^3$	10	113	ξ^5
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi^{10} XY^2 + \xi^7 X^2 Y + X^3$	10	113	ξ^{10}
$\mathcal{E}_1^1$	$YT^2 + Y^2 T + \xi^7 Y^3 + XY^2 + \xi^2 X^3$	13	41	0
$\mathcal{E}_1^1$	$YT^2 + Y^2 T + \xi^7 Y^3 + XY^2 + \xi X^3$	13	41	0
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^9 XY^2 + \xi^7 X^2 Y + X^3$	14	26	ξ^{12}
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^6 XY^2 + \xi^7 X^2 Y + X^3$	14	26	ξ^3
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^3 XY^2 + \xi^7 X^2 Y + X^3$	14	26	ξ^9
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^{12} XY^2 + \xi^7 X^2 Y + X^3$	14	26	ξ^6

Table 33 Continue 1

type	equation	n	# of residual points	$j-$inv.
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+XYT+X^3$	18	9	1
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^7XYT+X^3$	18	9	1
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{14}XYT+X^3$	18	9	1
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{13}XYT+X^3$	18	9	1
$\overline{\mathcal{E}}_0^4$	$\xi^2T^3+\xi Y^3+X^3$	9	144	0
$\mathcal{G}_0^1$	$T^3+\xi YT^2+\xi^{14}Y^3+\xi^{14}XYT+XY^2+X^2T+\xi^{13}X^3$	12	63	ξ^8
$\mathcal{G}_0^1$	$\xi^2T^3+\xi^2YT^2+Y^3+XYT+XY^2+X^2T+\xi^{13}X^3$	12	63	ξ^4
$\mathcal{G}_0^1$	$\xi^{10}T^3+\xi^2YT^2+\xi^8Y^3+\xi^8XYT+XY^2+X^2T+\xi^6X^3$	12	63	ξ
$\mathcal{G}_0^1$	$\xi T^3+\xi YT^2+Y^3+XYT+XY^2+X^2T+\xi^{14}X^3$	12	63	ξ^2

Table 34 $q = 16$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$\xi^5T^3 + \xi^5YT^2 + \xi^5Y^2T + \xi^5XT^2 + \xi^5Y^3 + XYT + \xi^5XY^2 + \xi^5X^2T + \xi^5X^2Y + \xi^5X^3$	24	ξ^5
$\mathcal{G}_3^1$	$\xi^{10}T^3 + \xi^{10}YT^2 + \xi^{10}Y^2T + \xi^{10}XT^2 + \xi^{10}Y^3 + XYT + \xi^{10}XY^2 + \xi^{10}X^2T + \xi^{10}X^2Y + \xi^{10}X^3$	24	ξ^{10}
$\overline{\mathcal{E}}_3^1$	$\xi^2T^3 + XY^2 + X^2Y$	21	0
$\overline{\mathcal{E}}_3^1$	$\xi T^3 + XY^2 + X^2Y$	21	0
$\mathcal{E}_1^4$	$YT^2 + Y^2T + XY^2 + X^3$	25	0
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi^7XY^2 + \xi^7X^2Y + X^3$	22	ξ
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi^{14}XY^2 + \xi^7X^2Y + X^3$	22	ξ^2
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi^{13}XY^2 + \xi^7X^2Y + X^3$	22	ξ^4
$\mathcal{G}_1^1$	$YT^2 + XYT + \xi^{11}XY^2 + \xi^7X^2Y + X^3$	22	ξ^8
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^9XY^2 + X^3$	20	ξ^{12}
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^6XY^2 + X^3$	20	ξ^3
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^3XY^2 + X^3$	20	ξ^9
$\mathcal{G}_1^0$	$YT^2 + XYT + \xi^{12}XY^2 + X^3$	20	ξ^6
$\mathcal{E}_1^0$	$YT^2 + Y^2T + \xi^7Y^3 + \xi^7XY^2 + X^3$	17	0
$\mathcal{G}_0^1$	$\xi^8T^3 + \xi YT^2 + \xi^7Y^3 + \xi^7XYT + XY^2 + X^2T + \xi^6X^3$	24	ξ^5
$\mathcal{G}_0^1$	$\xi^{11}T^3 + \xi^2YT^2 + \xi^9Y^3 + \xi^9XYT + XY^2 + X^2T + \xi^7X^3$	24	ξ^{10}
$\mathcal{G}_0^1$	$\xi^9T^3 + \xi YT^2 + \xi^8Y^3 + \xi^8XYT + XY^2 + X^2T + \xi^7X^3$	18	ξ^{11}
$\mathcal{G}_0^1$	$\xi^4T^3 + \xi^2YT^2 + \xi^2Y^3 + \xi^2XYT + XY^2 + X^2T + X^3$	18	ξ^{13}
$\mathcal{G}_0^1$	$\xi^3T^3 + \xi^2YT^2 + \xi Y^3 + \xi XYT + XY^2 + X^2T + \xi^{14}X^3$	18	ξ^7
$\mathcal{G}_0^1$	$\xi^2T^3 + \xi YT^2 + \xi Y^3 + \xi XYT + XY^2 + X^2T + X^3$	18	ξ^{14}
$\mathcal{E}_0^1$	$\xi^2YT^2 + XY^2 + X^2T$	21	0
$\mathcal{E}_0^1$	$\xi YT^2 + XY^2 + X^2T$	21	0

Table 35 $q = 17$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$8YT^2 + 3XT^2 + Y^3 + XY^2$	19	6
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	17	8
$\mathcal{N}_1^1$	$T^3 + XY^2$	18	17
$\mathcal{N}_0^0$	$16T^3 + 8YT^2 + Y^2T + 3XT^2 + Y^3 + XY^2$	19	6

Table 36 $q = 17$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^2$	$4T^3 + 12YT^2 + 12Y^2T + 12XT^2 + 4Y^3 + 8XYT + 12XY^2 + 12X^2T + 12X^2Y + 4X^3$	24	1	1
$\mathcal{G}_3^2$	$10T^3 + 13YT^2 + 13Y^2T + 13XT^2 + 10Y^3 + 10XYT + 13XY^2 + 13X^2T + 13X^2Y + 10X^3$	18	6	8
$\mathcal{G}_3^2$	$6T^3 + YT^2 + Y^2T + XT^2 + 6Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 6X^3$	15	25	2
$\mathcal{G}_3^2$	$3T^3 + 9YT^2 + 9Y^2T + 9XT^2 + 3Y^3 + 2XYT + 9XY^2 + 9X^2T + 9X^2Y + 3X^3$	15	25	7
$\mathcal{G}_3^2$	$15T^3 + 11YT^2 + 11Y^2T + 11XT^2 + 15Y^3 + 6XYT + 11XY^2 + 11X^2T + 11X^2Y + 15X^3$	15	15	13
$\mathcal{G}_3^2$	$T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 7XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$	12	70	6
$\mathcal{G}_3^2$	$14T^3 + 8YT^2 + 8Y^2T + 8XT^2 + 14Y^3 + 8XY^2 + 8X^2T + 8X^2Y + 14X^3$	12	72	10
$\mathcal{G}_3^2$	$13T^3 + 5YT^2 + 5Y^2T + 5XT^2 + 13Y^3 + 11XYT + 5XY^2 + 5X^2T + 5X^2Y + 13X^3$	12	73	1
$\overline{\mathcal{E}}_3^2$	$3T^3 + XY^2 + X^2Y$	18	4	0
$\mathcal{E}_3^2$	$12T^3 + 2YT^2 + 2Y^2T + 2XT^2 + 12Y^3 + 5XYT + 2XY^2 + 2X^2T + 2X^2Y + 12X^3$	18	6	0
$\mathcal{H}_1^0$	$YT^2 + XY^2 + X^3$	16	4	11
$\mathcal{H}_1^0$	$YT^2 + 10XY^2 + X^3$	10	135	11

Table 36 Continue 1

type	equation	n	# of residual points	$j-$inv.
$\mathcal{G}_1$	$YT^2+6Y^3+XY^2+X^3$	20	1	16
$\mathcal{G}_1$	$YT^2+2Y^3+2XY^2+X^3$	19	2	3
$\mathcal{G}_1$	$YT^2+3Y^3+XY^2+X^3$	17	3	3
$\mathcal{G}_1$	$YT^2+4Y^3+2XY^2+X^3$	16	13	16
$\mathcal{G}_1$	$YT^2+3Y^3+6XY^2+X^3$	16	6	9
$\mathcal{G}_1$	$YT^2+2Y^3+3XY^2+X^3$	16	16	14
$\mathcal{G}_1$	$YT^2+7Y^3+3XY^2+X^3$	14	35	5
$\mathcal{G}_1$	$YT^2+4Y^3+XY^2+X^3$	14	31	4
$\mathcal{G}_1$	$YT^2+8Y^3+6XY^2+X^3$	13	53	15
$\mathcal{G}_1$	$YT^2+6Y^3+2XY^2+X^3$	11	105	12
$\mathcal{G}_0^2$	$T^3+16Y^2T+14Y^3+3XYT+3XY^2+16X^2T+16X^3$	15	28	13
$\mathcal{G}_0^2$	$T^3+14Y^2T+14Y^3+9XYT+3XY^2+14X^2T+16X^3$	15	21	2
$\mathcal{G}_0^2$	$T^3+11Y^2T+14Y^3+XYT+3XY^2+11X^2T+16X^3$	15	21	7
$\mathcal{G}_0^2$	$T^3+5Y^2T+10Y^3+16XYT+3XY^2+5X^2T+16X^3$	12	79	1
$\mathcal{G}_0^2$	$T^3+11Y^2T+10Y^3+8XYT+3XY^2+11X^2T+16X^3$	12	82	6
$\mathcal{G}_0^2$	$T^3+10Y^2T+14Y^3+4XYT+3XY^2+10X^2T+16X^3$	12	76	10
$\mathcal{E}_0^2$	$T^3+14Y^3+3XY^2+16X^3$	18	4	0

Table 37 $q = 17$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$9T^3 + 10YT^2 + 10Y^2T + 10XT^2 + 9Y^3 + 4XYT + 10XY^2 + 10X^2T + 10X^2Y + 9X^3$	24	6
$\mathcal{G}_3^2$	$8T^3 + 7YT^2 + 7Y^2T + 7XT^2 + 8Y^3 + 15XYT + 7XY^2 + 7X^2T + 7X^2Y + 8X^3$	24	10
$\mathcal{G}_3^2$	$7T^3 + 4YT^2 + 4Y^2T + 4XT^2 + 7Y^3 + 9XYT + 4XY^2 + 4X^2T + 4X^2Y + 7X^3$	21	2
$\mathcal{G}_3^2$	$2T^3 + 6YT^2 + 6Y^2T + 6XT^2 + 2Y^3 + 13XYT + 6XY^2 + 6X^2T + 6X^2Y + 2X^3$	21	13
$\mathcal{G}_3^2$	$16T^3 + 14YT^2 + 14Y^2T + 14XT^2 + 16Y^3 + 12XYT + 14XY^2 + 14X^2T + 14X^2Y + 16X^3$	21	7
$\mathcal{G}_3^2$	$11T^3 + 16YT^2 + 16Y^2T + 16XT^2 + 11Y^3 + 16XYT + 16XY^2 + 16X^2T + 16X^2Y + 11X^3$	18	8
$\mathcal{H}_1^0$	$YT^2 + 3XY^2 + X^3$	26	11
$\mathcal{H}_1^0$	$YT^2 + 9XY^2 + X^3$	20	11
$\mathcal{G}_1$	$YT^2 + 8Y^3 + XY^2 + X^3$	25	12
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 3XY^2 + X^3$	23	15
$\mathcal{G}_1$	$YT^2 + Y^3 + 6XY^2 + X^3$	22	5
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 2XY^2 + X^3$	22	4
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 6XY^2 + X^3$	20	14
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 3XY^2 + X^3$	20	9
$\mathcal{G}_0^2$	$T^3 + 5Y^2T + 14Y^3 + 2XYT + 3XY^2 + 5X^2T + 16X^3$	24	6
$\mathcal{G}_0^2$	$T^3 + 2Y^2T + 14Y^3 + 11XYT + 3XY^2 + 2X^2T + 16X^3$	24	10
$\mathcal{G}_0^2$	$T^3 + 14Y^2T + 13Y^3 + 12XYT + 3XY^2 + 14X^2T + 16X^3$	24	1
$\mathcal{G}_0^2$	$T^3 + 2Y^2T + 13Y^3 + 9XYT + 3XY^2 + 2X^2T + 16X^3$	21	13
$\mathcal{G}_0^2$	$T^3 + 14Y^2T + 10Y^3 + 4XYT + 3XY^2 + 14X^2T + 16X^3$	21	2
$\mathcal{G}_0^2$	$T^3 + 13Y^2T + 13Y^3 + 16XYT + 3XY^2 + 13X^2T + 16X^3$	21	7
$\mathcal{G}_0^2$	$T^3 + 8Y^2T + 13Y^3 + 2XYT + 3XY^2 + 8X^2T + 16X^3$	18	8
$\mathcal{G}_0^2$	$T^3 + 2Y^2T + 10Y^3 + 3XYT + 3XY^2 + 2X^2T + 16X^3$	18	8
$\mathcal{E}_0^2$	$T^3 + 8Y^2T + 10Y^3 + 12XYT + 3XY^2 + 8X^2T + 16X^3$	18	0

Table 38 $q = 19$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^2$	$T^3 + Y^3 + XYT$	19	3
$\mathcal{N}_1^1$	$T^3 + XY^2$	20	6
$\mathcal{N}_1^0$	$6YT^2 + 17XT^2 + Y^3 + XY^2$	21	3
$\mathcal{N}_0^2$	$2T^3 + Y^3 + XYT$	19	4

Table 39 $q = 19$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_9^4$	$T^3 + Y^3 + 13XYT + X^3$	18	9	1
$\mathcal{G}_3^1$	$T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 7XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$	18	6	14
$\mathcal{G}_3^1$	$12T^3 + 17YT^2 + 17Y^2T + 17XT^2 + 12Y^3 + 16XYT + 17XY^2 + 17X^2T + 17X^2Y + 12X^3$	18	7	13
$\mathcal{G}_3^1$	$4T^3 + 12YT^2 + 12Y^2T + 12XT^2 + 4Y^3 + 6XYT + 12XY^2 + 12X^2T + 12X^2Y + 4X^3$	15	28	10
$\mathcal{G}_3^1$	$3T^3 + 9YT^2 + 9Y^2T + 9XT^2 + 3Y^3 + 9XY^2 + 9X^2T + 9X^2Y + 3X^3$	15	39	16
$\mathcal{G}_3^1$	$13T^3 + YT^2 + Y^2T + XT^2 + 13Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 13X^3$	12	103	2
$\overline{\mathcal{E}}_3^1$	$2T^3 + XY^2 + X^2Y$	12	96	0
$\mathcal{E}_1^4$	$YT^2 + 17Y^3 + X^3$	13	83	0
$\mathcal{E}_1^1$	$YT^2 + 6Y^3 + X^3$	19	3	0
$\mathcal{H}_1^0$	$YT^2 + XY^2 + X^3$	20	1	18

Table 39 Continue 1

type	equation	n	# of residual points	$j-$inv.
$\mathcal{G}_1$	$YT^2+7Y^3+XY^2+X^3$	22	1	14
$\mathcal{G}_1$	$YT^2+6Y^3+XY^2+X^3$	22	1	13
$\mathcal{G}_1$	$YT^2+3Y^3+2XY^2+X^3$	20	3	7
$\mathcal{G}_1$	$YT^2+16Y^3+2XY^2+X^3$	20	2	7
$\mathcal{G}_1$	$YT^2+Y^3+XY^2+X^3$	19	2	6
$\mathcal{G}_1$	$YT^2+15Y^3+XY^2+X^3$	19	3	4
$\mathcal{G}_1$	$YT^2+9Y^3+2XY^2+X^3$	17	15	8
$\mathcal{G}_1$	$YT^2+8Y^3+XY^2+X^3$	16	22	5
$\mathcal{G}_1$	$YT^2+4Y^3+2XY^2+X^3$	16	22	15
$\mathcal{G}_1$	$YT^2+2Y^3+2XY^2+X^3$	16	25	9
$\mathcal{G}_1$	$YT^2+13Y^3+2XY^2+X^3$	16	22	17
$\mathcal{G}_1$	$YT^2+9Y^3+XY^2+X^3$	14	56	12
$\mathcal{G}_1$	$YT^2+5Y^3+2XY^2+X^3$	14	61	11
$\mathcal{G}_1$	$YT^2+Y^3+2XY^2+X^3$	13	86	3
$\mathcal{G}_0^4$	$4T^3+2Y^3+7XYT+X^3$	18	9	1
$\mathcal{G}_0^4$	$4T^3+2Y^3+14XYT+X^3$	18	3	1
$\mathcal{G}_0^1$	$6T^3+4YT^2+11Y^3+5XYT+XY^2+X^2T+17X^3$	18	9	14
$\mathcal{G}_0^1$	$18T^3+2YT^2+9Y^3+11XYT+XY^2+X^2T+14X^3$	18	3	13
$\mathcal{G}_0^1$	$3T^3+2YT^2+11Y^3+5XYT+XY^2+X^2T+15X^3$	15	42	10
$\mathcal{G}_0^1$	$11T^3+4YT^2+17Y^3+6XYT+XY^2+X^2T+9X^3$	15	39	16
$\mathcal{G}_0^1$	$15T^3+4YT^2+18Y^3+3XYT+XY^2+X^2T+14X^3$	12	120	2
$\mathcal{E}_0^1$	$2YT^2+XY^2+X^2T$	12	117	0

Table 40 $q = 19$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	27	0
$\mathcal{G}_3^1$	$11T^3 + 14YT^2 + 14Y^2T + 14XT^2 + 11Y^3 + 10XYT + 14XY^2 + 14X^2T + 14X^2Y + 11X^3$	27	3
$\mathcal{G}_3^1$	$9T^3 + 8YT^2 + 8Y^2T + 8XT^2 + 9Y^3 + 17XYT + 8XY^2 + 8X^2T + 8X^2Y + 9X^3$	24	9
$\mathcal{G}_3^1$	$17T^3 + 13YT^2 + 13Y^2T + 13XT^2 + 17Y^3 + 8XYT + 13XY^2 + 13X^2T + 13X^2Y + 17X^3$	24	17
$\mathcal{G}_3^1$	$16T^3 + 10YT^2 + 10Y^2T + 10XT^2 + 16Y^3 + 2XYT + 10XY^2 + 10X^2T + 10X^2Y + 16X^3$	24	5
$\mathcal{G}_3^1$	$10T^3 + 11YT^2 + 11Y^2T + 11XT^2 + 10Y^3 + 4XYT + 11XY^2 + 11X^2T + 11X^2Y + 10X^3$	24	15
$\mathcal{G}_3^1$	$5T^3 + 15YT^2 + 15Y^2T + 15XT^2 + 5Y^3 + 12XYT + 15XY^2 + 15X^2T + 15X^2Y + 5X^3$	21	4
$\mathcal{G}_3^1$	$2T^3 + 6YT^2 + 6Y^2T + 6XT^2 + 2Y^3 + 13XYT + 6XY^2 + 6X^2T + 6X^2Y + 2X^3$	21	6
$\overline{\mathcal{E}}_3^1$	$4T^3 + XY^2 + X^2Y$	21	0
$\mathcal{E}_1^1$	$YT^2 + 11Y^3 + X^3$	28	0
$\mathcal{H}_1^0$	$YT^2 + 2XY^2 + X^3$	20	18
$\mathcal{G}_1$	$YT^2 + 2Y^3 + XY^2 + X^3$	28	2
$\mathcal{G}_1$	$YT^2 + 14Y^3 + 2XY^2 + X^3$	26	11
$\mathcal{G}_1$	$YT^2 + 10Y^3 + XY^2 + X^3$	26	12
$\mathcal{G}_1$	$YT^2 + 8Y^3 + 2XY^2 + X^3$	25	10
$\mathcal{G}_1$	$YT^2 + 5Y^3 + XY^2 + X^3$	25	16
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 2XY^2 + X^3$	23	8
$\mathcal{G}_1$	$YT^2 + 12Y^3 + 2XY^2 + X^3$	22	1
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 4XYT + X^3$	18	1
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 16XYT + X^3$	18	1
$\overline{\mathcal{E}}_0^4$	$4T^3 + 2Y^3 + X^3$	27	0
$\mathcal{E}_0^4$	$4T^3 + 2Y^3 + 8XYT + X^3$	27	0

Table 40 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_0^1$	$12T^3+4YT^2+3Y^3+10XYT+XY^2+X^2T+15X^3$	27	3
$\mathcal{G}_0^1$	$6T^3+2YT^2+3Y^3+10XYT+XY^2+X^2T+11X^3$	24	9
$\mathcal{G}_0^1$	$5T^3+4YT^2+6Y^3+XYT+XY^2+X^2T+11X^3$	24	17
$\mathcal{G}_0^1$	$3T^3+4YT^2+15Y^3+12XYT+XY^2+X^2T+18X^3$	24	5
$\mathcal{G}_0^1$	$17T^3+2YT^2+18Y^3+3XYT+XY^2+X^2T+9X^3$	24	15
$\mathcal{G}_0^1$	$15T^3+2YT^2+17Y^3+6XYT+XY^2+X^2T+18X^3$	21	4
$\mathcal{G}_0^1$	$11T^3+2YT^2+15Y^3+12XYT+XY^2+X^2T+17X^3$	21	6
$\mathcal{E}_0^1$	$4YT^2+XY^2+X^2T$	21	0

Table 41 $q=23$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$14YT^2+3XT^2+Y^3+XY^2$	25	3
$\mathcal{N}_1^1$	T^3+XY^2	24	1

Table 42 $q=23$, a. i. singular cubic curves giving complete $(n,3)$-arcs

type	equation	n
$\mathcal{N}_1^2$	T^3+Y^3+XYT	23
$\mathcal{N}_0^0$	$22T^3+14YT^2+Y^2T+3XT^2+Y^3+XY^2$	25

Table 43 $q = 23$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^2$	$9T^3 + 4YT^2 + 4Y^2T + 4XT^2 + 9Y^3 + 9XYT + 4XY^2 + 4X^2T + 4X^2Y + 9X^3$	21	4	21
$\mathcal{G}_3^2$	$7T^3 + 21YT^2 + 21Y^2T + 21XT^2 + 7Y^3 + 20XYT + 21XY^2 + 21X^2T + 21X^2Y + 7X^3$	21	3	12
$\mathcal{G}_3^2$	$4T^3 + 12YT^2 + 12Y^2T + 12XT^2 + 4Y^3 + 2XYT + 12XY^2 + 12X^2T + 12X^2Y + 4X^3$	21	7	15
$\mathcal{G}_3^2$	$5T^3 + 15YT^2 + 15Y^2T + 15XT^2 + 5Y^3 + 8XYT + 15XY^2 + 15X^2T + 15X^2Y + 5X^3$	18	25	20
$\mathcal{G}_3^2$	$2T^3 + 6YT^2 + 6Y^2T + 6XT^2 + 2Y^3 + 13XYT + 6XY^2 + 6X^2T + 6X^2Y + 2X^3$	18	24	14
$\mathcal{G}_3^2$	$14T^3 + 19YT^2 + 19Y^2T + 19XT^2 + 14Y^3 + 16XYT + 19XY^2 + 19X^2T + 19X^2Y + 14X^3$	18	25	18
$\mathcal{G}_3^2$	$11T^3 + 10YT^2 + 10Y^2T + 10XT^2 + 11Y^3 + 21XYT + 10XY^2 + 10X^2T + 10X^2Y + 11X^3$	18	31	22
$\mathcal{G}_3^2$	$19T^3 + 11YT^2 + 11Y^2T + 11XT^2 + 19Y^3 + 11XY^2 + 11X^2T + 11X^2Y + 19X^3$	15	87	7
$\overline{\mathcal{E}}_3^2$	$5T^3 + XY^2 + X^2Y$	24	1	0
$\mathcal{E}_3^2$	$22T^3 + 20YT^2 + 20Y^2T + 20XT^2 + 22Y^3 + 18XYT + 20XY^2 + 20X^2T + 20X^2Y + 22X^3$	24	3	0
$\mathcal{G}_1$	$YT^2 + 18Y^3 + XY^2 + X^3$	22	2	1
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 5XY^2 + X^3$	22	3	17
$\mathcal{G}_1$	$YT^2 + Y^3 + XY^2 + X^3$	20	10	13
$\mathcal{G}_1$	$YT^2 + 8Y^3 + XY^2 + X^3$	20	12	5
$\mathcal{G}_1$	$YT^2 + 19Y^3 + 5XY^2 + X^3$	20	6	10
$\mathcal{G}_1$	$YT^2 + 14Y^3 + XY^2 + X^3$	20	10	2
$\mathcal{G}_1$	$YT^2 + 4Y^3 + XY^2 + X^3$	19	12	11
$\mathcal{G}_1$	$YT^2 + Y^3 + 5XY^2 + X^3$	17	40	9
$\mathcal{G}_1$	$YT^2 + 8Y^3 + 5XY^2 + X^3$	16	64	6
$\mathcal{G}_1$	$YT^2 + 10Y^3 + XY^2 + X^3$	16	68	8

Table 43 Continue 1

type	equation	n	# of residual points	$j-$inv.
$\mathcal{G}_0^2$	$T^3+14Y^2T+16Y^3+17XYT+3XY^2+14X^2T+22X^3$	21	9	12
$\mathcal{G}_0^2$	$T^3+8Y^2T+15Y^3+5XYT+3XY^2+8X^2T+22X^3$	18	33	18
$\mathcal{G}_0^2$	$T^3+20Y^2T+20Y^3+9XYT+3XY^2+20X^2T+22X^3$	18	16	14
$\mathcal{G}_0^2$	$T^3+18Y^2T+20Y^3+15XYT+3XY^2+18X^2T+22X^3$	18	27	22
$\mathcal{G}_0^2$	$T^3+16Y^2T+16Y^3+3XYT+3XY^2+16X^2T+22X^3$	18	33	20
$\mathcal{G}_0^2$	$T^3+20Y^2T+22Y^3+3XYT+3XY^2+20X^2T+22X^3$	15	100	7
$\mathcal{E}_0^2$	$T^3+22Y^3+3XY^2+22X^3$	24	1	0

Table 44 $q = 23$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{H}_3^2$	$T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 7XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$	24	3
$\mathcal{H}_3^2$	$18T^3 + 8YT^2 + 8Y^2T + 8XT^2 + 18Y^3 + 17XYT + 8XY^2 + 8X^2T + 8X^2Y + 18X^3$	24	3
$\mathcal{G}_3^2$	$21T^3 + 17YT^2 + 17Y^2T + 17XT^2 + 21Y^3 + 12XYT + 17XY^2 + 17X^2T + 17X^2Y + 21X^3$	33	7
$\mathcal{G}_3^2$	$6T^3 + 18YT^2 + 18Y^2T + 18XT^2 + 6Y^3 + 14XYT + 18XY^2 + 18X^2T + 18X^2Y + 6X^3$	30	18
$\mathcal{G}_3^2$	$3T^3 + 9YT^2 + 9Y^2T + 9XT^2 + 3Y^3 + 19XYT + 9XY^2 + 9X^2T + 9X^2Y + 3X^3$	30	20
$\mathcal{G}_3^2$	$15T^3 + 22YT^2 + 22Y^2T + 22XT^2 + 15Y^3 + 22XYT + 22XY^2 + 22X^2T + 22X^2Y + 15X^3$	30	22
$\mathcal{G}_3^2$	$12T^3 + 13YT^2 + 13Y^2T + 13XT^2 + 12Y^3 + 4XYT + 13XY^2 + 13X^2T + 13X^2Y + 12X^3$	30	14
$\mathcal{G}_3^2$	$8T^3 + YT^2 + Y^2T + XT^2 + 8Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 8X^3$	27	12
$\mathcal{G}_3^2$	$13T^3 + 16YT^2 + 16Y^2T + 16XT^2 + 13Y^3 + 10XYT + 16XY^2 + 16X^2T + 16X^2Y + 13X^3$	27	21
$\mathcal{G}_3^2$	$10T^3 + 7YT^2 + 7Y^2T + 7XT^2 + 10Y^3 + 15XYT + 7XY^2 + 7X^2T + 7X^2Y + 10X^3$	27	15
$\mathcal{G}_3^2$	$20T^3 + 14YT^2 + 14Y^2T + 14XT^2 + 20Y^3 + 6XYT + 14XY^2 + 14X^2T + 14X^2Y + 20X^3$	24	19
$\mathcal{G}_3^2$	$16T^3 + 2YT^2 + 2Y^2T + 2XT^2 + 16Y^3 + 5XYT + 2XY^2 + 2X^2T + 2X^2Y + 16X^3$	24	19

Table 44 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+15Y^3+5XY^2+X^3$	32	6
$\mathcal{G}_1$	$YT^2+13Y^3+XY^2+X^3$	32	8
$\mathcal{G}_1$	$YT^2+22Y^3+5XY^2+X^3$	31	9
$\mathcal{G}_1$	$YT^2+19Y^3+XY^2+X^3$	29	11
$\mathcal{G}_1$	$YT^2+9Y^3+XY^2+X^3$	28	2
$\mathcal{G}_1$	$YT^2+4Y^3+5XY^2+X^3$	28	10
$\mathcal{G}_1$	$YT^2+22Y^3+XY^2+X^3$	28	13
$\mathcal{G}_1$	$YT^2+15Y^3+XY^2+X^3$	28	5
$\mathcal{G}_1$	$YT^2+5Y^3+XY^2+X^3$	26	1
$\mathcal{G}_1$	$YT^2+13Y^3+5XY^2+X^3$	26	17
$\mathcal{G}_1$	$YT^2+3Y^3+5XY^2+X^3$	25	4
$\mathcal{G}_1$	$YT^2+14Y^3+5XY^2+X^3$	25	16
$\mathcal{G}_1$	$YT^2+9Y^3+5XY^2+X^3$	23	16
$\mathcal{G}_1$	$YT^2+20Y^3+5XY^2+X^3$	23	4
$\mathcal{H}_0^2$	$T^3+17Y^2T+20Y^3+18XYT+3XY^2+17X^2T+22X^3$	24	3
$\mathcal{H}_0^2$	$T^3+16Y^2T+20Y^3+21XYT+3XY^2+16X^2T+22X^3$	24	3
$\mathcal{G}_0^2$	$T^3+14Y^2T+15Y^3+3XYT+3XY^2+14X^2T+22X^3$	33	7
$\mathcal{G}_0^2$	$T^3+22Y^2T+20Y^3+3XYT+3XY^2+22X^2T+22X^3$	30	20
$\mathcal{G}_0^2$	$T^3+17Y^2T+16Y^3+19XYT+3XY^2+17X^2T+22X^3$	30	14
$\mathcal{G}_0^2$	$T^3+14Y^2T+22Y^3+9XYT+3XY^2+14X^2T+22X^3$	30	18
$\mathcal{G}_0^2$	$T^3+13Y^2T+16Y^3+XYT+3XY^2+13X^2T+22X^3$	30	22
$\mathcal{G}_0^2$	$T^3+8Y^2T+22Y^3+15XYT+3XY^2+8X^2T+22X^3$	27	12
$\mathcal{G}_0^2$	$T^3+8Y^2T+16Y^3+13XYT+3XY^2+8X^2T+22X^3$	27	21
$\mathcal{G}_0^2$	$T^3+20Y^2T+15Y^3+XYT+3XY^2+20X^2T+22X^3$	27	15
$\mathcal{G}_0^2$	$T^3+2Y^2T+22Y^3+21XYT+3XY^2+2X^2T+22X^3$	24	19
$\mathcal{G}_0^2$	$T^3+11Y^2T+20Y^3+13XYT+3XY^2+11X^2T+22X^3$	24	19
$\mathcal{G}_0^2$	$T^3+8Y^2T+20Y^3+22XYT+3XY^2+8X^2T+22X^3$	21	15
$\mathcal{G}_0^2$	$T^3+2Y^2T+15Y^3+7XYT+3XY^2+2X^2T+22X^3$	21	21
$\mathcal{E}_0^2$	$T^3+13Y^2T+20Y^3+7XYT+3XY^2+13X^2T+22X^3$	24	0

Table 45 $q = 25$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_1^0$	$\xi^7 YT^2 + \xi XT^2 + Y^3 + XY^2$	27	1

Table 46 $q = 25$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_3^2$	$T^3 + Y^3 + XYT$	25
$\mathcal{N}_1^1$	$T^3 + XY^2$	26
$\mathcal{N}_0^2$	$\xi^{13}T^3 + Y^3 + XYT$	25

Table 47 $q = 25$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{H}_9^4$	$T^3 + Y^3 + \xi^{13}XYT + X^3$	18	45	ξ^{18}
$\mathcal{G}_3^1$	$\xi^{22}T^3 + \xi^{16}YT^2 + \xi^{16}Y^2T + \xi^{16}XT^2 + \xi^{22}Y^3 + \xi^{15}XYT + \xi^{16}XY^2 + \xi^{16}X^2T + \xi^{16}X^2Y + \xi^{22}X^3$	24	4	ξ^{10}
$\mathcal{G}_3^1$	$\xi^{14}T^3 + \xi^8YT^2 + \xi^8Y^2T + \xi^8XT^2 + \xi^{14}Y^3 + \xi^3XYT + \xi^8XY^2 + \xi^8X^2T + \xi^8X^2Y + \xi^{14}X^3$	24	4	ξ^2
$\mathcal{G}_3^1$	$\xi^9T^3 + \xi^3YT^2 + \xi^3Y^2T + \xi^3XT^2 + \xi^9Y^3 + \xi^{11}XYT + \xi^3XY^2 + \xi^3X^2T + \xi^3X^2Y + \xi^9X^3$	18	42	ξ^4
$\mathcal{G}_3^1$	$\xi^{21}T^3 + \xi^{15}YT^2 + \xi^{15}Y^2T + \xi^{15}XT^2 + \xi^{21}Y^3 + \xi^7XYT + \xi^{15}XY^2 + \xi^{15}X^2T + \xi^{15}X^2Y + \xi^{21}X^3$	18	42	ξ^{20}
$\overline{\mathcal{E}}_3^1$	$\xi^2T^3 + XY^2 + X^2Y$	21	21	0
$\overline{\mathcal{E}}_3^1$	$\xi T^3 + XY^2 + X^2Y$	21	21	0
$\mathcal{E}_1^4$	$YT^2 + \xi^{15}Y^3 + X^3$	16	96	0
$\mathcal{H}_1^0$	$YT^2 + \xi^2XY^2 + X^3$	20	16	ξ^{18}
$\mathcal{G}_1$	$YT^2 + \xi^{15}Y^3 + \xi^2XY^2 + X^3$	25	3	ξ^6
$\mathcal{G}_1$	$YT^2 + \xi^8Y^3 + \xi^{13}XY^2 + X^3$	23	5	ξ^9
$\mathcal{G}_1$	$YT^2 + \xi^{10}Y^3 + \xi^{13}XY^2 + X^3$	23	5	ξ^{21}
$\mathcal{G}_1$	$YT^2 + \xi^8Y^3 + XY^2 + X^3$	22	3	ξ^5
$\mathcal{G}_1$	$YT^2 + \xi^4Y^3 + XY^2 + X^3$	22	3	ξ
$\mathcal{G}_1$	$YT^2 + \xi^{17}Y^3 + XY^2 + X^3$	22	5	ξ^{19}
$\mathcal{G}_1$	$YT^2 + \xi^{13}Y^3 + XY^2 + X^3$	22	5	ξ^{23}
$\mathcal{G}_1$	$YT^2 + \xi^{21}Y^3 + \xi^2XY^2 + X^3$	20	16	1
$\mathcal{G}_1$	$YT^2 + \xi^{17}Y^3 + \xi^2XY^2 + X^3$	20	20	ξ^3
$\mathcal{G}_1$	$YT^2 + \xi^{13}Y^3 + \xi^2XY^2 + X^3$	20	20	ξ^{15}
$\mathcal{G}_1$	$YT^2 + Y^3 + \xi^{15}XY^2 + X^3$	19	33	ξ^{11}
$\mathcal{G}_1$	$YT^2 + \xi^6Y^3 + \xi^{15}XY^2 + X^3$	19	33	ξ^7
$\mathcal{G}_1$	$YT^2 + \xi^{15}Y^3 + XY^2 + X^3$	17	71	ξ^{12}
$\mathcal{H}_0^4$	$\xi^2T^3 + \xi Y^3 + \xi^6XYT + X^3$	18	39	ξ^{18}
$\mathcal{H}_0^4$	$\xi^2T^3 + \xi Y^3 + \xi^{10}XYT + X^3$	18	39	ξ^{18}
$\mathcal{G}_0^1$	$\xi^{20}T^3 + \xi^2YT^2 + \xi^{18}Y^3 + XYT + XY^2 + X^2T + \xi^{16}X^3$	18	39	ξ^4
$\mathcal{G}_0^1$	$\xi^{16}T^3 + \xi YT^2 + \xi^{15}Y^3 + \xi^{21}XYT + XY^2 + X^2T + \xi^{14}X^3$	18	39	ξ^{20}

Table 48 $q = 25$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_9^4$	$T^3 + Y^3 + \xi^{19}XYT + X^3$	27	ξ^6
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	36	0
$\mathcal{G}_3^1$	$\xi^2T^3 + \xi^{20}YT^2 + \xi^{20}Y^2T + \xi^{20}XT^2 + \xi^2Y^3 + \xi^{17}XYT + \xi^{20}XY^2 + \xi^{20}X^2T + \xi^{20}X^2Y + \xi^2X^3$	33	ξ^{11}
$\mathcal{G}_3^1$	$\xi^{10}T^3 + \xi^4YT^2 + \xi^4Y^2T + \xi^4XT^2 + \xi^{10}Y^3 + \xi^{13}XYT + \xi^4XY^2 + \xi^4X^2T + \xi^4X^2Y + \xi^{10}X^3$	33	ξ^7
$\mathcal{G}_3^1$	$\xi^4T^3 + \xi^{22}YT^2 + \xi^{22}Y^2T + \xi^{22}XT^2 + \xi^4Y^3 + \xi^{23}XYT + \xi^{22}XY^2 + \xi^{22}X^2T + \xi^{22}X^2Y + \xi^4X^3$	30	ξ^{23}
$\mathcal{G}_3^1$	$\xi^{23}T^3 + \xi^{17}YT^2 + \xi^{17}Y^2T + \xi^{17}XT^2 + \xi^{23}Y^3 + \xi^{21}XYT + \xi^{17}XY^2 + \xi^{17}X^2T + \xi^{17}X^2Y + \xi^{23}X^3$	30	ξ
$\mathcal{G}_3^1$	$\xi^{20}T^3 + \xi^{14}YT^2 + \xi^{14}Y^2T + \xi^{14}XT^2 + \xi^{20}Y^3 + \xi^{19}XYT + \xi^{14}XY^2 + \xi^{14}X^2T + \xi^{14}X^2Y + \xi^{20}X^3$	30	ξ^{19}
$\mathcal{G}_3^1$	$\xi^{19}T^3 + \xi^{13}YT^2 + \xi^{13}Y^2T + \xi^{13}XT^2 + \xi^{19}Y^3 + \xi^9XYT + \xi^{13}XY^2 + \xi^{13}X^2T + \xi^{13}X^2Y + \xi^{19}X^3$	30	ξ^5
$\mathcal{G}_3^1$	$\xi^3T^3 + \xi^{21}YT^2 + \xi^{21}Y^2T + \xi^{21}XT^2 + \xi^3Y^3 + \xi^{10}XYT + \xi^{21}XY^2 + \xi^{21}X^2T + \xi^{21}X^2Y + \xi^3X^3$	27	ξ^{22}
$\mathcal{G}_3^1$	$\xi^{15}T^3 + \xi^9YT^2 + \xi^9Y^2T + \xi^9XT^2 + \xi^{15}Y^3 + \xi^2XYT + \xi^9XY^2 + \xi^9X^2T + \xi^9X^2Y + \xi^{15}X^3$	27	ξ^{14}
$\mathcal{G}_3^1$	$\xi^7T^3 + \xi YT^2 + \xi Y^2T + \xi XT^2 + \xi^7Y^3 + \xi^8XYT + \xi XY^2 + \xi X^2T + \xi X^2Y + \xi^7X^3$	24	ξ^{13}
$\mathcal{G}_3^1$	$\xi^5T^3 + \xi^{23}YT^2 + \xi^{23}Y^2T + \xi^{23}XT^2 + \xi^5Y^3 + \xi^{14}XYT + \xi^{23}XY^2 + \xi^{23}X^2T + \xi^{23}X^2Y + \xi^5X^3$	24	ξ^8
$\mathcal{G}_3^1$	$\xi^{11}T^3 + \xi^5YT^2 + \xi^5Y^2T + \xi^5XT^2 + \xi^{11}Y^3 + \xi^{16}XYT + \xi^5XY^2 + \xi^5X^2T + \xi^5X^2Y + \xi^{11}X^3$	24	ξ^{17}
$\mathcal{G}_3^1$	$\xi T^3 + \xi^{19}YT^2 + \xi^{19}Y^2T + \xi^{19}XT^2 + \xi Y^3 + \xi^{22}XYT + \xi^{19}XY^2 + \xi^{19}X^2T + \xi^{19}X^2Y + \xi X^3$	24	ξ^{16}
$\mathcal{H}_1^4$	$YT^2 + \xi^3XY^2 + X^3$	34	ξ^{18}
$\mathcal{E}_1^1$	$YT^2 + \xi^{17}Y^3 + X^3$	31	0
$\mathcal{E}_1^1$	$YT^2 + \xi^{13}Y^3 + X^3$	31	0
$\mathcal{H}_1^0$	$YT^2 + XY^2 + X^3$	32	ξ^{18}

Table 48 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+\xi^6Y^3+\xi^2XY^2+X^3$	35	ξ^{12}
$\mathcal{G}_1$	$YT^2+\xi^4Y^3+\xi^{15}XY^2+X^3$	34	ξ^4
$\mathcal{G}_1$	$YT^2+\xi^2Y^3+\xi^{15}XY^2+X^3$	34	ξ^{20}
$\mathcal{G}_1$	$YT^2+\xi^6Y^3+XY^2+X^3$	32	1
$\mathcal{G}_1$	$YT^2+\xi^2Y^3+XY^2+X^3$	32	ξ^3
$\mathcal{G}_1$	$YT^2+\xi^{10}Y^3+XY^2+X^3$	32	ξ^{15}
$\mathcal{G}_1$	$YT^2+\xi^{23}Y^3+\xi^{15}XY^2+X^3$	29	ξ^9
$\mathcal{G}_1$	$YT^2+\xi^{13}Y^3+\xi^{15}XY^2+X^3$	29	ξ^{21}
$\mathcal{G}_1$	$YT^2+Y^3+\xi^{13}XY^2+X^3$	28	ξ^8
$\mathcal{G}_1$	$YT^2+\xi^6Y^3+\xi^{13}XY^2+X^3$	28	ξ^{16}
$\mathcal{G}_1$	$YT^2+\xi^4Y^3+\xi^{13}XY^2+X^3$	28	ξ^2
$\mathcal{G}_1$	$YT^2+\xi^2Y^3+\xi^{13}XY^2+X^3$	28	ξ^{10}
$\mathcal{G}_1$	$YT^2+\xi^{19}Y^3+\xi^{13}XY^2+X^3$	28	ξ^{17}
$\mathcal{G}_1$	$YT^2+\xi^{17}Y^3+\xi^{13}XY^2+X^3$	28	ξ^{13}
$\mathcal{G}_1$	$YT^2+\xi^2Y^3+\xi^2XY^2+X^3$	25	ξ^{22}
$\mathcal{G}_1$	$YT^2+\xi^{10}Y^3+\xi^2XY^2+X^3$	25	ξ^{14}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^8XYT+X^3$	27	ξ^6
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{21}XYT+X^3$	27	ξ^6
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{19}XYT+X^3$	27	ξ^6
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{12}XYT+X^3$	27	ξ^6
$\overline{\mathcal{E}}_0^4$	$\xi^2T^3+\xi Y^3+X^3$	36	0
$\mathcal{E}_0^4$	$\xi^2T^3+\xi Y^3+\xi XYT+X^3$	36	0

Table 48 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_0^1$	$\xi^{22}T^3+\xi^2YT^2+\xi^{20}Y^3+\xi^2XYT+XY^2+X^2T+\xi^{18}X^3$	33	ξ^7
$\mathcal{G}_0^1$	$\xi^{18}T^3+\xi YT^2+\xi^{17}Y^3+\xi^{23}XYT+XY^2+X^2T+\xi^{16}X^3$	33	ξ^{11}
$\mathcal{G}_0^1$	$\xi^7T^3+\xi^2YT^2+\xi^5Y^3+\xi^{11}XYT+XY^2+X^2T+\xi^3X^3$	30	ξ^{19}
$\mathcal{G}_0^1$	$\xi^7T^3+\xi YT^2+\xi^6Y^3+\xi^{12}XYT+XY^2+X^2T+\xi^5X^3$	30	ξ^{23}
$\mathcal{G}_0^1$	$\xi^{20}T^3+\xi YT^2+\xi^{19}Y^3+\xi XYT+XY^2+X^2T+\xi^{18}X^3$	30	ξ^5
$\mathcal{G}_0^1$	$\xi^{16}T^3+\xi^2YT^2+\xi^{14}Y^3+\xi^{20}XYT+XY^2+X^2T+\xi^{12}X^3$	30	ξ
$\mathcal{G}_0^1$	$\xi^9T^3+\xi^2YT^2+\xi^7Y^3+\xi^{13}XYT+XY^2+X^2T+\xi^5X^3$	27	ξ^{22}
$\mathcal{G}_0^1$	$\xi^9T^3+\xi YT^2+\xi^8Y^3+\xi^{14}XYT+XY^2+X^2T+\xi^7X^3$	27	ξ^{14}
$\mathcal{G}_0^1$	$\xi^5T^3+\xi^2YT^2+\xi^3Y^3+\xi^9XYT+XY^2+X^2T+\xi X^3$	24	ξ^{10}
$\mathcal{G}_0^1$	$\xi^5T^3+\xi YT^2+\xi^4Y^3+\xi^{10}XYT+XY^2+X^2T+\xi^3X^3$	24	ξ^2
$\mathcal{G}_0^1$	$\xi^3T^3+\xi YT^2+\xi^2Y^3+\xi^8XYT+XY^2+X^2T+\xi X^3$	24	ξ^{17}
$\mathcal{G}_0^1$	$\xi^{18}T^3+\xi^2YT^2+\xi^{16}Y^3+\xi^{22}XYT+XY^2+X^2T+\xi^{14}X^3$	24	ξ^{16}
$\mathcal{G}_0^1$	$\xi^{14}T^3+\xi YT^2+\xi^{13}Y^3+\xi^{19}XYT+XY^2+X^2T+\xi^{12}X^3$	24	ξ^8
$\mathcal{G}_0^1$	$\xi^{11}T^3+\xi^2YT^2+\xi^9Y^3+\xi^{15}XYT+XY^2+X^2T+\xi^7X^3$	24	ξ^{13}
$\mathcal{E}_0^1$	$\xi^2YT^2+XY^2+X^2T$	21	0
$\mathcal{E}_0^1$	$\xi YT^2+XY^2+X^2T$	21	0

Table 49 $q=27$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_q^1$	T^3+XY^2	28	14
$\mathcal{N}_1^0$	$\xi^{12}XT^2+Y^3+XY^2$	29	1

Table 50 $q=27$, a. i. singular cubic curves giving complete $(n,3)$-arcs

type	equation	n
$\mathcal{N}_1^2$	T^3+Y^3+XYT	27
$\mathcal{N}_0^1$	$T^3+YT^2+XY^2$	28

Table 51 $q = 27$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3$	$\xi^8T^3 + \xi^8Y^3 + XYT + \xi^8X^3$	24	3	ξ^{15}
$\mathcal{G}_3$	$\xi^{24}T^3 + \xi^{24}Y^3 + XYT + \xi^{24}X^3$	24	3	ξ^{19}
$\mathcal{G}_3$	$\xi^{20}T^3 + \xi^{20}Y^3 + XYT + \xi^{20}X^3$	24	3	ξ^5
$\mathcal{G}_3$	$\xi^7T^3 + \xi^7Y^3 + XYT + \xi^7X^3$	21	15	ξ^{18}
$\mathcal{G}_3$	$\xi^{21}T^3 + \xi^{21}Y^3 + XYT + \xi^{21}X^3$	21	15	ξ^2
$\mathcal{G}_3$	$\xi^{11}T^3 + \xi^{11}Y^3 + XYT + \xi^{11}X^3$	21	15	ξ^6
$\mathcal{G}_3$	$T^3 + Y^3 + XYT + X^3$	18	54	ξ^{13}
$\mathcal{S}_1^1$	$YT^2 + Y^3 + \xi^{14}XY^2 + X^3$	28	1	0
$\mathcal{S}_1^0$	$YT^2 + \xi^{21}Y^3 + \xi^{13}XY^2 + X^3$	19	59	0
$\mathcal{G}_1$	$YT^2 + \xi^6Y^3 + X^2Y + X^3$	26	2	ξ^7
$\mathcal{G}_1$	$YT^2 + \xi^4Y^3 + X^2Y + X^3$	26	1	ξ^9
$\mathcal{G}_1$	$YT^2 + \xi^2Y^3 + X^2Y + X^3$	26	2	ξ^{11}
$\mathcal{G}_1$	$YT^2 + \xi^{18}Y^3 + X^2Y + X^3$	26	2	ξ^{21}
$\mathcal{G}_1$	$YT^2 + \xi^{12}Y^3 + X^2Y + X^3$	26	1	ξ
$\mathcal{G}_1$	$YT^2 + \xi^{10}Y^3 + X^2Y + X^3$	26	1	ξ^3
$\mathcal{G}_1$	$YT^2 + \xi^{25}Y^3 + X^2Y + X^3$	23	8	ξ^{14}
$\mathcal{G}_1$	$YT^2 + \xi^{23}Y^3 + X^2Y + X^3$	23	8	ξ^{16}
$\mathcal{G}_1$	$YT^2 + \xi^{17}Y^3 + X^2Y + X^3$	23	8	ξ^{22}
$\mathcal{G}_1$	$YT^2 + \xi^{22}Y^3 + X^2Y + X^3$	20	30	ξ^{17}
$\mathcal{G}_1$	$YT^2 + \xi^{16}Y^3 + X^2Y + X^3$	20	30	ξ^{23}
$\mathcal{G}_1$	$YT^2 + \xi^{14}Y^3 + X^2Y + X^3$	20	30	ξ^{25}
$\mathcal{G}_1$	$YT^2 + \xi^{13}Y^3 + X^2Y + X^3$	20	32	1

Table 51 Continue 1

type	equation	n	# of residual points	$j-$inv.
$\mathcal{G}_0$	$\xi^2T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	24	3	ξ^{20}
$\mathcal{G}_0$	$\xi^{22}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	24	3	ξ^{8}
$\mathcal{G}_0$	$\xi^{21}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	24	3	ξ^{24}
$\mathcal{G}_0$	$\xi^{20}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	24	3	ξ^{5}
$\mathcal{G}_0$	$\xi^{17}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	24	3	ξ^{15}
$\mathcal{G}_0$	$\xi^{12}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	24	3	ξ^{19}
$\mathcal{G}_0$	$\xi^{7}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	21	18	ξ^{2}
$\mathcal{G}_0$	$\xi^{18}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	21	18	ξ^{18}
$\mathcal{G}_0$	$\xi^{15}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	21	18	ξ^{6}
$\mathcal{G}_0$	$\xi^{24}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	18	73	ξ^{13}

Table 52 $q = 27$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_3$	$\xi^{22}T^3 + \xi^{22}Y^3 + XYT + \xi^{22}X^3$	36	ξ^{25}
$\mathcal{G}_3$	$\xi^{16}T^3 + \xi^{16}Y^3 + XYT + \xi^{16}X^3$	36	ξ^{17}
$\mathcal{G}_3$	$\xi^{14}T^3 + \xi^{14}Y^3 + XYT + \xi^{14}X^3$	36	ξ^{23}
$\mathcal{G}_3$	$\xi^{13}T^3 + \xi^{13}Y^3 + XYT + \xi^{13}X^3$	36	1
$\mathcal{G}_3$	$\xi^{25}T^3 + \xi^{25}Y^3 + XYT + \xi^{25}X^3$	33	ξ^{16}
$\mathcal{G}_3$	$\xi^{23}T^3 + \xi^{23}Y^3 + XYT + \xi^{23}X^3$	33	ξ^{22}
$\mathcal{G}_3$	$\xi^{17}T^3 + \xi^{17}Y^3 + XYT + \xi^{17}X^3$	33	ξ^{14}
$\mathcal{G}_3$	$\xi^{6}T^3 + \xi^{6}Y^3 + XYT + \xi^{6}X^3$	30	ξ^{21}
$\mathcal{G}_3$	$\xi^{4}T^3 + \xi^{4}Y^3 + XYT + \xi^{4}X^3$	30	ξ
$\mathcal{G}_3$	$\xi^{2}T^3 + \xi^{2}Y^3 + XYT + \xi^{2}X^3$	30	ξ^{7}
$\mathcal{G}_3$	$\xi^{18}T^3 + \xi^{18}Y^3 + XYT + \xi^{18}X^3$	30	ξ^{11}
$\mathcal{G}_3$	$\xi^{12}T^3 + \xi^{12}Y^3 + XYT + \xi^{12}X^3$	30	ξ^{3}
$\mathcal{G}_3$	$\xi^{10}T^3 + \xi^{10}Y^3 + XYT + \xi^{10}X^3$	30	ξ^{9}
$\mathcal{G}_3$	$\xi^{9}T^3 + \xi^{9}Y^3 + XYT + \xi^{9}X^3$	27	ξ^{12}
$\mathcal{G}_3$	$\xi^{3}T^3 + \xi^{3}Y^3 + XYT + \xi^{3}X^3$	27	ξ^{4}
$\mathcal{G}_3$	$\xi T^3 + \xi Y^3 + XYT + \xi X^3$	27	ξ^{10}
$\mathcal{G}_3$	$\xi^{5}T^3 + \xi^{5}Y^3 + XYT + \xi^{5}X^3$	24	ξ^{24}
$\mathcal{G}_3$	$\xi^{19}T^3 + \xi^{19}Y^3 + XYT + \xi^{19}X^3$	24	ξ^{8}
$\mathcal{G}_3$	$\xi^{15}T^3 + \xi^{15}Y^3 + XYT + \xi^{15}X^3$	24	ξ^{20}
$\mathcal{S}_1^3$	$YT^2 + Y^3 + \xi^{13}XY^2 + X^3$	28	0
$\mathcal{S}_1^0$	$YT^2 + \xi^{25}Y^3 + \xi^{13}XY^2 + X^3$	37	0
$\mathcal{G}_1$	$YT^2 + Y^3 + X^2Y + X^3$	38	ξ^{13}
$\mathcal{G}_1$	$YT^2 + \xi^{7}Y^3 + X^2Y + X^3$	35	ξ^{6}
$\mathcal{G}_1$	$YT^2 + \xi^{21}Y^3 + X^2Y + X^3$	35	ξ^{18}
$\mathcal{G}_1$	$YT^2 + \xi^{11}Y^3 + X^2Y + X^3$	35	ξ^{2}
$\mathcal{G}_1$	$YT^2 + \xi^{8}Y^3 + X^2Y + X^3$	32	ξ^{5}
$\mathcal{G}_1$	$YT^2 + \xi^{5}Y^3 + X^2Y + X^3$	32	ξ^{8}
$\mathcal{G}_1$	$YT^2 + \xi^{24}Y^3 + X^2Y + X^3$	32	ξ^{15}
$\mathcal{G}_1$	$YT^2 + \xi^{20}Y^3 + X^2Y + X^3$	32	ξ^{19}
$\mathcal{G}_1$	$YT^2 + \xi^{19}Y^3 + X^2Y + X^3$	32	ξ^{20}
$\mathcal{G}_1$	$YT^2 + \xi^{15}Y^3 + X^2Y + X^3$	32	ξ^{24}

Table 52 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+\xi^9Y^3+X^2Y+X^3$	29	ξ^4
$\mathcal{G}_1$	$YT^2+\xi^3Y^3+X^2Y+X^3$	29	ξ^{10}
$\mathcal{G}_1$	$YT^2+\xi Y^3+X^2Y+X^3$	29	ξ^{12}
$\mathcal{G}_0$	$\xi^6T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	36	1
$\mathcal{G}_0$	$\xi^{25}YT^2+Y^3+\xi^{25}XY^2+\xi^{25}X^2T+$ $\xi^{24}X^2Y+X^3$	36	ξ^{17}
$\mathcal{G}_0$	$\xi^{23}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	36	ξ^{25}
$\mathcal{G}_0$	$\xi^{10}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	36	ξ^{23}
$\mathcal{G}_0$	$\xi^5T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	33	ξ^{22}
$\mathcal{G}_0$	$\xi^{16}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	33	ξ^{14}
$\mathcal{G}_0$	$\xi^{14}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	33	ξ^{16}
$\mathcal{G}_0$	$\xi^9T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	30	ξ
$\mathcal{G}_0$	$\xi^8T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	30	ξ^7
$\mathcal{G}_0$	$\xi^4T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	30	ξ^9
$\mathcal{G}_0$	$\xi^3T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	30	ξ^3
$\mathcal{G}_0$	$\xi^{25}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	30	ξ^{11}
$\mathcal{G}_0$	$\xi T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	30	ξ^{21}
$\mathcal{G}_0$	$\xi^{19}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	27	ξ^{10}
$\mathcal{G}_0$	$\xi^{13}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	27	ξ^4
$\mathcal{G}_0$	$\xi^{11}T^3+\xi^{25}YT^2+Y^3+\xi^{25}XY^2+$ $\xi^{25}X^2T+\xi^{24}X^2Y+X^3$	27	ξ^{12}

Table 53 $q = 29$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$20YT^2 + 3XT^2 + Y^3 + XY^2$	31	3
$\mathcal{N}_1^1$	$T^3 + XY^2$	30	1

Table 54 $q = 29$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	29
$\mathcal{N}_0^0$	$26T^3+20YT^2+3Y^2T+3XT^2+Y^3+XY^2$	31

Table 55 $q = 29$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^2$	$22T^3 + 8YT^2 + 8Y^2T + 8XT^2 + 22Y^3 + 17XYT + 8XY^2 + 8X^2T + 8X^2Y + 22X^3$	30	1	2
$\mathcal{G}_3^2$	$28T^3 + 26YT^2 + 26Y^2T + 26XT^2 + 28Y^3 + 24XYT + 26XY^2 + 26X^2T + 26X^2Y + 28X^3$	24	4	14
$\mathcal{G}_3^2$	$27T^3 + 23YT^2 + 23Y^2T + 23XT^2 + 27Y^3 + 18XYT + 23XY^2 + 23X^2T + 23X^2Y + 27X^3$	24	6	5
$\mathcal{G}_3^2$	$20T^3 + 2YT^2 + 2Y^2T + 2XT^2 + 20Y^3 + 5XYT + 2XY^2 + 2X^2T + 2X^2Y + 20X^3$	24	12	20
$\mathcal{G}_3^2$	$14T^3 + 13YT^2 + 13Y^2T + 13XT^2 + 14Y^3 + 27XYT + 13XY^2 + 13X^2T + 13X^2Y + 14X^3$	24	6	12
$\mathcal{G}_3^2$	$13T^3 + 10YT^2 + 10Y^2T + 10XT^2 + 13Y^3 + 21XYT + 10XY^2 + 10X^2T + 10X^2Y + 13X^3$	21	30	13
$\mathcal{G}_3^2$	$10T^3 + YT^2 + Y^2T + XT^2 + 10Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 10X^3$	21	31	24
$\overline{\mathcal{E}}_3^2$	$2T^3 + XY^2 + X^2Y$	30	4	0
$\mathcal{E}_3^2$	$6T^3 + 18YT^2 + 18Y^2T + 18XT^2 + 6Y^3 + 8XYT + 18XY^2 + 18X^2T + 18X^2Y + 6X^3$	30	4	0
$\mathcal{H}_1^0$	$YT^2 + 2XY^2 + X^3$	26	3	17
$\mathcal{H}_1^0$	$YT^2 + XY^2 + X^3$	20	40	17
$\mathcal{G}_1$	$YT^2 + 14Y^3 + 2XY^2 + X^3$	26	2	3
$\mathcal{G}_1$	$YT^2 + Y^3 + 8XY^2 + X^3$	25	1	1
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 4XY^2 + X^3$	25	5	11
$\mathcal{G}_1$	$YT^2 + 12Y^3 + XY^2 + X^3$	23	16	21
$\mathcal{G}_1$	$YT^2 + 13Y^3 + XY^2 + X^3$	22	13	9
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 4XY^2 + X^3$	22	18	28
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 2XY^2 + X^3$	20	55	19

Table 55 Continue 1

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_0^2$	$T^3+26Y^2T+21Y^3+24XYT+3XY^2+26X^2T+28X^3$	27	3	26
$\mathcal{G}_0^2$	$T^3+5Y^2T+15Y^3+17XYT+3XY^2+5X^2T+28X^3$	24	6	5
$\mathcal{G}_0^2$	$T^3+26Y^2T+20Y^3+27XYT+3XY^2+26X^2T+28X^3$	24	9	14
$\mathcal{G}_0^2$	$T^3+23Y^2T+28Y^3+6XYT+3XY^2+23X^2T+28X^3$	24	9	6
$\mathcal{G}_0^2$	$T^3+19Y^2T+25Y^3+11XYT+3XY^2+19X^2T+28X^3$	24	1	20
$\mathcal{G}_0^2$	$T^3+26Y^2T+28Y^3+3XYT+3XY^2+26X^2T+28X^3$	21	30	24
$\mathcal{G}_0^2$	$T^3+23Y^2T+20Y^3+25XYT+3XY^2+23X^2T+28X^3$	21	34	13
$\mathcal{E}_0^2$	$T^3+28Y^3+3XY^2+28X^3$	30	1	0

Table 56 $q = 29$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$5T^3 + 15YT^2 + 15Y^2T + 15XT^2 + 5Y^3 + 2XYT + 15XY^2 + 15X^2T + 15X^2Y + 5X^3$	39	13
$\mathcal{G}_3^2$	$2T^3 + 6YT^2 + 6Y^2T + 6XT^2 + 2Y^3 + 13XYT + 6XY^2 + 6X^2T + 6X^2Y + 2X^3$	39	24
$\mathcal{G}_3^2$	$T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 7XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$	36	23
$\mathcal{G}_3^2$	$26T^3 + 20YT^2 + 20Y^2T + 20XT^2 + 26Y^3 + 12XYT + 20XY^2 + 20X^2T + 20X^2Y + 26X^3$	36	14
$\mathcal{G}_3^2$	$25T^3 + 17YT^2 + 17Y^2T + 17XT^2 + 25Y^3 + 6XYT + 17XY^2 + 17X^2T + 17X^2Y + 25X^3$	36	12
$\mathcal{G}_3^2$	$24T^3 + 14YT^2 + 14Y^2T + 14XT^2 + 24Y^3 + 14XY^2 + 14X^2T + 14X^2Y + 24X^3$	36	5
$\mathcal{G}_3^2$	$17T^3 + 22YT^2 + 22Y^2T + 22XT^2 + 17Y^3 + 16XYT + 22XY^2 + 22X^2T + 22X^2Y + 17X^3$	36	6
$\mathcal{G}_3^2$	$16T^3 + 19YT^2 + 19Y^2T + 19XT^2 + 16Y^3 + 10XYT + 19XY^2 + 19X^2T + 19X^2Y + 16X^3$	36	20
$\mathcal{G}_3^2$	$7T^3 + 21YT^2 + 21Y^2T + 21XT^2 + 7Y^3 + 14XYT + 21XY^2 + 21X^2T + 21X^2Y + 7X^3$	33	22
$\mathcal{G}_3^2$	$4T^3 + 12YT^2 + 12Y^2T + 12XT^2 + 4Y^3 + 25XYT + 12XY^2 + 12X^2T + 12X^2Y + 4X^3$	33	10
$\mathcal{G}_3^2$	$21T^3 + 5YT^2 + 5Y^2T + 5XT^2 + 21Y^3 + 11XYT + 5XY^2 + 5X^2T + 5X^2Y + 21X^3$	33	26
$\mathcal{G}_3^2$	$9T^3 + 27YT^2 + 27Y^2T + 27XT^2 + 9Y^3 + 26XYT + 27XY^2 + 27X^2T + 27X^2Y + 9X^3$	30	25
$\mathcal{G}_3^2$	$3T^3 + 9YT^2 + 9Y^2T + 9XT^2 + 3Y^3 + 19XYT + 9XY^2 + 9X^2T + 9X^2Y + 3X^3$	30	25
$\mathcal{G}_3^2$	$12T^3 + 7YT^2 + 7Y^2T + 7XT^2 + 12Y^3 + 15XYT + 7XY^2 + 7X^2T + 7X^2Y + 12X^3$	30	2
$\mathcal{G}_3^2$	$8T^3 + 24YT^2 + 24Y^2T + 24XT^2 + 8Y^3 + 20XYT + 24XY^2 + 24X^2T + 24X^2Y + 8X^3$	27	26
$\mathcal{G}_3^2$	$23T^3 + 11YT^2 + 11Y^2T + 11XT^2 + 23Y^3 + 23XYT + 11XY^2 + 11X^2T + 11X^2Y + 23X^3$	27	10

Table 56 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$11T^3+4YT^2+4Y^2T+4XT^2+11Y^3+9XYT+4XY^2+4X^2T+4X^2Y+11X^3$	27	22
$\mathcal{G}_3^2$	$19T^3+28YT^2+28Y^2T+28XT^2+19Y^3+28XYT+28XY^2+28X^2T+28X^2Y+19X^3$	24	23
$\mathcal{G}_3^2$	$18T^3+25YT^2+25Y^2T+25XT^2+18Y^3+22XYT+25XY^2+25X^2T+25X^2Y+18X^3$	24	6
$\mathcal{H}_1^0$	$YT^2+4XY^2+X^3$	40	17
$\mathcal{H}_1^0$	$YT^2+8XY^2+X^3$	34	17
$\mathcal{G}_1$	$YT^2+2Y^3+8XY^2+X^3$	40	19
$\mathcal{G}_1$	$YT^2+6Y^3+XY^2+X^3$	38	28
$\mathcal{G}_1$	$YT^2+12Y^3+4XY^2+X^3$	38	9
$\mathcal{G}_1$	$YT^2+9Y^3+4XY^2+X^3$	37	21
$\mathcal{G}_1$	$YT^2+7Y^3+XY^2+X^3$	35	11
$\mathcal{G}_1$	$YT^2+11Y^3+2XY^2+X^3$	35	1
$\mathcal{G}_1$	$YT^2+4Y^3+8XY^2+X^3$	34	3
$\mathcal{G}_1$	$YT^2+14Y^3+XY^2+X^3$	34	7
$\mathcal{G}_1$	$YT^2+9Y^3+8XY^2+X^3$	32	16
$\mathcal{G}_1$	$YT^2+7Y^3+4XY^2+X^3$	32	18
$\mathcal{G}_1$	$YT^2+6Y^3+2XY^2+X^3$	32	27
$\mathcal{G}_1$	$YT^2+14Y^3+8XY^2+X^3$	32	15
$\mathcal{G}_1$	$YT^2+Y^3+4XY^2+X^3$	31	8
$\mathcal{G}_1$	$YT^2+6Y^3+8XY^2+X^3$	31	4
$\mathcal{G}_1$	$YT^2+8Y^3+2XY^2+X^3$	29	4
$\mathcal{G}_1$	$YT^2+11Y^3+XY^2+X^3$	29	8
$\mathcal{G}_1$	$YT^2+9Y^3+2XY^2+X^3$	28	15
$\mathcal{G}_1$	$YT^2+12Y^3+2XY^2+X^3$	28	16
$\mathcal{G}_1$	$YT^2+10Y^3+XY^2+X^3$	28	18
$\mathcal{G}_1$	$YT^2+10Y^3+8XY^2+X^3$	28	27
$\mathcal{G}_1$	$YT^2+4Y^3+4XY^2+X^3$	26	7

Table 56 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_0^2$	$T^3+5Y^2T+20Y^3+13XYT+3XY^2+5X^2T+28X^3$	39	13
$\mathcal{G}_0^2$	$T^3+10Y^2T+15Y^3+5XYT+3XY^2+10X^2T+28X^3$	39	24
$\mathcal{G}_0^2$	$T^3+5Y^2T+28Y^3+24XYT+3XY^2+5X^2T+28X^3$	36	23
$\mathcal{G}_0^2$	$T^3+25Y^2T+15Y^3+27XYT+3XY^2+25X^2T+28X^3$	36	14
$\mathcal{G}_0^2$	$T^3+23Y^2T+21Y^3+19XYT+3XY^2+23X^2T+28X^3$	36	12
$\mathcal{G}_0^2$	$T^3+20Y^2T+15Y^3+10XYT+3XY^2+20X^2T+28X^3$	36	6
$\mathcal{G}_0^2$	$T^3+17Y^2T+15Y^3+23XYT+3XY^2+17X^2T+28X^3$	36	5
$\mathcal{G}_0^2$	$T^3+11Y^2T+20Y^3+17XYT+3XY^2+11X^2T+28X^3$	36	20
$\mathcal{G}_0^2$	$T^3+23Y^2T+25Y^3+24XYT+3XY^2+23X^2T+28X^3$	33	22
$\mathcal{G}_0^2$	$T^3+20Y^2T+21Y^3+14XYT+3XY^2+20X^2T+28X^3$	33	10
$\mathcal{G}_0^2$	$T^3+14Y^2T+15Y^3+7XYT+3XY^2+14X^2T+28X^3$	33	26
$\mathcal{G}_0^2$	$T^3+26Y^2T+25Y^3+12XYT+3XY^2+26X^2T+28X^3$	30	25
$\mathcal{G}_0^2$	$T^3+20Y^2T+28Y^3+9XYT+3XY^2+20X^2T+28X^3$	30	25
$\mathcal{G}_0^2$	$T^3+17Y^2T+20Y^3+21XYT+3XY^2+17X^2T+28X^3$	30	2
$\mathcal{G}_0^2$	$T^3+13Y^2T+15Y^3+21XYT+3XY^2+13X^2T+28X^3$	30	2
$\mathcal{G}_0^2$	$T^3+26Y^2T+15Y^3+13XYT+3XY^2+26X^2T+28X^3$	27	22
$\mathcal{G}_0^2$	$T^3+20Y^2T+20Y^3+23XYT+3XY^2+20X^2T+28X^3$	27	10
$\mathcal{G}_0^2$	$T^3+17Y^2T+28Y^3+12XYT+3XY^2+17X^2T+28X^3$	24	23
$\mathcal{G}_0^2$	$T^3+17Y^2T+25Y^3+19XYT+3XY^2+17X^2T+28X^3$	24	12
$\mathcal{E}_0^2$	$T^3+2Y^2T+21Y^3+13XYT+3XY^2+2X^2T+28X^3$	30	0

Table 57 $q=31$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_1^0$	$9YT^2+28XT^2+Y^3+XY^2$	33	1

Table 58 $q = 31$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_3^2$	$T^3 + Y^3 + XYT$	31
$\mathcal{N}_1^1$	$T^3 + XY^2$	32
$\mathcal{N}_0^2$	$3T^3 + Y^3 + XYT$	31

Table 59 $q = 31$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^1$	$5T^3 + 15YT^2 + 15Y^2T + 15XT^2 + 5Y^3 + 15XY^2 + 15X^2T + 15X^2Y + 5X^3$	33	1	10
$\mathcal{G}_3^1$	$14T^3 + 11YT^2 + 11Y^2T + 11XT^2 + 14Y^3 + 23XYT + 11XY^2 + 11X^2T + 11X^2Y + 14X^3$	30	3	5
$\mathcal{G}_3^1$	$13T^3 + 8YT^2 + 8Y^2T + 8XT^2 + 13Y^3 + 17XYT + 8XY^2 + 8X^2T + 8X^2Y + 13X^3$	30	6	14
$\mathcal{G}_3^1$	$2T^3 + 6YT^2 + 6Y^2T + 6XT^2 + 2Y^3 + 13XYT + 6XY^2 + 6X^2T + 6X^2Y + 2X^3$	27	6	20
$\mathcal{G}_3^1$	$29T^3 + 25YT^2 + 25Y^2T + 25XT^2 + 29Y^3 + 20XYT + 25XY^2 + 25X^2T + 25X^2Y + 29X^3$	27	3	12
$\mathcal{G}_3^1$	$22T^3 + 4YT^2 + 4Y^2T + 4XT^2 + 22Y^3 + 9XYT + 4XY^2 + 4X^2T + 4X^2Y + 22X^3$	24	16	13
$\mathcal{G}_3^1$	$17T^3 + 20YT^2 + 20Y^2T + 20XT^2 + 17Y^3 + 10XYT + 20XY^2 + 20X^2T + 20X^2Y + 17X^3$	24	25	19
$\overline{\mathcal{E}}_3^1$	$9T^3 + XY^2 + X^2Y$	21	54	0
$\mathcal{E}_1^4$	$YT^2 + 4Y^3 + X^3$	28	2	0
$\mathcal{E}_1^1$	$YT^2 + 5Y^3 + X^3$	25	9	0
$\mathcal{G}_1$	$YT^2 + 8Y^3 + XY^2 + X^3$	29	1	8
$\mathcal{G}_1$	$YT^2 + 26Y^3 + XY^2 + X^3$	28	2	21
$\mathcal{G}_1$	$YT^2 + 16Y^3 + 3XY^2 + X^3$	28	1	18
$\mathcal{G}_1$	$YT^2 + 11Y^3 + XY^2 + X^3$	28	1	29
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 3XY^2 + X^3$	26	4	16
$\mathcal{G}_1$	$YT^2 + 27Y^3 + XY^2 + X^3$	26	2	15
$\mathcal{G}_1$	$YT^2 + Y^3 + 3XY^2 + X^3$	25	7	6
$\mathcal{G}_1$	$YT^2 + 14Y^3 + XY^2 + X^3$	25	8	25
$\mathcal{G}_1$	$YT^2 + 3Y^3 + XY^2 + X^3$	23	16	1
$\mathcal{G}_1$	$YT^2 + 24Y^3 + 3XY^2 + X^3$	22	29	7
$\mathcal{G}_1$	$YT^2 + 10Y^3 + XY^2 + X^3$	22	30	22

Table 59 Continue 1

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_0^1$	$13T^3+3YT^2+25Y^3+18XYT+XY^2+X^2T+29X^3$	27	3	20
$\mathcal{G}_0^1$	$6T^3+9YT^2+11Y^3+29XYT+XY^2+X^2T+15X^3$	24	9	19
$\mathcal{G}_0^1$	$2T^3+3YT^2+11Y^3+29XYT+XY^2+X^2T+14X^3$	24	6	11
$\mathcal{G}_0^1$	$24T^3+9YT^2+13Y^3+23XYT+XY^2+X^2T+29X^3$	24	18	17
$\mathcal{G}_0^1$	$22T^3+3YT^2+28Y^3+9XYT+XY^2+X^2T+30X^3$	24	9	13
$\mathcal{E}_0^1$	$9YT^2+XY^2+X^2T$	21	27	0

Table 60 $q = 31$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_9^4$	$T^3 + Y^3 + 25XYT + X^3$	36	29
$\mathcal{G}_9^4$	$T^3 + Y^3 + 22XYT + X^3$	27	30
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	36	0
$\mathcal{G}_3^1$	$20T^3 + 29YT^2 + 29Y^2T + 29XT^2 + 20Y^3 + 28XYT + 29XY^2 + 29X^2T + 29X^2Y + 20X^3$	42	22
$\mathcal{G}_3^1$	$19T^3 + 26YT^2 + 26Y^2T + 26XT^2 + 19Y^3 + 22XYT + 26XY^2 + 26X^2T + 26X^2Y + 19X^3$	42	7
$\mathcal{G}_3^1$	$21T^3 + YT^2 + Y^2T + XT^2 + 21Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 21X^3$	39	25
$\mathcal{G}_3^1$	$18T^3 + 23YT^2 + 23Y^2T + 23XT^2 + 18Y^3 + 16XYT + 23XY^2 + 23X^2T + 23X^2Y + 18X^3$	39	6
$\mathcal{G}_3^1$	$T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 7XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$	36	21
$\mathcal{G}_3^1$	$30T^3 + 28YT^2 + 28Y^2T + 28XT^2 + 30Y^3 + 26XYT + 28XY^2 + 28X^2T + 28X^2Y + 30X^3$	36	28
$\mathcal{G}_3^1$	$27T^3 + 19YT^2 + 19Y^2T + 19XT^2 + 27Y^3 + 8XYT + 19XY^2 + 19X^2T + 19X^2Y + 27X^3$	36	18
$\mathcal{G}_3^1$	$15T^3 + 14YT^2 + 14Y^2T + 14XT^2 + 15Y^3 + 29XYT + 14XY^2 + 14X^2T + 14X^2Y + 15X^3$	36	26
$\mathcal{G}_3^1$	$3T^3 + 9YT^2 + 9Y^2T + 9XT^2 + 3Y^3 + 19XYT + 9XY^2 + 9X^2T + 9X^2Y + 3X^3$	33	24
$\mathcal{G}_3^1$	$26T^3 + 16YT^2 + 16Y^2T + 16XT^2 + 26Y^3 + 2XYT + 16XY^2 + 16X^2T + 16X^2Y + 26X^3$	30	3
$\mathcal{G}_3^1$	$25T^3 + 13YT^2 + 13Y^2T + 13XT^2 + 25Y^3 + 27XYT + 13XY^2 + 13X^2T + 13X^2Y + 25X^3$	30	9
$\mathcal{G}_3^1$	$28T^3 + 22YT^2 + 22Y^2T + 22XT^2 + 28Y^3 + 14XYT + 22XY^2 + 22X^2T + 22X^2Y + 28X^3$	24	17
$\mathcal{G}_3^1$	$11T^3 + 2YT^2 + 2Y^2T + 2XT^2 + 11Y^3 + 5XYT + 2XY^2 + 2X^2T + 2X^2Y + 11X^3$	24	11
$\overline{\mathcal{E}}_3^1$	$3T^3 + XY^2 + X^2Y$	39	0
$\mathcal{E}_1^1$	$YT^2 + 28Y^3 + X^3$	43	0
$\mathcal{H}_1^0$	$YT^2 + XY^2 + X^3$	32	23
$\mathcal{H}_1^0$	$YT^2 + 3XY^2 + X^3$	32	23

Table 60 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+28Y^3+XY^2+X^3$	41	1
$\mathcal{G}_1$	$YT^2+3Y^3+3XY^2+X^3$	40	19
$\mathcal{G}_1$	$YT^2+2Y^3+XY^2+X^3$	40	13
$\mathcal{G}_1$	$YT^2+27Y^3+3XY^2+X^3$	40	17
$\mathcal{G}_1$	$YT^2+17Y^3+3XY^2+X^3$	40	11
$\mathcal{G}_1$	$YT^2+4Y^3+XY^2+X^3$	38	15
$\mathcal{G}_1$	$YT^2+26Y^3+3XY^2+X^3$	38	16
$\mathcal{G}_1$	$YT^2+20Y^3+3XY^2+X^3$	37	30
$\mathcal{G}_1$	$YT^2+13Y^3+3XY^2+X^3$	37	12
$\mathcal{G}_1$	$YT^2+12Y^3+XY^2+X^3$	37	20
$\mathcal{G}_1$	$YT^2+29Y^3+3XY^2+X^3$	35	27
$\mathcal{G}_1$	$YT^2+23Y^3+XY^2+X^3$	35	8
$\mathcal{G}_1$	$YT^2+8Y^3+3XY^2+X^3$	34	5
$\mathcal{G}_1$	$YT^2+18Y^3+XY^2+X^3$	34	3
$\mathcal{G}_1$	$YT^2+12Y^3+3XY^2+X^3$	34	9
$\mathcal{G}_1$	$YT^2+10Y^3+3XY^2+X^3$	34	14
$\mathcal{G}_1$	$YT^2+9Y^3+3XY^2+X^3$	32	4
$\mathcal{G}_1$	$YT^2+6Y^3+XY^2+X^3$	32	2
$\mathcal{G}_1$	$YT^2+25Y^3+XY^2+X^3$	32	2
$\mathcal{G}_1$	$YT^2+22Y^3+3XY^2+X^3$	32	4
$\mathcal{G}_1$	$YT^2+6Y^3+3XY^2+X^3$	31	24
$\mathcal{G}_1$	$YT^2+15Y^3+XY^2+X^3$	31	10
$\mathcal{G}_1$	$YT^2+2Y^3+3XY^2+X^3$	29	27
$\mathcal{G}_1$	$YT^2+9Y^3+XY^2+X^3$	28	28
$\mathcal{G}_1$	$YT^2+7Y^3+XY^2+X^3$	28	26
$\mathcal{G}_0^4$	$9T^3+3Y^3+26XYT+X^3$	36	29
$\mathcal{G}_0^4$	$9T^3+3Y^3+25XYT+X^3$	36	29
$\mathcal{G}_0^4$	$9T^3+3Y^3+19XYT+X^3$	36	29
$\mathcal{G}_0^4$	$9T^3+3Y^3+13XYT+X^3$	36	29
$\mathcal{G}_0^4$	$9T^3+3Y^3+7XYT+X^3$	27	30
$\mathcal{G}_0^4$	$9T^3+3Y^3+29XYT+X^3$	27	30
$\mathcal{G}_0^4$	$9T^3+3Y^3+14XYT+X^3$	27	30
$\mathcal{G}_0^4$	$9T^3+3Y^3+11XYT+X^3$	27	30
$\overline{\mathcal{E}}_0^4$	$9T^3+3Y^3+X^3$	36	0

Table 60 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{E}_0^4$	$9T^3+3Y^3+28XYT+X^3$	36	0
$\mathcal{G}_0^1$	$4T^3+3YT^2+22Y^3+27XYT+XY^2+X^2T+28X^3$	42	22
$\mathcal{G}_0^1$	$20T^3+9YT^2+16Y^3+14XYT+XY^2+X^2T+19X^3$	42	7
$\mathcal{G}_0^1$	$8T^3+9YT^2+25Y^3+18XYT+XY^2+X^2T+20X^3$	39	25
$\mathcal{G}_0^1$	$3T^3+9YT^2+21Y^3+30XYT+XY^2+X^2T+23X^3$	39	6
$\mathcal{G}_0^1$	$5T^3+9YT^2+4Y^3+19XYT+XY^2+X^2T+28X^3$	36	28
$\mathcal{G}_0^1$	$26T^3+3YT^2+19Y^3+5XYT+XY^2+X^2T+27X^3$	36	26
$\mathcal{G}_0^1$	$25T^3+3YT^2+29Y^3+6XYT+XY^2+X^2T+20X^3$	36	21
$\mathcal{G}_0^1$	$11T^3+3YT^2+14Y^3+20XYT+XY^2+X^2T+15X^3$	36	18
$\mathcal{G}_0^1$	$21T^3+3YT^2+7Y^3+10XYT+XY^2+X^2T+23X^3$	33	10
$\mathcal{G}_0^1$	$10T^3+9YT^2+8Y^3+7XYT+XY^2+X^2T+25X^3$	33	24
$\mathcal{G}_0^1$	$8T^3+3YT^2+13Y^3+23XYT+XY^2+X^2T+25X^3$	30	9
$\mathcal{G}_0^1$	$17T^3+9YT^2+26Y^3+15XYT+XY^2+X^2T+27X^3$	30	3
$\mathcal{G}_0^1$	$16T^3+3YT^2+26Y^3+15XYT+XY^2+X^2T+19X^3$	30	5
$\mathcal{G}_0^1$	$12T^3+9YT^2+22Y^3+27XYT+XY^2+X^2T+30X^3$	30	14
$\mathcal{G}_0^1$	$18T^3+9YT^2+2Y^3+25XYT+XY^2+X^2T+14X^3$	27	12
$\mathcal{E}_0^1$	$3YT^2+XY^2+X^2T$	39	0

Table 61 $q=32$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$YT^2+Y^2T+XT^2+XYT+XY^2$	34	3
$\mathcal{N}_1^1$	T^3+XY^2	33	1

Table 62 $q=32$, a. i. singular cubic curves giving complete $(n,3)$-arcs

type	equation	n
$\mathcal{N}_1^2$	T^3+Y^3+XYT	32
$\mathcal{N}_0^0$	$\xi^{17}T^3+\xi^{30}YT^2+Y^2T+XT^2+\xi^{17}Y^3+XYT+XY^2$	34

Table 63 $q = 32$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^2$	$\xi^9T^3 + \xi^9YT^2 + \xi^9Y^2T + \xi^9XT^2 + \xi^9Y^3 + XYT + \xi^9XY^2 + \xi^9X^2T + \xi^9X^2Y + \xi^9X^3$	30	3	ξ^{19}
$\mathcal{G}_3^2$	$\xi^5T^3 + \xi^5YT^2 + \xi^5Y^2T + \xi^5XT^2 + \xi^5Y^3 + XYT + \xi^5XY^2 + \xi^5X^2T + \xi^5X^2Y + \xi^5X^3$	30	3	ξ^{14}
$\mathcal{G}_3^2$	$\xi^{26}T^3 + \xi^{26}YT^2 + \xi^{26}Y^2T + \xi^{26}XT^2 + \xi^{26}Y^3 + XYT + \xi^{26}XY^2 + \xi^{26}X^2T + \xi^{26}X^2Y + \xi^{26}X^3$	30	1	ξ^{18}
$\mathcal{G}_3^2$	$\xi^{22}T^3 + \xi^{22}YT^2 + \xi^{22}Y^2T + \xi^{22}XT^2 + \xi^{22}Y^3 + XYT + \xi^{22}XY^2 + \xi^{22}X^2T + \xi^{22}X^2Y + \xi^{22}X^3$	30	1	ξ^{20}
$\mathcal{G}_3^2$	$\xi^{21}T^3 + \xi^{21}YT^2 + \xi^{21}Y^2T + \xi^{21}XT^2 + \xi^{21}Y^3 + XYT + \xi^{21}XY^2 + \xi^{21}X^2T + \xi^{21}X^2Y + \xi^{21}X^3$	30	1	ξ^5
$\mathcal{G}_3^2$	$\xi^{20}T^3 + \xi^{20}YT^2 + \xi^{20}Y^2T + \xi^{20}XT^2 + \xi^{20}Y^3 + XYT + \xi^{20}XY^2 + \xi^{20}X^2T + \xi^{20}X^2Y + \xi^{20}X^3$	30	3	ξ^{25}
$\mathcal{G}_3^2$	$\xi^{18}T^3 + \xi^{18}YT^2 + \xi^{18}Y^2T + \xi^{18}XT^2 + \xi^{18}Y^3 + XYT + \xi^{18}XY^2 + \xi^{18}X^2T + \xi^{18}X^2Y + \xi^{18}X^3$	30	3	ξ^7
$\mathcal{G}_3^2$	$\xi^{13}T^3 + \xi^{13}YT^2 + \xi^{13}Y^2T + \xi^{13}XT^2 + \xi^{13}Y^3 + XYT + \xi^{13}XY^2 + \xi^{13}X^2T + \xi^{13}X^2Y + \xi^{13}X^3$	30	1	ξ^9
$\mathcal{G}_3^2$	$\xi^{11}T^3 + \xi^{11}YT^2 + \xi^{11}Y^2T + \xi^{11}XT^2 + \xi^{11}Y^3 + XYT + \xi^{11}XY^2 + \xi^{11}X^2T + \xi^{11}X^2Y + \xi^{11}X^3$	30	1	ξ^{10}
$\mathcal{G}_3^2$	$\xi^{10}T^3 + \xi^{10}YT^2 + \xi^{10}Y^2T + \xi^{10}XT^2 + \xi^{10}Y^3 + XYT + \xi^{10}XY^2 + \xi^{10}X^2T + \xi^{10}X^2Y + \xi^{10}X^3$	30	3	ξ^{28}
$\mathcal{G}_3^2$	$\xi^{30}T^3 + \xi^{30}YT^2 + \xi^{30}Y^2T + \xi^{30}XT^2 + \xi^{30}Y^3 + XYT + \xi^{30}XY^2 + \xi^{30}X^2T + \xi^{30}X^2Y + \xi^{30}X^3$	24	28	ξ^{17}
$\mathcal{G}_3^2$	$\xi^{29}T^3 + \xi^{29}YT^2 + \xi^{29}Y^2T + \xi^{29}XT^2 + \xi^{29}Y^3 + XYT + \xi^{29}XY^2 + \xi^{29}X^2T + \xi^{29}X^2Y + \xi^{29}X^3$	24	28	ξ^3
$\mathcal{G}_3^2$	$\xi^{27}T^3 + \xi^{27}YT^2 + \xi^{27}Y^2T + \xi^{27}XT^2 + \xi^{27}Y^3 + XYT + \xi^{27}XY^2 + \xi^{27}X^2T + \xi^{27}X^2Y + \xi^{27}X^3$	24	28	ξ^6
$\mathcal{G}_3^2$	$\xi^{23}T^3 + \xi^{23}YT^2 + \xi^{23}Y^2T + \xi^{23}XT^2 + \xi^{23}Y^3 + XYT + \xi^{23}XY^2 + \xi^{23}X^2T + \xi^{23}X^2Y + \xi^{23}X^3$	24	28	ξ^{12}
$\mathcal{G}_3^2$	$\xi^{15}T^3 + \xi^{15}YT^2 + \xi^{15}Y^2T + \xi^{15}XT^2 + \xi^{15}Y^3 + XYT + \xi^{15}XY^2 + \xi^{15}X^2T + \xi^{15}X^2Y + \xi^{15}X^3$	24	28	ξ^{24}
$\overline{\mathcal{E}}_3^2$	$\xi T^3 + XY^2 + X^2Y$	33	4	0

Table 63 Continue 1

type	equation	n	# of residual points	$j-$inv.
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^9XY^2+X^3$	28	2	ξ^{13}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^5XY^2+X^3$	28	2	ξ^{21}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{20}XY^2+X^3$	28	2	ξ^{22}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{18}XY^2+X^3$	28	2	ξ^{26}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{10}XY^2+X^3$	28	2	ξ^{11}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{30}XY^2+X^2Y+X^3$	26	5	ξ^2
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{29}XY^2+X^2Y+X^3$	26	5	ξ^4
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{27}XY^2+X^2Y+X^3$	26	5	ξ^8
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{23}XY^2+X^2Y+X^3$	26	5	ξ^{16}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{15}XY^2+X^2Y+X^3$	26	5	ξ
$\mathcal{G}_1^0$	$YT^2+XYT+XY^2+X^2Y+X^3$	22	33	1
$\mathcal{E}_1^0$	$YT^2+Y^2T+XY^2+X^3$	25	2	0
$\mathcal{G}_0^2$	$T^3+Y^2T+\xi^7Y^3+\xi^7XYT+XY^2+X^2T+X^3$	24	9	ξ^{17}
$\mathcal{G}_0^2$	$T^3+Y^2T+\xi^{28}Y^3+\xi^{28}XYT+XY^2+X^2T+X^3$	24	9	ξ^6
$\mathcal{G}_0^2$	$T^3+Y^2T+\xi^{25}Y^3+\xi^{25}XYT+XY^2+X^2T+X^3$	24	9	ξ^{12}
$\mathcal{G}_0^2$	$T^3+Y^2T+\xi^{19}Y^3+\xi^{19}XYT+XY^2+X^2T+X^3$	24	9	ξ^{24}
$\mathcal{G}_0^2$	$T^3+Y^2T+\xi^{14}Y^3+\xi^{14}XYT+XY^2+X^2T+X^3$	24	9	ξ^3
$\mathcal{E}_0^2$	$T^3+Y^3+XY^2+X^3$	33	1	0

Table 64 $q = 32$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$\xi^6T^3 + \xi^6YT^2 + \xi^6Y^2T + \xi^6XT^2 + \xi^6Y^3 + XYT + \xi^6XY^2 + \xi^6X^2T + \xi^6X^2Y + \xi^6X^3$	42	ξ^{17}
$\mathcal{G}_3^2$	$\xi^3T^3 + \xi^3YT^2 + \xi^3Y^2T + \xi^3XT^2 + \xi^3Y^3 + XYT + \xi^3XY^2 + \xi^3X^2T + \xi^3X^2Y + \xi^3X^3$	42	ξ^{24}
$\mathcal{G}_3^2$	$\xi^{24}T^3 + \xi^{24}YT^2 + \xi^{24}Y^2T + \xi^{24}XT^2 + \xi^{24}Y^3 + XYT + \xi^{24}XY^2 + \xi^{24}X^2T + \xi^{24}X^2Y + \xi^{24}X^3$	42	ξ^6
$\mathcal{G}_3^2$	$\xi^{17}T^3 + \xi^{17}YT^2 + \xi^{17}Y^2T + \xi^{17}XT^2 + \xi^{17}Y^3 + XYT + \xi^{17}XY^2 + \xi^{17}X^2T + \xi^{17}X^2Y + \xi^{17}X^3$	42	ξ^{12}
$\mathcal{G}_3^2$	$\xi^{12}T^3 + \xi^{12}YT^2 + \xi^{12}Y^2T + \xi^{12}XT^2 + \xi^{12}Y^3 + XYT + \xi^{12}XY^2 + \xi^{12}X^2T + \xi^{12}X^2Y + \xi^{12}X^3$	42	ξ^3
$\mathcal{G}_3^2$	$\xi^8T^3 + \xi^8YT^2 + \xi^8Y^2T + \xi^8XT^2 + \xi^8Y^3 + XYT + \xi^8XY^2 + \xi^8X^2T + \xi^8X^2Y + \xi^8X^3$	36	ξ^{18}
$\mathcal{G}_3^2$	$\xi^7T^3 + \xi^7YT^2 + \xi^7Y^2T + \xi^7XT^2 + \xi^7Y^3 + XYT + \xi^7XY^2 + \xi^7X^2T + \xi^7X^2Y + \xi^7X^3$	36	ξ^{19}
$\mathcal{G}_3^2$	$\xi^4T^3 + \xi^4YT^2 + \xi^4Y^2T + \xi^4XT^2 + \xi^4Y^3 + XYT + \xi^4XY^2 + \xi^4X^2T + \xi^4X^2Y + \xi^4X^3$	36	ξ^9
$\mathcal{G}_3^2$	$\xi^2T^3 + \xi^2YT^2 + \xi^2Y^2T + \xi^2XT^2 + \xi^2Y^3 + XYT + \xi^2XY^2 + \xi^2X^2T + \xi^2X^2Y + \xi^2X^3$	36	ξ^{20}
$\mathcal{G}_3^2$	$\xi^{28}T^3 + \xi^{28}YT^2 + \xi^{28}Y^2T + \xi^{28}XT^2 + \xi^{28}Y^3 + XYT + \xi^{28}XY^2 + \xi^{28}X^2T + \xi^{28}X^2Y + \xi^{28}X^3$	36	ξ^{14}
$\mathcal{G}_3^2$	$\xi^{25}T^3 + \xi^{25}YT^2 + \xi^{25}Y^2T + \xi^{25}XT^2 + \xi^{25}Y^3 + XYT + \xi^{25}XY^2 + \xi^{25}X^2T + \xi^{25}X^2Y + \xi^{25}X^3$	36	ξ^{28}
$\mathcal{G}_3^2$	$\xi^{19}T^3 + \xi^{19}YT^2 + \xi^{19}Y^2T + \xi^{19}XT^2 + \xi^{19}Y^3 + XYT + \xi^{19}XY^2 + \xi^{19}X^2T + \xi^{19}X^2Y + \xi^{19}X^3$	36	ξ^{25}
$\mathcal{G}_3^2$	$\xi^{16}T^3 + \xi^{16}YT^2 + \xi^{16}Y^2T + \xi^{16}XT^2 + \xi^{16}Y^3 + XYT + \xi^{16}XY^2 + \xi^{16}X^2T + \xi^{16}X^2Y + \xi^{16}X^3$	36	ξ^5
$\mathcal{G}_3^2$	$\xi^{14}T^3 + \xi^{14}YT^2 + \xi^{14}Y^2T + \xi^{14}XT^2 + \xi^{14}Y^3 + XYT + \xi^{14}XY^2 + \xi^{14}X^2T + \xi^{14}X^2Y + \xi^{14}X^3$	36	ξ^7
$\mathcal{G}_3^2$	$\xi T^3 + \xi YT^2 + \xi Y^2T + \xi XT^2 + \xi Y^3 + XYT + \xi XY^2 + \xi X^2T + \xi X^2Y + \xi X^3$	36	ξ^{10}

Table 64 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_1^0$	$YT^2+XYT+XY^2+X^3$	44	1
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{30}XY^2+X^3$	40	ξ^2
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{29}XY^2+X^3$	40	ξ^4
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{27}XY^2+X^3$	40	ξ^8
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{23}XY^2+X^3$	40	ξ^{16}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{15}XY^2+X^3$	40	ξ
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{9}XY^2+X^2Y+X^3$	38	ξ^{13}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{5}XY^2+X^2Y+X^3$	38	ξ^{21}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{20}XY^2+X^2Y+X^3$	38	ξ^{22}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{18}XY^2+X^2Y+X^3$	38	ξ^{26}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{10}XY^2+X^2Y+X^3$	38	ξ^{11}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{8}XY^2+X^2Y+X^3$	34	ξ^{15}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{4}XY^2+X^2Y+X^3$	34	ξ^{23}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{2}XY^2+X^2Y+X^3$	34	ξ^{27}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{16}XY^2+X^2Y+X^3$	34	ξ^{30}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi XY^2+X^2Y+X^3$	34	ξ^{29}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{8}XY^2+X^3$	32	ξ^{15}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{4}XY^2+X^3$	32	ξ^{23}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{2}XY^2+X^3$	32	ξ^{27}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{16}XY^2+X^3$	32	ξ^{30}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi XY^2+X^3$	32	ξ^{29}
$\mathcal{E}_1^0$	$YT^2+Y^2T+Y^3+XY^2+X^3$	41	0
$\mathcal{G}_0^2$	$T^3+\xi^{30}Y^2T+\xi^{25}Y^3+\xi^{24}XYT+XY^2+\xi^{30}X^2T+X^3$	42	ξ^6
$\mathcal{G}_0^2$	$T^3+\xi^{30}Y^2T+\xi^{21}Y^3+\xi^{20}XYT+XY^2+\xi^{30}X^2T+X^3$	42	ξ^3
$\mathcal{G}_0^2$	$T^3+\xi^{30}Y^2T+\xi^{19}Y^3+\xi^{18}XYT+XY^2+\xi^{30}X^2T+X^3$	42	ξ^{17}
$\mathcal{G}_0^2$	$T^3+\xi^{29}Y^2T+\xi^{19}Y^3+\xi^{17}XYT+XY^2+\xi^{29}X^2T+X^3$	42	ξ^{12}
$\mathcal{G}_0^2$	$T^3+\xi^{28}Y^2T+\xi^{21}Y^3+\xi^{18}XYT+XY^2+\xi^{28}X^2T+X^3$	42	ξ^{24}
$\mathcal{G}_0^2$	$T^3+Y^2T+\xi^{26}Y^3+\xi^{26}XYT+XY^2+X^2T+X^3$	36	ξ^9
$\mathcal{G}_0^2$	$T^3+Y^2T+\xi^{22}Y^3+\xi^{22}XYT+XY^2+X^2T+X^3$	36	ξ^{10}
$\mathcal{G}_0^2$	$T^3+Y^2T+\xi^{21}Y^3+\xi^{21}XYT+XY^2+X^2T+X^3$	36	ξ^{18}
$\mathcal{G}_0^2$	$T^3+Y^2T+\xi^{13}Y^3+\xi^{13}XYT+XY^2+X^2T+X^3$	36	ξ^{20}

Table 64 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_0^2$	$T^3+Y^2T+\xi^{11}Y^3+\xi^{11}XYT+XY^2+X^2T+X^3$	36	ξ^5
$\mathcal{G}_0^2$	$T^3+\xi^{30}Y^2T+\xi^{26}Y^3+\xi^{25}XYT+XY^2+\xi^{30}X^2T+X^3$	36	ξ^7
$\mathcal{G}_0^2$	$T^3+\xi^{30}Y^2T+\xi^{22}Y^3+\xi^{21}XYT+XY^2+\xi^{30}X^2T+X^3$	36	ξ^{28}
$\mathcal{G}_0^2$	$T^3+\xi^{29}Y^2T+\xi^{21}Y^3+\xi^{19}XYT+XY^2+\xi^{29}X^2T+X^3$	36	ξ^{14}
$\mathcal{G}_0^2$	$T^3+\xi^{29}Y^2T+\xi^{13}Y^3+\xi^{11}XYT+XY^2+\xi^{29}X^2T+X^3$	36	ξ^{25}
$\mathcal{G}_0^2$	$T^3+\xi^{27}Y^2T+\xi^{26}Y^3+\xi^{22}XYT+XY^2+\xi^{27}X^2T+X^3$	36	ξ^{19}
$\mathcal{G}_0^2$	$T^3+\xi^{30}Y^2T+\xi^{13}Y^3+\xi^{12}XYT+XY^2+\xi^{30}X^2T+X^3$	30	ξ^{25}
$\mathcal{G}_0^2$	$T^3+\xi^{29}Y^2T+\xi^{26}Y^3+\xi^{24}XYT+XY^2+\xi^{29}X^2T+X^3$	30	ξ^{19}
$\mathcal{G}_0^2$	$T^3+\xi^{28}Y^2T+\xi^{26}Y^3+\xi^{23}XYT+XY^2+\xi^{28}X^2T+X^3$	30	ξ^{10}
$\mathcal{G}_0^2$	$T^3+\xi^{28}Y^2T+\xi^{19}Y^3+\xi^{16}XYT+XY^2+\xi^{28}X^2T+X^3$	30	ξ^{14}
$\mathcal{G}_0^2$	$T^3+\xi^{28}Y^2T+\xi^{13}Y^3+\xi^{10}XYT+XY^2+\xi^{28}X^2T+X^3$	30	ξ^{9}
$\mathcal{G}_0^2$	$T^3+\xi^{27}Y^2T+\xi^{21}Y^3+\xi^{17}XYT+XY^2+\xi^{27}X^2T+X^3$	30	ξ^{7}
$\mathcal{G}_0^2$	$T^3+\xi^{26}Y^2T+\xi^{26}Y^3+\xi^{21}XYT+XY^2+\xi^{26}X^2T+X^3$	30	ξ^{5}
$\mathcal{G}_0^2$	$T^3+\xi^{26}Y^2T+\xi^{21}Y^3+\xi^{16}XYT+XY^2+\xi^{26}X^2T+X^3$	30	ξ^{28}
$\mathcal{G}_0^2$	$T^3+\xi^{25}Y^2T+\xi^{26}Y^3+\xi^{20}XYT+XY^2+\xi^{25}X^2T+X^3$	30	ξ^{18}
$\mathcal{G}_0^2$	$T^3+\xi^{25}Y^2T+\xi^{21}Y^3+\xi^{15}XYT+XY^2+\xi^{25}X^2T+X^3$	30	ξ^{20}

Table 65 $q=37$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_1^0$	$6YT^2+35XT^2+Y^3+XY^2$	39	1

Table 66 $q=37$, a. i. singular cubic curves giving complete $(n,3)$-arcs

type	equation	n
$\mathcal{N}_3^2$	T^3+Y^3+XYT	37
$\mathcal{N}_1^1$	T^3+XY^2	38
$\mathcal{N}_0^2$	$2T^3+Y^3+XYT$	37

Table 67 $q = 37$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^1$	$9T^3 + 27YT^2 + 27Y^2T + 27XT^2 + 9Y^3 + 18XYT + 27XY^2 + 27X^2T + 27X^2Y + 9X^3$	30	4	3
$\mathcal{G}_3^1$	$7T^3 + 21YT^2 + 21Y^2T + 21XT^2 + 7Y^3 + 6XYT + 21XY^2 + 21X^2T + 21X^2Y + 7X^3$	30	4	2
$\mathcal{G}_3^1$	$19T^3 + 20YT^2 + 20Y^2T + 20XT^2 + 19Y^3 + 4XYT + 20XY^2 + 20X^2T + 20X^2Y + 19X^3$	30	3	28
$\mathcal{G}_3^1$	$6T^3 + 18YT^2 + 18Y^2T + 18XT^2 + 6Y^3 + 18XY^2 + 18X^2T + 18X^2Y + 6X^3$	27	16	33
$\mathcal{E}_1^1$	$YT^2 + 29Y^3 + X^3$	28	2	0
$\mathcal{H}_1^0$	$YT^2 + 8XY^2 + X^3$	26	22	26
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 3XY^2 + X^3$	34	1	13
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 5XY^2 + X^3$	32	2	29
$\mathcal{G}_1$	$YT^2 + 8Y^3 + 2XY^2 + X^3$	31	1	22
$\mathcal{G}_1$	$YT^2 + 12Y^3 + XY^2 + X^3$	29	1	36
$\mathcal{G}_1$	$YT^2 + 8Y^3 + 3XY^2 + X^3$	28	5	32
$\mathcal{G}_1$	$YT^2 + 4Y^3 + XY^2 + X^3$	28	9	24
$\mathcal{G}_1$	$YT^2 + 16Y^3 + 2XY^2 + X^3$	28	4	17
$\overline{\mathcal{E}}_0^4$	$4T^3 + 2Y^3 + X^3$	27	18	0
$\mathcal{E}_0^4$	$4T^3 + 2Y^3 + 16XYT + X^3$	27	18	0
$\mathcal{G}_0^1$	$29T^3 + 2YT^2 + 33Y^3 + 12XYT + XY^2 + X^2T + 35X^3$	33	3	19
$\mathcal{G}_0^1$	$9T^3+2YT^2+23Y^3+5XYT+XY^2+X^2T+30X^3$	30	3	7
$\mathcal{G}_0^1$	$5T^3 + 4YT^2 + 29Y^3 + 24XYT + XY^2 + X^2T + 35X^3$	30	3	2
$\mathcal{G}_0^1$	$26T^3 + 4YT^2 + 25Y^3 + 36XYT + XY^2 + X^2T + 34X^3$	30	3	28
$\mathcal{G}_0^1$	$17T^3 + 2YT^2 + 27Y^3 + 30XYT + XY^2 + X^2T + 32X^3$	30	3	3
$\mathcal{G}_0^1$	$2T^3+2YT^2+Y^3+34XYT+XY^2+X^2T+19X^3$	27	9	33

Table 68 $q = 37$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{H}_9^4$	$T^3 + Y^3 + 26XYT + X^3$	36	26
$\mathcal{G}_9^4$	$T^3 + Y^3 + 31XYT + X^3$	45	14
$\mathcal{G}_9^4$	$T^3 + Y^3 + 22XYT + X^3$	36	6
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	27	0
$\mathcal{G}_3^1$	$35T^3 + 31YT^2 + 31Y^2T + 31XT^2 + 35Y^3 + 26XYT + 31XY^2 + 31X^2T + 31X^2Y + 35X^3$	48	24
$\mathcal{G}_3^1$	$28T^3 + 10YT^2 + 10Y^2T + 10XT^2 + 28Y^3 + 21XYT + 10XY^2 + 10X^2T + 10X^2Y + 28X^3$	48	32
$\mathcal{G}_3^1$	$13T^3 + 2YT^2 + 2Y^2T + 2XT^2 + 13Y^3 + 5XYT + 2XY^2 + 2X^2T + 2X^2Y + 13X^3$	48	17
$\mathcal{G}_3^1$	$31T^3 + 19YT^2 + 19Y^2T + 19XT^2 + 31Y^3 + 2XYT + 19XY^2 + 19X^2T + 19X^2Y + 31X^3$	45	22
$\mathcal{G}_3^1$	$10T^3 + 30YT^2 + 30Y^2T + 30XT^2 + 10Y^3 + 24XYT + 30XY^2 + 30X^2T + 30X^2Y + 10X^3$	45	5
$\mathcal{G}_3^1$	$5T^3 + 15YT^2 + 15Y^2T + 15XT^2 + 5Y^3 + 31XYT + 15XY^2 + 15X^2T + 15X^2Y + 5X^3$	42	13
$\mathcal{G}_3^1$	$4T^3 + 12YT^2 + 12Y^2T + 12XT^2 + 4Y^3 + 25XYT + 12XY^2 + 12X^2T + 12X^2Y + 4X^3$	42	4
$\mathcal{G}_3^1$	$22T^3 + 29YT^2 + 29Y^2T + 29XT^2 + 22Y^3 + 22XYT + 29XY^2 + 29X^2T + 29X^2Y + 22X^3$	42	20
$\mathcal{G}_3^1$	$21T^3 + 26YT^2 + 26Y^2T + 26XT^2 + 21Y^3 + 16XYT + 26XY^2 + 26X^2T + 26X^2Y + 21X^3$	42	12
$\mathcal{G}_3^1$	$33T^3 + 25YT^2 + 25Y^2T + 25XT^2 + 33Y^3 + 14XYT + 25XY^2 + 25X^2T + 25X^2Y + 33X^3$	39	16
$\mathcal{G}_3^1$	$30T^3 + 16YT^2 + 16Y^2T + 16XT^2 + 30Y^3 + 33XYT + 16XY^2 + 16X^2T + 16X^2Y + 30X^3$	39	35

Table 68 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$T^3+3YT^2+3Y^2T+3XT^2+Y^3+7XYT+3XY^2+3X^2T+3X^2Y+X^3$	36	30
$\mathcal{G}_3^1$	$8T^3+24YT^2+24Y^2T+24XT^2+8Y^3+12XYT+24XY^2+24X^2T+24X^2Y+8X^3$	36	15
$\mathcal{G}_3^1$	$29T^3+13YT^2+13Y^2T+13XT^2+29Y^3+27XYT+13XY^2+13X^2T+13X^2Y+29X^3$	36	21
$\mathcal{G}_3^1$	$23T^3+32YT^2+32Y^2T+32XT^2+23Y^3+28XYT+32XY^2+32X^2T+32X^2Y+23X^3$	36	9
$\mathcal{G}_3^1$	$14T^3+5YT^2+5Y^2T+5XT^2+14Y^3+11XYT+5XY^2+5X^2T+5X^2Y+14X^3$	36	18
$\mathcal{G}_3^1$	$11T^3+33YT^2+33Y^2T+33XT^2+11Y^3+30XYT+33XY^2+33X^2T+33X^2Y+11X^3$	36	34
$\mathcal{G}_3^1$	$2T^3+6YT^2+6Y^2T+6XT^2+2Y^3+13XYT+6XY^2+6X^2T+6X^2Y+2X^3$	33	25
$\mathcal{G}_3^1$	$24T^3+35YT^2+35Y^2T+35XT^2+24Y^3+34XYT+35XY^2+35X^2T+35X^2Y+24X^3$	33	19
$\mathcal{G}_3^1$	$17T^3+14YT^2+14Y^2T+14XT^2+17Y^3+29XYT+14XY^2+14X^2T+14X^2Y+17X^3$	30	7
$\overline{\mathcal{E}}_3^1$	$2T^3+XY^2+X^2Y$	48	0
$\overline{\mathcal{E}}_3^1$	$4T^3+XY^2+X^2Y$	39	0
$\mathcal{H}_1^4$	$YT^2+4XY^2+X^3$	40	26
$\mathcal{E}_1^4$	$YT^2+35Y^3+X^3$	49	0
$\mathcal{E}_1^1$	$YT^2+5Y^3+X^3$	37	0
$\mathcal{H}_1^0$	$YT^2+2XY^2+X^3$	50	26

Table 68 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 9Y^3 + 3XY^2 + X^3$	49	33
$\mathcal{G}_1$	$YT^2 + 15Y^3 + 3XY^2 + X^3$	47	36
$\mathcal{G}_1$	$YT^2 + 9Y^3 + 5XY^2 + X^3$	46	7
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 5XY^2 + X^3$	46	3
$\mathcal{G}_1$	$YT^2 + 12Y^3 + 2XY^2 + X^3$	46	28
$\mathcal{G}_1$	$YT^2 + 11Y^3 + XY^2 + X^3$	46	2
$\mathcal{G}_1$	$YT^2 + 7Y^3 + XY^2 + X^3$	44	31
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 2XY^2 + X^3$	44	11
$\mathcal{G}_1$	$YT^2 + 13Y^3 + 2XY^2 + X^3$	44	29
$\mathcal{G}_1$	$YT^2 + 10Y^3 + XY^2 + X^3$	44	10
$\mathcal{G}_1$	$YT^2 + 9Y^3 + 2XY^2 + X^3$	43	19
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 3XY^2 + X^3$	43	25
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 5XY^2 + X^3$	41	23
$\mathcal{G}_1$	$YT^2 + 16Y^3 + XY^2 + X^3$	41	27
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 3XY^2 + X^3$	41	1
$\mathcal{G}_1$	$YT^2 + 6Y^3 + XY^2 + X^3$	40	18
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 2XY^2 + X^3$	40	15
$\mathcal{G}_1$	$YT^2 + 2Y^3 + XY^2 + X^3$	40	30
$\mathcal{G}_1$	$YT^2 + 15Y^3 + 2XY^2 + X^3$	40	9
$\mathcal{G}_1$	$YT^2 + 14Y^3 + XY^2 + X^3$	40	6
$\mathcal{G}_1$	$YT^2 + 14Y^3 + 5XY^2 + X^3$	40	21
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 2XY^2 + X^3$	40	34
$\mathcal{G}_1$	$YT^2 + 5Y^3 + XY^2 + X^3$	38	8
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 3XY^2 + X^3$	38	8
$\mathcal{G}_1$	$YT^2 + 16Y^3 + 5XY^2 + X^3$	37	35
$\mathcal{G}_1$	$YT^2 + 13Y^3 + 3XY^2 + X^3$	37	16
$\mathcal{G}_1$	$YT^2 + 8Y^3 + XY^2 + X^3$	35	1
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 2XY^2 + X^3$	35	23
$\mathcal{G}_1$	$YT^2 + 17Y^3 + 3XY^2 + X^3$	35	27
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 2XY^2 + X^3$	34	4
$\mathcal{G}_1$	$YT^2 + 18Y^3 + XY^2 + X^3$	34	20
$\mathcal{G}_1$	$YT^2 + 18Y^3 + 5XY^2 + X^3$	34	12

Table 68 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+6Y^3+3XY^2+X^3$	32	10
$\mathcal{G}_1$	$YT^2+18Y^3+3XY^2+X^3$	32	31
$\mathcal{G}_1$	$YT^2+10Y^3+5XY^2+X^3$	32	11
$\mathcal{G}_1$	$YT^2+18Y^3+2XY^2+X^3$	31	5
$\mathcal{G}_1$	$YT^2+11Y^3+5XY^2+X^3$	31	14
$\mathcal{H}_0^4$	$4T^3+2Y^3+20XYT+X^3$	36	26
$\mathcal{H}_0^4$	$4T^3+2Y^3+10XYT+X^3$	36	26
$\mathcal{G}_0^4$	$4T^3+2Y^3+32XYT+X^3$	45	14
$\mathcal{G}_0^4$	$4T^3+2Y^3+28XYT+X^3$	45	14
$\mathcal{G}_0^4$	$4T^3+2Y^3+22XYT+X^3$	45	14
$\mathcal{G}_0^4$	$4T^3+2Y^3+19XYT+X^3$	45	14
$\mathcal{G}_0^4$	$4T^3+2Y^3+4XYT+X^3$	36	6
$\mathcal{G}_0^4$	$4T^3+2Y^3+34XYT+X^3$	36	6
$\mathcal{G}_0^4$	$4T^3+2Y^3+23XYT+X^3$	36	6
$\mathcal{G}_0^4$	$4T^3+2Y^3+11XYT+X^3$	36	6
$\mathcal{G}_0^1$	$6T^3+2YT^2+3Y^3+28XYT+XY^2+X^2T+20X^3$	48	32
$\mathcal{G}_0^1$	$35T^3+4YT^2+18Y^3+20XYT+XY^2+X^2T+23X^3$	48	17
$\mathcal{G}_0^1$	$25T^3+2YT^2+31Y^3+18XYT+XY^2+X^2T+34X^3$	48	24
$\mathcal{G}_0^1$	$33T^3+2YT^2+35Y^3+6XYT+XY^2+X^2T+36X^3$	45	5
$\mathcal{G}_0^1$	$31T^3+4YT^2+17Y^3+23XYT+XY^2+X^2T+32X^3$	45	22
$\mathcal{G}_0^1$	$8T^3+4YT^2+2Y^3+31XYT+XY^2+X^2T+19X^3$	42	12
$\mathcal{G}_0^1$	$30T^3+2YT^2+15Y^3+29XYT+XY^2+X^2T+26X^3$	42	13
$\mathcal{G}_0^1$	$21T^3+4YT^2+33Y^3+12XYT+XY^2+X^2T+36X^3$	42	20
$\mathcal{G}_0^1$	$13T^3+2YT^2+25Y^3+36XYT+XY^2+X^2T+31X^3$	42	4
$\mathcal{G}_0^1$	$9T^3+4YT^2+30Y^3+21XYT+XY^2+X^2T+26X^3$	39	35
$\mathcal{G}_0^1$	$36T^3+4YT^2+9Y^3+10XYT+XY^2+X^2T+30X^3$	39	16
$\mathcal{G}_0^1$	$T^3+2YT^2+19Y^3+17XYT+XY^2+X^2T+28X^3$	36	18
$\mathcal{G}_0^1$	$4T^3+4YT^2+Y^3+34XYT+XY^2+X^2T+28X^3$	36	9
$\mathcal{G}_0^1$	$34T^3+4YT^2+27Y^3+30XYT+XY^2+X^2T+16X^3$	36	21
$\mathcal{G}_0^1$	$27T^3+2YT^2+32Y^3+15XYT+XY^2+X^2T+16X^3$	36	30
$\mathcal{G}_0^1$	$24T^3+4YT^2+6Y^3+19XYT+XY^2+X^2T+20X^3$	36	15

Table 68 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{G}_0^1$	$18T^3 + 2YT^2 + 9Y^3 + 10XYT + XY^2 + X^2T + 23X^3$	36	34
$\mathcal{G}_0^1$	$15T^3 + 4YT^2 + 13Y^3 + 35XYT + XY^2 + X^2T + 31X^3$	33	25
$\mathcal{E}_0^1$	$2YT^2 + XY^2 + X^2T$	48	0
$\mathcal{E}_0^1$	$4YT^2 + XY^2 + X^2T$	39	0

Table 69 $q = 41$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$32YT^2 + 3XT^2 + Y^3 + XY^2$	43	3
$\mathcal{N}_1^1$	$T^3 + XY^2$	42	1

Table 70 $q = 41$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	41
$\mathcal{N}_0^0$	$39T^3 + 32YT^2 + 2Y^2T + 3XT^2 + Y^3 + XY^2$	43

Table 71 $q = 41$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^2$	$T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 7XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$	36	4	35
$\mathcal{G}_3^2$	$13T^3 + 39YT^2 + 39Y^2T + 39XT^2 + 13Y^3 + 38XYT + 39XY^2 + 39X^2T + 39X^2Y + 13X^3$	33	1	27
$\mathcal{G}_3^2$	$8T^3 + 24YT^2 + 24Y^2T + 24XT^2 + 8Y^3 + 8XYT + 24XY^2 + 24X^2T + 24X^2Y + 8X^3$	30	16	40
$\mathcal{G}_3^2$	$14T^3 + YT^2 + Y^2T + XT^2 + 14Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 14X^3$	30	3	12
$\overline{\mathcal{E}}_3^2$	$6T^3 + XY^2 + X^2Y$	42	1	0
$\mathcal{E}_3^2$	$29T^3 + 5YT^2 + 5Y^2T + 5XT^2 + 29Y^3 + 11XYT + 5XY^2 + 5X^2T + 5X^2Y + 29X^3$	42	3	0
$\mathcal{H}_1^0$	$YT^2 + XY^2 + X^3$	32	4	6
$\mathcal{G}_1$	$YT^2 + Y^3 + XY^2 + X^3$	35	1	14
$\mathcal{G}_1$	$YT^2 + 13Y^3 + 6XY^2 + X^3$	34	1	34
$\mathcal{G}_1$	$YT^2 + 9Y^3 + 6XY^2 + X^3$	32	2	30
$\mathcal{G}_1$	$YT^2 + 4Y^3 + XY^2 + X^3$	32	3	23
$\mathcal{G}_1$	$YT^2 + 17Y^3 + 3XY^2 + X^3$	32	2	4
$\mathcal{G}_1$	$YT^2 + 17Y^3 + 2XY^2 + X^3$	31	1	7
$\mathcal{G}_0^2$	$T^3 + 38Y^2T + 29Y^3 + 36XYT + 3XY^2 + 38X^2T + 40X^3$	30	6	40
$\mathcal{G}_0^2$	$T^3 + 32Y^2T + 22Y^3 + 7XYT + 3XY^2 + 32X^2T + 40X^3$	30	12	12
$\mathcal{E}_0^2$	$T^3 + 40Y^3 + 3XY^2 + 40X^3$	42	1	0

Table 72 $q = 41$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$36T^3 + 26YT^2 + 26Y^2T + 26XT^2 + 36Y^3 + 12XYT + 26XY^2 + 26X^2T + 26X^2Y + 36X^3$	54	12
$\mathcal{G}_3^2$	$30T^3 + 8YT^2 + 8Y^2T + 8XT^2 + 30Y^3 + 17XYT + 8XY^2 + 8X^2T + 8X^2Y + 30X^3$	54	40
$\mathcal{G}_3^2$	$9T^3 + 27YT^2 + 27Y^2T + 27XT^2 + 9Y^3 + 14XYT + 27XY^2 + 27X^2T + 27X^2Y + 9X^3$	51	27
$\mathcal{G}_3^2$	$31T^3 + 11YT^2 + 11Y^2T + 11XT^2 + 31Y^3 + 23XYT + 11XY^2 + 11X^2T + 11X^2Y + 31X^3$	51	15
$\mathcal{G}_3^2$	$16T^3 + 7YT^2 + 7Y^2T + 7XT^2 + 16Y^3 + 15XYT + 7XY^2 + 7X^2T + 7X^2Y + 16X^3$	51	16
$\mathcal{G}_3^2$	$5T^3 + 15YT^2 + 15Y^2T + 15XT^2 + 5Y^3 + 31XYT + 15XY^2 + 15X^2T + 15X^2Y + 5X^3$	48	35
$\mathcal{G}_3^2$	$38T^3 + 32YT^2 + 32Y^2T + 32XT^2 + 38Y^3 + 24XYT + 32XY^2 + 32X^2T + 32X^2Y + 38X^3$	48	33
$\mathcal{G}_3^2$	$2T^3 + 6YT^2 + 6Y^2T + 6XT^2 + 2Y^3 + 13XYT + 6XY^2 + 6X^2T + 6X^2Y + 2X^3$	48	13
$\mathcal{G}_3^2$	$27T^3 + 40YT^2 + 40Y^2T + 40XT^2 + 27Y^3 + 40XYT + 40XY^2 + 40X^2T + 40X^2Y + 27X^3$	48	25
$\mathcal{G}_3^2$	$25T^3 + 34YT^2 + 34Y^2T + 34XT^2 + 25Y^3 + 28XYT + 34XY^2 + 34X^2T + 34X^2Y + 25X^3$	48	22
$\mathcal{G}_3^2$	$24T^3 + 31YT^2 + 31Y^2T + 31XT^2 + 24Y^3 + 22XYT + 31XY^2 + 31X^2T + 31X^2Y + 24X^3$	48	29
$\mathcal{G}_3^2$	$12T^3 + 36YT^2 + 36Y^2T + 36XT^2 + 12Y^3 + 32XYT + 36XY^2 + 36X^2T + 36X^2Y + 12X^3$	48	5
$\mathcal{G}_3^2$	$7T^3 + 21YT^2 + 21Y^2T + 21XT^2 + 7Y^3 + 2XYT + 21XY^2 + 21X^2T + 21X^2Y + 7X^3$	45	37
$\mathcal{G}_3^2$	$34T^3 + 20YT^2 + 20Y^2T + 20XT^2 + 34Y^3 + 20XY^2 + 20X^2T + 20X^2Y + 34X^3$	45	38
$\mathcal{G}_3^2$	$33T^3 + 17YT^2 + 17Y^2T + 17XT^2 + 33Y^3 + 35XYT + 17XY^2 + 17X^2T + 17X^2Y + 33X^3$	45	24
$\mathcal{G}_3^2$	$18T^3 + 13YT^2 + 13Y^2T + 13XT^2 + 18Y^3 + 27XYT + 13XY^2 + 13X^2T + 13X^2Y + 18X^3$	45	8

Table 72 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$4T^3+12YT^2+12Y^2T+12XT^2+4Y^3+25XYT+12XY^2+12X^2T+12X^2Y+4X^3$	42	32
$\mathcal{G}_3^2$	$40T^3+38YT^2+38Y^2T+38XT^2+40Y^3+36XYT+38XY^2+38X^2T+38X^2Y+40X^3$	42	28
$\mathcal{G}_3^2$	$23T^3+28YT^2+28Y^2T+28XT^2+23Y^3+16XYT+28XY^2+28X^2T+28X^2Y+23X^3$	42	3
$\mathcal{G}_3^2$	$22T^3+25YT^2+25Y^2T+25XT^2+22Y^3+10XYT+25XY^2+25X^2T+25X^2Y+22X^3$	42	3
$\mathcal{G}_3^2$	$21T^3+22YT^2+22Y^2T+22XT^2+21Y^3+4XYT+22XY^2+22X^2T+22X^2Y+21X^3$	42	32
$\mathcal{G}_3^2$	$15T^3+4YT^2+4Y^2T+4XT^2+15Y^3+9XYT+4XY^2+4X^2T+4X^2Y+15X^3$	42	28
$\mathcal{G}_3^2$	$37T^3+29YT^2+29Y^2T+29XT^2+37Y^3+18XYT+29XY^2+29X^2T+29X^2Y+37X^3$	39	24
$\mathcal{G}_3^2$	$26T^3+37YT^2+37Y^2T+37XT^2+26Y^3+34XYT+37XY^2+37X^2T+37X^2Y+26X^3$	39	37
$\mathcal{G}_3^2$	$11T^3+33YT^2+33Y^2T+33XT^2+11Y^3+26XYT+33XY^2+33X^2T+33X^2Y+11X^3$	39	38
$\mathcal{G}_3^2$	$10T^3+30YT^2+30Y^2T+30XT^2+10Y^3+20XYT+30XY^2+30X^2T+30X^2Y+10X^3$	39	8
$\mathcal{G}_3^2$	$6T^3+18YT^2+18Y^2T+18XT^2+6Y^3+37XYT+18XY^2+18X^2T+18X^2Y+6X^3$	36	25
$\mathcal{G}_3^2$	$39T^3+35YT^2+35Y^2T+35XT^2+39Y^3+30XYT+35XY^2+35X^2T+35X^2Y+39X^3$	36	33
$\mathcal{G}_3^2$	$32T^3+14YT^2+14Y^2T+14XT^2+32Y^3+29XYT+14XY^2+14X^2T+14X^2Y+32X^3$	36	5
$\mathcal{G}_3^2$	$20T^3+19YT^2+19Y^2T+19XT^2+20Y^3+39XYT+19XY^2+19X^2T+19X^2Y+20X^3$	36	22
$\mathcal{G}_3^2$	$19T^3+16YT^2+16Y^2T+16XT^2+19Y^3+33XYT+16XY^2+16X^2T+16X^2Y+19X^3$	36	29
$\mathcal{G}_3^2$	$17T^3+10YT^2+10Y^2T+10XT^2+17Y^3+21XYT+10XY^2+10X^2T+10X^2Y+17X^3$	36	13
$\mathcal{G}_3^2$	$35T^3+23YT^2+23Y^2T+23XT^2+35Y^3+6XYT+23XY^2+23X^2T+23X^2Y+35X^3$	33	16
$\mathcal{G}_3^2$	$28T^3+2YT^2+2Y^2T+2XT^2+28Y^3+5XYT+2XY^2+2X^2T+2X^2Y+28X^3$	33	15

Table 72 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{H}_1^0$	$YT^2 + 36XY^2 + X^3$	52	6
$\mathcal{H}_1^0$	$YT^2 + 6XY^2 + X^3$	50	6
$\mathcal{H}_1^0$	$YT^2 + 11XY^2 + X^3$	34	6
$\mathcal{G}_1$	$YT^2 + 20Y^3 + XY^2 + X^3$	53	7
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 6XY^2 + X^3$	52	4
$\mathcal{G}_1$	$YT^2 + 13Y^3 + 3XY^2 + X^3$	52	30
$\mathcal{G}_1$	$YT^2 + 13Y^3 + 2XY^2 + X^3$	52	23
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 3XY^2 + X^3$	50	34
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 6XY^2 + X^3$	50	19
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 2XY^2 + X^3$	49	14
$\mathcal{G}_1$	$YT^2 + 15Y^3 + 3XY^2 + X^3$	49	1
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 3XY^2 + X^3$	47	2
$\mathcal{G}_1$	$YT^2 + 5Y^3 + XY^2 + X^3$	47	26
$\mathcal{G}_1$	$YT^2 + 11Y^3 + 6XY^2 + X^3$	47	31
$\mathcal{G}_1$	$YT^2 + 8Y^3 + 2XY^2 + X^3$	46	18
$\mathcal{G}_1$	$YT^2 + 11Y^3 + 2XY^2 + X^3$	46	36
$\mathcal{G}_1$	$YT^2 + Y^3 + 6XY^2 + X^3$	44	17
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 3XY^2 + X^3$	44	39
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 2XY^2 + X^3$	44	11
$\mathcal{G}_1$	$YT^2 + 14Y^3 + XY^2 + X^3$	44	21
$\mathcal{G}_1$	$YT^2 + 14Y^3 + 2XY^2 + X^3$	44	9
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 2XY^2 + X^3$	44	20
$\mathcal{G}_1$	$YT^2 + 15Y^3 + 6XY^2 + X^3$	43	10
$\mathcal{G}_1$	$YT^2 + 8Y^3 + 3XY^2 + X^3$	41	10
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 6XY^2 + X^3$	40	39
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 3XY^2 + X^3$	40	17
$\mathcal{G}_1$	$YT^2 + 2Y^3 + XY^2 + X^3$	40	9
$\mathcal{G}_1$	$YT^2 + 19Y^3 + XY^2 + X^3$	40	20

Table 72 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+16Y^3+2XY^2+X^3$	40	21
$\mathcal{G}_1$	$YT^2+11Y^3+XY^2+X^3$	40	11
$\mathcal{G}_1$	$YT^2+7Y^3+XY^2+X^3$	38	18
$\mathcal{G}_1$	$YT^2+16Y^3+XY^2+X^3$	38	36
$\mathcal{G}_1$	$YT^2+8Y^3+6XY^2+X^3$	37	2
$\mathcal{G}_1$	$YT^2+6Y^3+2XY^2+X^3$	37	26
$\mathcal{G}_1$	$YT^2+16Y^3+3XY^2+X^3$	37	31
$\mathcal{G}_1$	$YT^2+18Y^3+6XY^2+X^3$	35	1
$\mathcal{G}_1$	$YT^2+12Y^3+3XY^2+X^3$	34	19
$\mathcal{G}_0^2$	$T^3+32Y^2T+21Y^3+16XYT+3XY^2+32X^2T+40X^3$	54	40
$\mathcal{G}_0^2$	$T^3+29Y^2T+25Y^3+28XYT+3XY^2+29X^2T+40X^3$	54	12
$\mathcal{G}_0^2$	$T^3+37Y^2T+29Y^3+7XYT+3XY^2+37X^2T+40X^3$	51	16
$\mathcal{G}_0^2$	$T^3+32Y^2T+33Y^3+31XYT+3XY^2+32X^2T+40X^3$	51	27
$\mathcal{G}_0^2$	$T^3+23Y^2T+25Y^3+XYT+3XY^2+23X^2T+40X^3$	51	15
$\mathcal{G}_0^2$	$T^3+8Y^2T+31Y^3+2XYT+3XY^2+8X^2T+40X^3$	48	33
$\mathcal{G}_0^2$	$T^3+5Y^2T+31Y^3+32XYT+3XY^2+5X^2T+40X^3$	48	22
$\mathcal{G}_0^2$	$T^3+38Y^2T+40Y^3+3XYT+3XY^2+38X^2T+40X^3$	48	13
$\mathcal{G}_0^2$	$T^3+38Y^2T+31Y^3+30XYT+3XY^2+38X^2T+40X^3$	48	5
$\mathcal{G}_0^2$	$T^3+38Y^2T+25Y^3+7XYT+3XY^2+38X^2T+40X^3$	48	29
$\mathcal{G}_0^2$	$T^3+29Y^2T+29Y^3+21XYT+3XY^2+29X^2T+40X^3$	48	35
$\mathcal{G}_0^2$	$T^3+20Y^2T+21Y^3+10XYT+3XY^2+20X^2T+40X^3$	48	25
$\mathcal{G}_0^2$	$T^3+8Y^2T+33Y^3+18XYT+3XY^2+8X^2T+40X^3$	45	8
$\mathcal{G}_0^2$	$T^3+35Y^2T+21Y^3+38XYT+3XY^2+35X^2T+40X^3$	45	37
$\mathcal{G}_0^2$	$T^3+26Y^2T+25Y^3+35XYT+3XY^2+26X^2T+40X^3$	45	38
$\mathcal{G}_0^2$	$T^3+20Y^2T+40Y^3+21XYT+3XY^2+20X^2T+40X^3$	45	24
$\mathcal{G}_0^2$	$T^3+35Y^2T+31Y^3+19XYT+3XY^2+35X^2T+40X^3$	42	28
$\mathcal{G}_0^2$	$T^3+35Y^2T+25Y^3+14XYT+3XY^2+35X^2T+40X^3$	42	32
$\mathcal{G}_0^2$	$T^3+32Y^2T+25Y^3+21XYT+3XY^2+32X^2T+40X^3$	42	3
$\mathcal{G}_0^2$	$T^3+29Y^2T+31Y^3+38XYT+3XY^2+29X^2T+40X^3$	42	3
$\mathcal{G}_0^2$	$T^3+23Y^2T+31Y^3+16XYT+3XY^2+23X^2T+40X^3$	42	28
$\mathcal{G}_0^2$	$T^3+14Y^2T+21Y^3+7XYT+3XY^2+14X^2T+40X^3$	42	32

Table 72 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{G}_0^2$	$T^3+8Y^2T+22Y^3+12XYT+3XY^2+8X^2T+40X^3$	39	8
$\mathcal{G}_0^2$	$T^3+26Y^2T+29Y^3+16XYT+3XY^2+26X^2T+40X^3$	39	37
$\mathcal{G}_0^2$	$T^3+23Y^2T+29Y^3+11XYT+3XY^2+23X^2T+40X^3$	39	24
$\mathcal{G}_0^2$	$T^3+14Y^2T+22Y^3+21XYT+3XY^2+14X^2T+40X^3$	39	38
$\mathcal{G}_0^2$	$T^3+38Y^2T+33Y^3+24XYT+3XY^2+38X^2T+40X^3$	36	35
$\mathcal{G}_0^2$	$T^3+35Y^2T+29Y^3+31XYT+3XY^2+35X^2T+40X^3$	36	29
$\mathcal{G}_0^2$	$T^3+32Y^2T+40Y^3+9XYT+3XY^2+32X^2T+40X^3$	36	25
$\mathcal{G}_0^2$	$T^3+32Y^2T+31Y^3+8XYT+3XY^2+32X^2T+40X^3$	36	13
$\mathcal{G}_0^2$	$T^3+28Y^2T+21Y^3+14XYT+3XY^2+28X^2T+40X^3$	36	33
$\mathcal{G}_0^2$	$T^3+23Y^2T+21Y^3+32XYT+3XY^2+23X^2T+40X^3$	36	5
$\mathcal{G}_0^2$	$T^3+20Y^2T+31Y^3+5XYT+3XY^2+20X^2T+40X^3$	36	22
$\mathcal{G}_0^2$	$T^3+38Y^2T+22Y^3+16XYT+3XY^2+38X^2T+40X^3$	33	27
$\mathcal{G}_0^2$	$T^3+38Y^2T+21Y^3+19XYT+3XY^2+38X^2T+40X^3$	33	16
$\mathcal{G}_0^2$	$T^3+26Y^2T+31Y^3+27XYT+3XY^2+26X^2T+40X^3$	33	15
$\mathcal{E}_0^2$	$T^3+32Y^2T+29Y^3+26XYT+3XY^2+32X^2T+40X^3$	42	0

Table 73 $q=43$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_1^0$	$6YT^2+41XT^2+Y^3+XY^2$	45	1

Table 74 $q=43$, a. i. singular cubic curves giving complete $(n,3)$-arcs

type	equation	n
$\mathcal{N}_3^2$	T^3+Y^3+XYT	43
$\mathcal{N}_1^1$	T^3+XY^2	44
$\mathcal{N}_0^2$	$3T^3+Y^3+XYT$	43

Table 75 $q = 43$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^1$	$20T^3 + 17YT^2 + 17Y^2T + 17XT^2 + 20Y^3 + 35XYT + 17XY^2 + 17X^2T + 17X^2Y + 20X^3$	33	6	19
$\mathcal{E}_1^1$	$YT^2 + 15Y^3 + X^3$	31	6	0
$\mathcal{G}_1$	$YT^2 + 23Y^3 + XY^2 + X^3$	38	2	42
$\mathcal{G}_1$	$YT^2 + 38Y^3 + XY^2 + X^3$	37	2	6
$\mathcal{G}_1$	$YT^2 + 36Y^3 + 2XY^2 + X^3$	35	1	39
$\mathcal{G}_1$	$YT^2 + 31Y^3 + XY^2 + X^3$	35	1	21
$\mathcal{G}_1$	$YT^2 + 42Y^3 + XY^2 + X^3$	34	1	26
$\mathcal{G}_1$	$YT^2 + 37Y^3 + 2XY^2 + X^3$	34	2	40
$\mathcal{G}_1$	$YT^2 + 15Y^3 + XY^2 + X^3$	34	1	2
$\mathcal{G}_1$	$YT^2 + Y^3 + 2XY^2 + X^3$	32	5	16

Table 76 $q = 43$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_9^4$	$T^3 + Y^3 + 22XYT + X^3$	54	2
$\mathcal{G}_9^4$	$T^3 + Y^3 + 37XYT + X^3$	45	32
$\mathcal{G}_9^4$	$T^3 + Y^3 + 28XYT + X^3$	36	35
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	36	0
$\mathcal{G}_3^1$	$4T^3 + 12YT^2 + 12Y^2T + 12XT^2 + 4Y^3 + 25XYT + 12XY^2 + 12X^2T + 12X^2Y + 4X^3$	54	26
$\mathcal{G}_3^1$	$21T^3 + 20YT^2 + 20Y^2T + 20XT^2 + 21Y^3 + 41XYT + 20XY^2 + 20X^2T + 20X^2Y + 21X^3$	54	40
$\mathcal{G}_3^1$	$6T^3 + 18YT^2 + 18Y^2T + 18XT^2 + 6Y^3 + 37XYT + 18XY^2 + 18X^2T + 18X^2Y + 6X^3$	51	6
$\mathcal{G}_3^1$	$29T^3 + YT^2 + Y^2T + XT^2 + 29Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 29X^3$	51	14
$\mathcal{G}_3^1$	$9T^3 + 27YT^2 + 27Y^2T + 27XT^2 + 9Y^3 + 12XYT + 27XY^2 + 27X^2T + 27X^2Y + 9X^3$	48	12
$\mathcal{G}_3^1$	$7T^3 + 21YT^2 + 21Y^2T + 21XT^2 + 7Y^3 + 21XY^2 + 21X^2T + 21X^2Y + 7X^3$	48	20
$\mathcal{G}_3^1$	$40T^3 + 34YT^2 + 34Y^2T + 34XT^2 + 40Y^3 + 26XYT + 34XY^2 + 34X^2T + 34X^2Y + 40X^3$	48	28
$\mathcal{G}_3^1$	$38T^3 + 28YT^2 + 28Y^2T + 28XT^2 + 38Y^3 + 14XYT + 28XY^2 + 28X^2T + 28X^2Y + 38X^3$	48	7
$\mathcal{G}_3^1$	$28T^3 + 41YT^2 + 41Y^2T + 41XT^2 + 28Y^3 + 40XYT + 41XY^2 + 41X^2T + 41X^2Y + 28X^3$	48	38
$\mathcal{G}_3^1$	$26T^3 + 35YT^2 + 35Y^2T + 35XT^2 + 26Y^3 + 28XYT + 35XY^2 + 35X^2T + 35X^2Y + 26X^3$	48	31
$\mathcal{G}_3^1$	$23T^3 + 26YT^2 + 26Y^2T + 26XT^2 + 23Y^3 + 10XYT + 26XY^2 + 26X^2T + 26X^2Y + 23X^3$	48	29
$\mathcal{G}_3^1$	$12T^3 + 36YT^2 + 36Y^2T + 36XT^2 + 12Y^3 + 30XYT + 36XY^2 + 36X^2T + 36X^2Y + 12X^3$	48	9
$\mathcal{G}_3^1$	$42T^3 + 40YT^2 + 40Y^2T + 40XT^2 + 42Y^3 + 38XYT + 40XY^2 + 40X^2T + 40X^2Y + 42X^3$	45	33

Table 76 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$41T^3+37YT^2+37Y^2T+37XT^2+41Y^3+32XYT+37XY^2+37X^2T+37X^2Y+41X^3$	45	18
$\mathcal{G}_3^1$	$22T^3+23YT^2+23Y^2T+23XT^2+22Y^3+4XYT+23XY^2+23X^2T+23X^2Y+22X^3$	45	23
$\mathcal{G}_3^1$	$16T^3+5YT^2+5Y^2T+5XT^2+16Y^3+11XYT+5XY^2+5X^2T+5X^2Y+16X^3$	45	25
$\mathcal{G}_3^1$	$5T^3+15YT^2+15Y^2T+15XT^2+5Y^3+31XYT+15XY^2+15X^2T+15X^2Y+5X^3$	42	37
$\mathcal{G}_3^1$	$30T^3+4YT^2+4Y^2T+4XT^2+30Y^3+9XYT+4XY^2+4X^2T+4X^2Y+30X^3$	42	13
$\mathcal{G}_3^1$	$25T^3+32YT^2+32Y^2T+32XT^2+25Y^3+22XYT+32XY^2+32X^2T+32X^2Y+25X^3$	42	15
$\mathcal{G}_3^1$	$10T^3+30YT^2+30Y^2T+30XT^2+10Y^3+18XYT+30XY^2+30X^2T+30X^2Y+10X^3$	42	10
$\mathcal{G}_3^1$	$18T^3+11YT^2+11Y^2T+11XT^2+18Y^3+23XYT+11XY^2+11X^2T+11X^2Y+18X^3$	39	3
$\mathcal{G}_3^1$	$17T^3+8YT^2+8Y^2T+8XT^2+17Y^3+17XYT+8XY^2+8X^2T+8X^2Y+17X^3$	39	5
$\mathcal{G}_3^1$	$T^3+3YT^2+3Y^2T+3XT^2+Y^3+7XYT+3XY^2+3X^2T+3X^2Y+X^3$	36	24
$\mathcal{G}_3^1$	$32T^3+10YT^2+10Y^2T+10XT^2+32Y^3+21XYT+10XY^2+10X^2T+10X^2Y+32X^3$	36	34
$\mathcal{G}_3^1$	$2T^3+6YT^2+6Y^2T+6XT^2+2Y^3+13XYT+6XY^2+6X^2T+6X^2Y+2X^3$	36	30
$\mathcal{G}_3^1$	$11T^3+33YT^2+33Y^2T+33XT^2+11Y^3+24XYT+33XY^2+33X^2T+33X^2Y+11X^3$	36	36
$\mathcal{G}_3^1$	$15T^3+2YT^2+2Y^2T+2XT^2+15Y^3+5XYT+2XY^2+2X^2T+2X^2Y+15X^3$	33	17

Table 76 Continue 2

type	equation	n	$j-$ inv.
$\overline{\mathcal{E}}_3^1$	$3T^3 + XY^2 + X^2Y$	57	0
$\overline{\mathcal{E}}_3^1$	$9T^3 + XY^2 + X^2Y$	39	0
$\mathcal{E}_1^4$	$YT^2 + 16Y^3 + X^3$	52	0
$\mathcal{E}_1^1$	$YT^2 + 40Y^3 + X^3$	49	0
$\mathcal{H}_1^0$	$YT^2 + XY^2 + X^3$	44	8
$\mathcal{H}_1^0$	$YT^2 + 3XY^2 + X^3$	44	8
$\mathcal{G}_1$	$YT^2 + 42Y^3 + 2XY^2 + X^3$	56	16
$\mathcal{G}_1$	$YT^2 + 20Y^3 + 2XY^2 + X^3$	56	22
$\mathcal{G}_1$	$YT^2 + 35Y^3 + XY^2 + X^3$	55	17
$\mathcal{G}_1$	$YT^2 + 19Y^3 + 2XY^2 + X^3$	55	19
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 2XY^2 + X^3$	53	39
$\mathcal{G}_1$	$YT^2 + 12Y^3 + XY^2 + X^3$	53	21
$\mathcal{G}_1$	$YT^2 + 6Y^3 + XY^2 + X^3$	52	24
$\mathcal{G}_1$	$YT^2 + 39Y^3 + XY^2 + X^3$	52	34
$\mathcal{G}_1$	$YT^2 + 32Y^3 + 2XY^2 + X^3$	52	36
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 2XY^2 + X^3$	52	35
$\mathcal{G}_1$	$YT^2 + 26Y^3 + XY^2 + X^3$	52	30
$\mathcal{G}_1$	$YT^2 + 9Y^3 + XY^2 + X^3$	50	27
$\mathcal{G}_1$	$YT^2 + 20Y^3 + XY^2 + X^3$	50	42
$\mathcal{G}_1$	$YT^2 + 16Y^3 + 2XY^2 + X^3$	50	4
$\mathcal{G}_1$	$YT^2 + 14Y^3 + 2XY^2 + X^3$	50	11
$\mathcal{G}_1$	$YT^2 + 39Y^3 + 2XY^2 + X^3$	49	5
$\mathcal{G}_1$	$YT^2 + 22Y^3 + 2XY^2 + X^3$	49	3
$\mathcal{G}_1$	$YT^2 + 40Y^3 + XY^2 + X^3$	47	1
$\mathcal{G}_1$	$YT^2 + 40Y^3 + 2XY^2 + X^3$	46	10
$\mathcal{G}_1$	$YT^2 + 35Y^3 + 2XY^2 + X^3$	46	15
$\mathcal{G}_1$	$YT^2 + 33Y^3 + 2XY^2 + X^3$	46	13
$\mathcal{G}_1$	$YT^2 + 30Y^3 + XY^2 + X^3$	46	37
$\mathcal{G}_1$	$YT^2 + 28Y^3 + 2XY^2 + X^3$	44	41
$\mathcal{G}_1$	$YT^2 + 15Y^3 + 2XY^2 + X^3$	44	41
$\mathcal{G}_1$	$YT^2 + 9Y^3 + 2XY^2 + X^3$	43	33

Table 76 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+5Y^3+2XY^2+X^3$	43	18
$\mathcal{G}_1$	$YT^2+29Y^3+XY^2+X^3$	43	23
$\mathcal{G}_1$	$YT^2+25Y^3+2XY^2+X^3$	43	32
$\mathcal{G}_1$	$YT^2+11Y^3+XY^2+X^3$	43	25
$\mathcal{G}_1$	$YT^2+3Y^3+XY^2+X^3$	41	1
$\mathcal{G}_1$	$YT^2+7Y^3+XY^2+X^3$	40	9
$\mathcal{G}_1$	$YT^2+2Y^3+XY^2+X^3$	40	31
$\mathcal{G}_1$	$YT^2+26Y^3+2XY^2+X^3$	40	38
$\mathcal{G}_1$	$YT^2+18Y^3+XY^2+X^3$	40	7
$\mathcal{G}_1$	$YT^2+16Y^3+XY^2+X^3$	40	20
$\mathcal{G}_1$	$YT^2+13Y^3+2XY^2+X^3$	40	29
$\mathcal{G}_1$	$YT^2+12Y^3+2XY^2+X^3$	40	12
$\mathcal{G}_1$	$YT^2+10Y^3+XY^2+X^3$	40	28
$\mathcal{G}_1$	$YT^2+34Y^3+XY^2+X^3$	38	27
$\mathcal{G}_1$	$YT^2+29Y^3+2XY^2+X^3$	38	11
$\mathcal{G}_1$	$YT^2+27Y^3+2XY^2+X^3$	38	4
$\mathcal{G}_1$	$YT^2+19Y^3+XY^2+X^3$	37	14
$\mathcal{G}_1$	$YT^2+23Y^3+2XY^2+X^3$	32	22
$\mathcal{G}_0^4$	$9T^3+3Y^3+XYT+X^3$	54	2
$\mathcal{G}_0^4$	$9T^3+3Y^3+8XYT+X^3$	54	2
$\mathcal{G}_0^4$	$9T^3+3Y^3+26XYT+X^3$	54	2
$\mathcal{G}_0^4$	$9T^3+3Y^3+23XYT+X^3$	54	2
$\mathcal{G}_0^4$	$9T^3+3Y^3+40XYT+X^3$	45	32
$\mathcal{G}_0^4$	$9T^3+3Y^3+37XYT+X^3$	45	32
$\mathcal{G}_0^4$	$9T^3+3Y^3+29XYT+X^3$	45	32
$\mathcal{G}_0^4$	$9T^3+3Y^3+16XYT+X^3$	45	32
$\mathcal{G}_0^4$	$9T^3+3Y^3+4XYT+X^3$	36	35
$\mathcal{G}_0^4$	$9T^3+3Y^3+31XYT+X^3$	36	35
$\mathcal{G}_0^4$	$9T^3+3Y^3+28XYT+X^3$	36	35
$\mathcal{G}_0^4$	$9T^3+3Y^3+13XYT+X^3$	36	35
$\overline{\mathcal{E}}_0^4$	$9T^3+3Y^3+X^3$	36	0

Table 76 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{E}_0^4$	$9T^3+3Y^3+22XYT+X^3$	36	0
$\mathcal{G}_0^1$	$25T^3+9YT^2+41Y^3+6XYT+XY^2+X^2T+38X^3$	54	40
$\mathcal{G}_0^1$	$23T^3+3YT^2+22Y^3+20XYT+XY^2+X^2T+36X^3$	54	26
$\mathcal{G}_0^1$	$35T^3+3YT^2+26Y^3+8XYT+XY^2+X^2T+23X^3$	51	14
$\mathcal{G}_0^1$	$22T^3+9YT^2+12Y^3+7XYT+XY^2+X^2T+30X^3$	51	6
$\mathcal{G}_0^1$	$T^3+9YT^2+24Y^3+14XYT+XY^2+X^2T+17X^3$	48	31
$\mathcal{G}_0^1$	$41T^3+3YT^2+28Y^3+2XYT+XY^2+X^2T+38X^3$	48	7
$\mathcal{G}_0^1$	$34T^3+3YT^2+40Y^3+9XYT+XY^2+X^2T+42X^3$	48	29
$\mathcal{G}_0^1$	$2T^3+9YT^2+5Y^3+28XYT+XY^2+X^2T+34X^3$	48	20
$\mathcal{G}_0^1$	$27T^3+9YT^2+3Y^3+34XYT+XY^2+X^2T+29X^3$	48	38
$\mathcal{G}_0^1$	$25T^3+3YT^2+37Y^3+18XYT+XY^2+X^2T+41X^3$	48	9
$\mathcal{G}_0^1$	$24T^3+3YT^2+8Y^3+19XYT+XY^2+X^2T+17X^3$	48	28
$\mathcal{G}_0^1$	$20T^3+9YT^2+7Y^3+22XYT+XY^2+X^2T+39X^3$	48	12
$\mathcal{G}_0^1$	$7T^3+3YT^2+31Y^3+36XYT+XY^2+X^2T+39X^3$	45	25
$\mathcal{G}_0^1$	$5T^3+3YT^2+16Y^3+38XYT+XY^2+X^2T+34X^3$	45	18
$\mathcal{G}_0^1$	$35T^3+9YT^2+23Y^3+17XYT+XY^2+X^2T+36X^3$	45	23
$\mathcal{G}_0^1$	$10T^3+9YT^2+25Y^3+11XYT+XY^2+X^2T+41X^3$	45	33
$\mathcal{G}_0^1$	$5T^3+9YT^2+34Y^3+27XYT+XY^2+X^2T+42X^3$	42	37
$\mathcal{G}_0^1$	$39T^3+3YT^2+13Y^3+4XYT+XY^2+X^2T+33X^3$	42	13
$\mathcal{G}_0^1$	$16T^3+3YT^2+34Y^3+27XYT+XY^2+X^2T+40X^3$	42	15
$\mathcal{G}_0^1$	$15T^3+9YT^2+16Y^3+38XYT+XY^2+X^2T+40X^3$	42	10
$\mathcal{G}_0^1$	$9T^3+9YT^2+Y^3+40XYT+XY^2+X^2T+24X^3$	39	3
$\mathcal{G}_0^1$	$19T^3+9YT^2+26Y^3+8XYT+XY^2+X^2T+22X^3$	39	5
$\mathcal{G}_0^1$	$T^3+3YT^2+29Y^3+42XYT+XY^2+X^2T+24X^3$	36	36
$\mathcal{G}_0^1$	$7T^3+9YT^2+39Y^3+12XYT+XY^2+X^2T+33X^3$	36	24
$\mathcal{G}_0^1$	$26T^3+3YT^2+23Y^3+17XYT+XY^2+X^2T+22X^3$	36	30
$\mathcal{G}_0^1$	$12T^3+3YT^2+4Y^3+31XYT+XY^2+X^2T+30X^3$	36	34
$\mathcal{G}_0^1$	$3T^3+3YT^2+Y^3+40XYT+XY^2+X^2T+29X^3$	33	17
$\mathcal{G}_0^1$	$14T^3+9YT^2+35Y^3+24XYT+XY^2+X^2T+23X^3$	33	19
$\mathcal{E}_0^1$	$3YT^2+XY^2+X^2T$	57	0
$\mathcal{E}_0^1$	$9YT^2+XY^2+X^2T$	39	0

Table 77 $q = 47$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$38YT^2 + 3XT^2 + Y^3 + XY^2$	49	3
$\mathcal{N}_1^1$	$T^3 + XY^2$	48	1

Table 78 $q = 47$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	47
$\mathcal{N}_0^0$	$46T^3 + 38YT^2 + Y^2T + 3XT^2 + Y^3 + XY^2$	49

Table 79 $q = 47$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^2$	$8T^3 + 24YT^2 + 24Y^2T + 24XT^2 + 8Y^3 + 2XYT + 24XY^2 + 24X^2T + 24X^2Y + 8X^3$	45	1	43
$\mathcal{G}_3^2$	$39T^3 + 23YT^2 + 23Y^2T + 23XT^2 + 39Y^3 + 23XY^2 + 23X^2T + 23X^2Y + 39X^3$	36	3	28
$\mathcal{G}_3^2$	$19T^3 + 10YT^2 + 10Y^2T + 10XT^2 + 19Y^3 + 21XYT + 10XY^2 + 10X^2T + 10X^2Y + 19X^3$	36	3	30
$\mathcal{G}_3^2$	$15T^3 + 45YT^2 + 45Y^2T + 45XT^2 + 15Y^3 + 44XYT + 45XY^2 + 45X^2T + 45X^2Y + 15X^3$	36	6	11
$\overline{\mathcal{E}}_3^2$	$5T^3 + XY^2 + X^2Y$	48	1	0
$\mathcal{E}_3^2$	$45T^3 + 41YT^2 + 41Y^2T + 41XT^2 + 45Y^3 + 36XYT + 41XY^2 + 41X^2T + 41X^2Y + 45X^3$	48	3	0
$\mathcal{G}_1$	$YT^2 + 31Y^3 + XY^2 + X^3$	40	1	34
$\mathcal{G}_1$	$YT^2 + 38Y^3 + XY^2 + X^3$	35	1	39
$\mathcal{G}_0^2$	$T^3 + 32Y^2T + 32Y^3 + 37XYT + 3XY^2 + 32X^2T + 46X^3$	36	3	11
$\mathcal{E}_0^2$	$T^3 + 46Y^3 + 3XY^2 + 46X^3$	48	1	0

Table 80 $q = 47$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{H}_3^2$	$27T^3 + 34YT^2 + 34Y^2T + 34XT^2 + 27Y^3 + 22XYT + 34XY^2 + 34X^2T + 34X^2Y + 27X^3$	48	36
$\mathcal{H}_3^2$	$12T^3 + 36YT^2 + 36Y^2T + 36XT^2 + 12Y^3 + 26XYT + 36XY^2 + 36X^2T + 36X^2Y + 12X^3$	48	36
$\mathcal{G}_3^2$	$T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 7XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$	60	11
$\mathcal{G}_3^2$	$3T^3 + 9YT^2 + 9Y^2T + 9XT^2 + 3Y^3 + 19XYT + 9XY^2 + 9X^2T + 9X^2Y + 3X^3$	60	38
$\mathcal{G}_3^2$	$25T^3 + 28YT^2 + 28Y^2T + 28XT^2 + 25Y^3 + 10XYT + 28XY^2 + 28X^2T + 28X^2Y + 25X^3$	60	30
$\mathcal{G}_3^2$	$21T^3 + 16YT^2 + 16Y^2T + 16XT^2 + 21Y^3 + 33XYT + 16XY^2 + 16X^2T + 16X^2Y + 21X^3$	60	28
$\mathcal{G}_3^2$	$5T^3 + 15YT^2 + 15Y^2T + 15XT^2 + 5Y^3 + 31XYT + 15XY^2 + 15X^2T + 15X^2Y + 5X^3$	57	6
$\mathcal{G}_3^2$	$34T^3 + 8YT^2 + 8Y^2T + 8XT^2 + 34Y^3 + 17XYT + 8XY^2 + 8X^2T + 8X^2Y + 34X^3$	57	3
$\mathcal{G}_3^2$	$10T^3 + 30YT^2 + 30Y^2T + 30XT^2 + 10Y^3 + 14XYT + 30XY^2 + 30X^2T + 30X^2Y + 10X^3$	57	14
$\mathcal{G}_3^2$	$9T^3 + 27YT^2 + 27Y^2T + 27XT^2 + 9Y^3 + 8XYT + 27XY^2 + 27X^2T + 27X^2Y + 9X^3$	54	27
$\mathcal{G}_3^2$	$38T^3 + 20YT^2 + 20Y^2T + 20XT^2 + 38Y^3 + 41XYT + 20XY^2 + 20X^2T + 20X^2Y + 38X^3$	54	24
$\mathcal{G}_3^2$	$33T^3 + 5YT^2 + 5Y^2T + 5XT^2 + 33Y^3 + 11XYT + 5XY^2 + 5X^2T + 5X^2Y + 33X^3$	54	12
$\mathcal{G}_3^2$	$23T^3 + 22YT^2 + 22Y^2T + 22XT^2 + 23Y^3 + 45XYT + 22XY^2 + 22X^2T + 22X^2Y + 23X^3$	54	19
$\mathcal{G}_3^2$	$22T^3 + 19YT^2 + 19Y^2T + 19XT^2 + 22Y^3 + 39XYT + 19XY^2 + 19X^2T + 19X^2Y + 22X^3$	54	15
$\mathcal{G}_3^2$	$14T^3 + 42YT^2 + 42Y^2T + 42XT^2 + 14Y^3 + 38XYT + 42XY^2 + 42X^2T + 42X^2Y + 14X^3$	54	41
$\mathcal{G}_3^2$	$4T^3 + 12YT^2 + 12Y^2T + 12XT^2 + 4Y^3 + 25XYT + 12XY^2 + 12X^2T + 12X^2Y + 4X^3$	51	1

Table 80 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$41T^3+29YT^2+29Y^2T+29XT^2+41Y^3+12XYT+29XY^2+29X^2T+29X^2Y+41X^3$	51	45
$\mathcal{G}_3^2$	$32T^3+2YT^2+2Y^2T+2XT^2+32Y^3+5XYT+2XY^2+2X^2T+2X^2Y+32X^3$	51	7
$\mathcal{G}_3^2$	$29T^3+40YT^2+40Y^2T+40XT^2+29Y^3+34XYT+40XY^2+40X^2T+40X^2Y+29X^3$	51	43
$\mathcal{G}_3^2$	$24T^3+25YT^2+25Y^2T+25XT^2+24Y^3+4XYT+25XY^2+25X^2T+25X^2Y+24X^3$	51	5
$\mathcal{G}_3^2$	$44T^3+38YT^2+38Y^2T+38XT^2+44Y^3+30XYT+38XY^2+38X^2T+38X^2Y+44X^3$	48	44
$\mathcal{G}_3^2$	$43T^3+35YT^2+35Y^2T+35XT^2+43Y^3+24XYT+35XY^2+35X^2T+35X^2Y+43X^3$	48	10
$\mathcal{G}_3^2$	$42T^3+32YT^2+32Y^2T+32XT^2+42Y^3+18XYT+32XY^2+32X^2T+32X^2Y+42X^3$	48	9
$\mathcal{G}_3^2$	$28T^3+37YT^2+37Y^2T+37XT^2+28Y^3+28XYT+37XY^2+37X^2T+37X^2Y+28X^3$	48	10
$\mathcal{G}_3^2$	$20T^3+13YT^2+13Y^2T+13XT^2+20Y^3+27XYT+13XY^2+13X^2T+13X^2Y+20X^3$	48	44
$\mathcal{G}_3^2$	$13T^3+39YT^2+39Y^2T+39XT^2+13Y^3+32XYT+39XY^2+39X^2T+39X^2Y+13X^3$	48	9
$\mathcal{G}_3^2$	$46T^3+44YT^2+44Y^2T+44XT^2+46Y^3+42XYT+44XY^2+44X^2T+44X^2Y+46X^3$	45	7
$\mathcal{G}_3^2$	$36T^3+14YT^2+14Y^2T+14XT^2+36Y^3+29XYT+14XY^2+14X^2T+14X^2Y+36X^3$	45	45
$\mathcal{G}_3^2$	$16T^3+YT^2+Y^2T+XT^2+16Y^3+3XYT+XY^2+X^2T+X^2Y+16X^3$	45	1
$\mathcal{G}_3^2$	$11T^3+33YT^2+33Y^2T+33XT^2+11Y^3+20XYT+33XY^2+33X^2T+33X^2Y+11X^3$	45	5
$\mathcal{G}_3^2$	$7T^3+21YT^2+21Y^2T+21XT^2+7Y^3+43XYT+21XY^2+21X^2T+21X^2Y+7X^3$	42	15

Table 80 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$31T^3+46YT^2+46Y^2T+46XT^2+31Y^3+46XYT+46XY^2+46X^2T+46X^2Y+31X^3$	42	12
$\mathcal{G}_3^2$	$2T^3+6YT^2+6Y^2T+6XT^2+2Y^3+13XYT+6XY^2+6X^2T+6X^2Y+2X^3$	42	41
$\mathcal{G}_3^2$	$26T^3+31YT^2+31Y^2T+31XT^2+26Y^3+16XYT+31XY^2+31X^2T+31X^2Y+26X^3$	42	19
$\mathcal{G}_3^2$	$18T^3+7YT^2+7Y^2T+7XT^2+18Y^3+15XYT+7XY^2+7X^2T+7X^2Y+18X^3$	42	24
$\mathcal{G}_3^2$	$17T^3+4YT^2+4Y^2T+4XT^2+17Y^3+9XYT+4XY^2+4X^2T+4X^2Y+17X^3$	42	27
$\mathcal{G}_3^2$	$6T^3+18YT^2+18Y^2T+18XT^2+6Y^3+37XYT+18XY^2+18X^2T+18X^2Y+6X^3$	39	6
$\mathcal{G}_3^2$	$35T^3+11YT^2+11Y^2T+11XT^2+35Y^3+23XYT+11XY^2+11X^2T+11X^2Y+35X^3$	39	14
$\mathcal{G}_3^2$	$30T^3+43YT^2+43Y^2T+43XT^2+30Y^3+40XYT+43XY^2+43X^2T+43X^2Y+30X^3$	39	3
$\mathcal{G}_3^2$	$37T^3+17YT^2+17Y^2T+17XT^2+37Y^3+35XYT+17XY^2+17X^2T+17X^2Y+37X^3$	36	38
$\mathcal{G}_1$	$YT^2+9Y^3+XY^2+X^3$	61	39
$\mathcal{G}_1$	$YT^2+43Y^3+XY^2+X^3$	59	40
$\mathcal{G}_1$	$YT^2+36Y^3+XY^2+X^3$	58	32
$\mathcal{G}_1$	$YT^2+28Y^3+5XY^2+X^3$	58	46
$\mathcal{G}_1$	$YT^2+45Y^3+XY^2+X^3$	56	8
$\mathcal{G}_1$	$YT^2+45Y^3+5XY^2+X^3$	56	16
$\mathcal{G}_1$	$YT^2+41Y^3+5XY^2+X^3$	56	25
$\mathcal{G}_1$	$YT^2+21Y^3+XY^2+X^3$	56	26
$\mathcal{G}_1$	$YT^2+16Y^3+XY^2+X^3$	56	34
$\mathcal{G}_1$	$YT^2+13Y^3+5XY^2+X^3$	56	29
$\mathcal{G}_1$	$YT^2+33Y^3+5XY^2+X^3$	55	17
$\mathcal{G}_1$	$YT^2+20Y^3+XY^2+X^3$	55	23
$\mathcal{G}_1$	$YT^2+12Y^3+XY^2+X^3$	55	31
$\mathcal{G}_1$	$YT^2+39Y^3+5XY^2+X^3$	53	42
$\mathcal{G}_1$	$YT^2+7Y^3+5XY^2+X^3$	52	33
$\mathcal{G}_1$	$YT^2+41Y^3+XY^2+X^3$	52	4

Table 80 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 31Y^3 + 5XY^2 + X^3$	52	37
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 5XY^2 + X^3$	52	35
$\mathcal{G}_1$	$YT^2 + 36Y^3 + 5XY^2 + X^3$	50	20
$\mathcal{G}_1$	$YT^2 + 34Y^3 + XY^2 + X^3$	50	18
$\mathcal{G}_1$	$YT^2 + 25Y^3 + 5XY^2 + X^3$	50	22
$\mathcal{G}_1$	$YT^2 + 10Y^3 + XY^2 + X^3$	50	2
$\mathcal{G}_1$	$YT^2 + 44Y^3 + 5XY^2 + X^3$	49	21
$\mathcal{G}_1$	$YT^2 + 39Y^3 + XY^2 + X^3$	49	13
$\mathcal{G}_1$	$YT^2 + 8Y^3 + XY^2 + X^3$	47	13
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 5XY^2 + X^3$	47	21
$\mathcal{G}_1$	$YT^2 + 37Y^3 + XY^2 + X^3$	46	2
$\mathcal{G}_1$	$YT^2 + 22Y^3 + 5XY^2 + X^3$	46	22
$\mathcal{G}_1$	$YT^2 + 13Y^3 + XY^2 + X^3$	46	18
$\mathcal{G}_1$	$YT^2 + 11Y^3 + 5XY^2 + X^3$	46	20
$\mathcal{G}_1$	$YT^2 + 6Y^3 + XY^2 + X^3$	44	4
$\mathcal{G}_1$	$YT^2 + 40Y^3 + 5XY^2 + X^3$	44	33
$\mathcal{G}_1$	$YT^2 + 37Y^3 + 5XY^2 + X^3$	44	35
$\mathcal{G}_1$	$YT^2 + 16Y^3 + 5XY^2 + X^3$	44	37
$\mathcal{G}_1$	$YT^2 + 8Y^3 + 5XY^2 + X^3$	43	42
$\mathcal{G}_1$	$YT^2 + 35Y^3 + XY^2 + X^3$	41	31
$\mathcal{G}_1$	$YT^2 + 27Y^3 + XY^2 + X^3$	41	23
$\mathcal{G}_1$	$YT^2 + 14Y^3 + 5XY^2 + X^3$	41	17
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 5XY^2 + X^3$	40	25
$\mathcal{G}_1$	$YT^2 + 34Y^3 + 5XY^2 + X^3$	40	29
$\mathcal{G}_1$	$YT^2 + 2Y^3 + XY^2 + X^3$	40	8
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 5XY^2 + X^3$	40	16
$\mathcal{G}_1$	$YT^2 + 26Y^3 + XY^2 + X^3$	40	26
$\mathcal{G}_1$	$YT^2 + 19Y^3 + 5XY^2 + X^3$	38	46
$\mathcal{G}_1$	$YT^2 + 11Y^3 + XY^2 + X^3$	38	32
$\mathcal{G}_1$	$YT^2 + 4Y^3 + XY^2 + X^3$	37	40

Table 80 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{H}_0^2$	$T^3+8Y^2T+35Y^3+45XYT+3XY^2+8X^2T+46X^3$	48	36
$\mathcal{H}_0^2$	$T^3+35Y^2T+36Y^3+38XYT+3XY^2+35X^2T+46X^3$	48	36
$\mathcal{G}_0^2$	$T^3+44Y^2T+39Y^3+24XYT+3XY^2+44X^2T+46X^3$	60	30
$\mathcal{G}_0^2$	$T^3+41Y^2T+38Y^3+7XYT+3XY^2+41X^2T+46X^3$	60	11
$\mathcal{G}_0^2$	$T^3+38Y^2T+25Y^3+10XYT+3XY^2+38X^2T+46X^3$	60	28
$\mathcal{G}_0^2$	$T^3+2Y^2T+25Y^3+3XYT+3XY^2+2X^2T+46X^3$	60	38
$\mathcal{G}_0^2$	$T^3+44Y^2T+38Y^3+27XYT+3XY^2+44X^2T+46X^3$	57	14
$\mathcal{G}_0^2$	$T^3+41Y^2T+27Y^3+26XYT+3XY^2+41X^2T+46X^3$	57	6
$\mathcal{G}_0^2$	$T^3+32Y^2T+27Y^3+18XYT+3XY^2+32X^2T+46X^3$	57	3
$\mathcal{G}_0^2$	$T^3+37Y^2T+35Y^3+26XYT+3XY^2+37X^2T+46X^3$	54	15
$\mathcal{G}_0^2$	$T^3+32Y^2T+46Y^3+15XYT+3XY^2+32X^2T+46X^3$	54	12
$\mathcal{G}_0^2$	$T^3+32Y^2T+39Y^3+26XYT+3XY^2+32X^2T+46X^3$	54	24
$\mathcal{G}_0^2$	$T^3+29Y^2T+32Y^3+35XYT+3XY^2+29X^2T+46X^3$	54	41
$\mathcal{G}_0^2$	$T^3+23Y^2T+36Y^3+29XYT+3XY^2+23X^2T+46X^3$	54	27
$\mathcal{G}_0^2$	$T^3+17Y^2T+36Y^3+XYT+3XY^2+17X^2T+46X^3$	54	19
$\mathcal{G}_0^2$	$T^3+8Y^2T+27Y^3+28XYT+3XY^2+8X^2T+46X^3$	51	7
$\mathcal{G}_0^2$	$T^3+8Y^2T+25Y^3+12XYT+3XY^2+8X^2T+46X^3$	51	5
$\mathcal{G}_0^2$	$T^3+38Y^2T+39Y^3+25XYT+3XY^2+38X^2T+46X^3$	51	43
$\mathcal{G}_0^2$	$T^3+35Y^2T+38Y^3+14XYT+3XY^2+35X^2T+46X^3$	51	45
$\mathcal{G}_0^2$	$T^3+17Y^2T+27Y^3+36XYT+3XY^2+17X^2T+46X^3$	51	1
$\mathcal{G}_0^2$	$T^3+44Y^2T+27Y^3+13XYT+3XY^2+44X^2T+46X^3$	48	9
$\mathcal{G}_0^2$	$T^3+44Y^2T+25Y^3+19XYT+3XY^2+44X^2T+46X^3$	48	44
$\mathcal{G}_0^2$	$T^3+41Y^2T+32Y^3+43XYT+3XY^2+41X^2T+46X^3$	48	10
$\mathcal{G}_0^2$	$T^3+38Y^2T+32Y^3+41XYT+3XY^2+38X^2T+46X^3$	48	44
$\mathcal{G}_0^2$	$T^3+32Y^2T+25Y^3+XYT+3XY^2+32X^2T+46X^3$	48	10
$\mathcal{G}_0^2$	$T^3+14Y^2T+46Y^3+33XYT+3XY^2+14X^2T+46X^3$	48	9
$\mathcal{G}_0^2$	$T^3+44Y^2T+46Y^3+3XYT+3XY^2+44X^2T+46X^3$	45	5
$\mathcal{G}_0^2$	$T^3+32Y^2T+38Y^3+41XYT+3XY^2+32X^2T+46X^3$	45	45
$\mathcal{G}_0^2$	$T^3+23Y^2T+38Y^3+28XYT+3XY^2+23X^2T+46X^3$	45	7
$\mathcal{G}_0^2$	$T^3+17Y^2T+38Y^3+35XYT+3XY^2+17X^2T+46X^3$	45	1
$\mathcal{G}_0^2$	$T^3+17Y^2T+35Y^3+31XYT+3XY^2+17X^2T+46X^3$	45	43

Table 80 Continue 5

type	equation	n	$j-$ inv.
$\mathcal{G}_0^2$	$T^3+44Y^2T+36Y^3+33XYT+3XY^2+44X^2T+46X^3$	42	15
$\mathcal{G}_0^2$	$T^3+44Y^2T+32Y^3+45XYT+3XY^2+44X^2T+46X^3$	42	27
$\mathcal{G}_0^2$	$T^3+38Y^2T+38Y^3+34XYT+3XY^2+38X^2T+46X^3$	42	24
$\mathcal{G}_0^2$	$T^3+2Y^2T+39Y^3+31XYT+3XY^2+2X^2T+46X^3$	42	19
$\mathcal{G}_0^2$	$T^3+29Y^2T+38Y^3+21XYT+3XY^2+29X^2T+46X^3$	42	41
$\mathcal{G}_0^2$	$T^3+17Y^2T+32Y^3+27XYT+3XY^2+17X^2T+46X^3$	42	12
$\mathcal{G}_0^2$	$T^3+41Y^2T+36Y^3+19XYT+3XY^2+41X^2T+46X^3$	39	3
$\mathcal{G}_0^2$	$T^3+41Y^2T+35Y^3+25XYT+3XY^2+41X^2T+46X^3$	39	14
$\mathcal{G}_0^2$	$T^3+14Y^2T+35Y^3+20XYT+3XY^2+14X^2T+46X^3$	39	6
$\mathcal{G}_0^2$	$T^3+32Y^2T+35Y^3+39XYT+3XY^2+32X^2T+46X^3$	36	30
$\mathcal{G}_0^2$	$T^3+14Y^2T+39Y^3+29XYT+3XY^2+14X^2T+46X^3$	36	28
$\mathcal{G}_0^2$	$T^3+14Y^2T+27Y^3+2XYT+3XY^2+14X^2T+46X^3$	36	38
$\mathcal{E}_0^2$	$T^3+32Y^2T+36Y^3+24XYT+3XY^2+32X^2T+46X^3$	48	0

Table 81 $q=49$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_1^0$	$\xi^{33}YT^2+\xi XT^2+Y^3+XY^2$	51	1

Table 82 $q=49$, a. i. singular cubic curves giving complete $(n,3)$-arcs

type	equation	n
$\mathcal{N}_3^2$	T^3+Y^3+XYT	49
$\mathcal{N}_1^1$	T^3+XY^2	50
$\mathcal{N}_0^2$	$\xi^{25}T^3+Y^3+XYT$	49

Table 83 $q = 49$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{E}_1^4$	$YT^2 + \xi^{25}Y^3 + X^3$	37	5	0
$\mathcal{G}_1$	$YT^2 + Y^3 + \xi^{25}XY^2 + X^3$	41	1	ξ^{33}
$\mathcal{G}_1$	$YT^2 + \xi^{18}Y^3 + \xi^{27}XY^2 + X^3$	41	1	ξ^{39}
$\mathcal{G}_1$	$YT^2 + \xi^{47}Y^3 + \xi^{27}XY^2 + X^3$	40	1	ξ^{34}
$\mathcal{G}_1$	$YT^2 + \xi^{41}Y^3 + \xi^{27}XY^2 + X^3$	40	1	ξ^{44}
$\mathcal{G}_1$	$YT^2 + \xi^{41}Y^3 + \xi^{25}XY^2 + X^3$	40	1	ξ^{20}
$\mathcal{G}_1$	$YT^2 + \xi^{35}Y^3 + \xi^{25}XY^2 + X^3$	40	1	ξ^{46}
$\mathcal{G}_1$	$YT^2 + \xi^{31}Y^3 + \xi^{2}XY^2 + X^3$	37	3	ξ^{8}

Table 84 $q = 49$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{H}_9^4$	$T^3 + Y^3 + \xi XYT + X^3$	36	ξ^{24}
$\mathcal{G}_9^4$	$T^3 + Y^3 + \xi^9 XYT + X^3$	54	ξ^6
$\mathcal{G}_9^4$	$T^3 + Y^3 + \xi^{34} XYT + X^3$	54	ξ^{42}
$\mathcal{G}_9^4$	$T^3 + Y^3 + \xi^{36} XYT + X^3$	45	1
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	63	0
$\mathcal{G}_3^1$	$\xi^{24}T^3 + \xi^{32}YT^2 + \xi^{32}Y^2T + \xi^{32}XT^2 + \xi^{24}Y^3 + \xi^{16}XYT + \xi^{32}XY^2 + \xi^{32}X^2T + \xi^{32}X^2Y + \xi^{24}X^3$	63	ξ^8
$\mathcal{G}_3^1$	$\xi^8T^3 + \xi^{16}YT^2 + \xi^{16}Y^2T + \xi^{16}XT^2 + \xi^8Y^3 + \xi^{40}XYT + \xi^{16}XY^2 + \xi^{16}X^2T + \xi^{16}X^2Y + \xi^8X^3$	60	ξ^{32}
$\mathcal{G}_3^1$	$\xi^{44}T^3 + \xi^4YT^2 + \xi^4Y^2T + \xi^4XT^2 + \xi^{44}Y^3 + \xi^{43}XYT + \xi^4XY^2 + \xi^4X^2T + \xi^4X^2Y + \xi^{44}X^3$	60	ξ^{44}
$\mathcal{G}_3^1$	$\xi^{43}T^3 + \xi^3YT^2 + \xi^3Y^2T + \xi^3XT^2 + \xi^{43}Y^3 + \xi^{44}XYT + \xi^3XY^2 + \xi^3X^2T + \xi^3X^2Y + \xi^{43}X^3$	60	ξ^{34}
$\mathcal{G}_3^1$	$\xi^{40}T^3 + YT^2 + Y^2T + XT^2 + \xi^{40}Y^3 + \xi^8XYT + XY^2 + X^2T + X^2Y + \xi^{40}X^3$	60	ξ^{40}
$\mathcal{G}_3^1$	$\xi^{20}T^3 + \xi^{28}YT^2 + \xi^{28}Y^2T + \xi^{28}XT^2 + \xi^{20}Y^3 + \xi^{13}XYT + \xi^{28}XY^2 + \xi^{28}X^2T + \xi^{28}X^2Y + \xi^{20}X^3$	60	ξ^{20}
$\mathcal{G}_3^1$	$\xi^{13}T^3 + \xi^{21}YT^2 + \xi^{21}Y^2T + \xi^{21}XT^2 + \xi^{13}Y^3 + \xi^{20}XYT + \xi^{21}XY^2 + \xi^{21}X^2T + \xi^{21}X^2Y + \xi^{13}X^3$	60	ξ^{46}
$\mathcal{G}_3^1$	$\xi^9T^3 + \xi^{17}YT^2 + \xi^{17}Y^2T + \xi^{17}XT^2 + \xi^9Y^3 + \xi^{22}XYT + \xi^{17}XY^2 + \xi^{17}X^2T + \xi^{17}X^2Y + \xi^9X^3$	54	ξ^{29}
$\mathcal{G}_3^1$	$\xi^{30}T^3 + \xi^{38}YT^2 + \xi^{38}Y^2T + \xi^{38}XT^2 + \xi^{30}Y^3 + \xi^{47}XYT + \xi^{38}XY^2 + \xi^{38}X^2T + \xi^{38}X^2Y + \xi^{30}X^3$	54	ξ^{43}
$\mathcal{G}_3^1$	$\xi^{18}T^3 + \xi^{26}YT^2 + \xi^{26}Y^2T + \xi^{26}XT^2 + \xi^{18}Y^3 + \xi^{41}XYT + \xi^{26}XY^2 + \xi^{26}X^2T + \xi^{26}X^2Y + \xi^{18}X^3$	54	ξ^{13}

Table 84 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$\xi^{15}T^3+\xi^{23}YT^2+\xi^{23}Y^2T+\xi^{23}XT^2+\xi^{15}Y^3+\xi^{10}XYT+$ $\xi^{23}XY^2+\xi^{23}X^2T+\xi^{23}X^2Y+\xi^{15}X^3$	54	ξ^{11}
$\mathcal{G}_3^1$	$\xi^{5}T^3+\xi^{13}YT^2+\xi^{13}Y^2T+\xi^{13}XT^2+\xi^{5}Y^3+\xi^{25}XYT+$ $\xi^{13}XY^2+\xi^{13}X^2T+\xi^{13}X^2Y+\xi^{5}X^3$	51	ξ^{5}
$\mathcal{G}_3^1$	$\xi^{35}T^3+\xi^{43}YT^2+\xi^{43}Y^2T+\xi^{43}XT^2+\xi^{35}Y^3+\xi^{31}XYT+$ $\xi^{43}XY^2+\xi^{43}X^2T+\xi^{43}X^2Y+\xi^{35}X^3$	51	ξ^{35}
$\mathcal{G}_3^1$	$\xi^{31}T^3+\xi^{39}YT^2+\xi^{39}Y^2T+\xi^{39}XT^2+\xi^{31}Y^3+\xi^{35}XYT+$ $\xi^{39}XY^2+\xi^{39}X^2T+\xi^{39}X^2Y+\xi^{31}X^3$	51	ξ^{22}
$\mathcal{G}_3^1$	$\xi^{25}T^3+\xi^{33}YT^2+\xi^{33}Y^2T+\xi^{33}XT^2+\xi^{25}Y^3+\xi^{5}XYT+$ $\xi^{33}XY^2+\xi^{33}X^2T+\xi^{33}X^2Y+\xi^{25}X^3$	51	ξ^{10}
$\mathcal{G}_3^1$	$\xi^{7}T^3+\xi^{15}YT^2+\xi^{15}Y^2T+\xi^{15}XT^2+\xi^{7}Y^3+\xi XYT+$ $\xi^{15}XY^2+\xi^{15}X^2T+\xi^{15}X^2Y+\xi^{7}X^3$	48	ξ^{17}
$\mathcal{G}_3^1$	$\xi^{38}T^3+\xi^{46}YT^2+\xi^{46}Y^2T+\xi^{46}XT^2+\xi^{38}Y^3+\xi^{29}XYT+$ $\xi^{46}XY^2+\xi^{46}X^2T+\xi^{46}X^2Y+\xi^{38}X^3$	48	ξ^{4}
$\mathcal{G}_3^1$	$\xi^{32}T^3+\xi^{40}YT^2+\xi^{40}Y^2T+\xi^{40}XT^2+\xi^{32}Y^3+\xi^{32}XYT+$ $\xi^{40}XY^2+\xi^{40}X^2T+\xi^{40}X^2Y+\xi^{32}X^3$	48	ξ^{16}
$\mathcal{G}_3^1$	$\xi^{29}T^3+\xi^{37}YT^2+\xi^{37}Y^2T+\xi^{37}XT^2+\xi^{29}Y^3+\xi^{38}XYT+$ $\xi^{37}XY^2+\xi^{37}X^2T+\xi^{37}X^2Y+\xi^{29}X^3$	48	ξ^{7}
$\mathcal{G}_3^1$	$\xi^{26}T^3+\xi^{34}YT^2+\xi^{34}Y^2T+\xi^{34}XT^2+\xi^{26}Y^3+\xi^{11}XYT+$ $\xi^{34}XY^2+\xi^{34}X^2T+\xi^{34}X^2Y+\xi^{26}X^3$	48	ξ^{28}
$\mathcal{G}_3^1$	$\xi^{11}T^3+\xi^{19}YT^2+\xi^{19}Y^2T+\xi^{19}XT^2+\xi^{11}Y^3+\xi^{26}XYT+$ $\xi^{19}XY^2+\xi^{19}X^2T+\xi^{19}X^2Y+\xi^{11}X^3$	48	ξ
$\mathcal{G}_3^1$	$\xi T^3+\xi^{9}YT^2+\xi^{9}Y^2T+\xi^{9}XT^2+\xi Y^3+\xi^{7}XYT+$ $\xi^{9}XY^2+\xi^{9}X^2T+\xi^{9}X^2Y+\xi X^3$	48	ξ^{23}
$\mathcal{G}_3^1$	$\xi^{39}T^3+\xi^{47}YT^2+\xi^{47}Y^2T+\xi^{47}XT^2+\xi^{39}Y^3+\xi^{37}XYT+$ $\xi^{47}XY^2+\xi^{47}X^2T+\xi^{47}X^2Y+\xi^{39}X^3$	45	ξ^{26}
$\mathcal{G}_3^1$	$\xi^{36}T^3+\xi^{44}YT^2+\xi^{44}Y^2T+\xi^{44}XT^2+\xi^{36}Y^3+\xi^{14}XYT+$ $\xi^{44}XY^2+\xi^{44}X^2T+\xi^{44}X^2Y+\xi^{36}X^3$	45	ξ^{37}
$\mathcal{G}_3^1$	$\xi^{33}T^3+\xi^{41}YT^2+\xi^{41}Y^2T+\xi^{41}XT^2+\xi^{33}Y^3+\xi^{19}XYT+$ $\xi^{41}XY^2+\xi^{41}X^2T+\xi^{41}X^2Y+\xi^{33}X^3$	45	ξ^{38}
$\mathcal{G}_3^1$	$\xi^{12}T^3+\xi^{20}YT^2+\xi^{20}Y^2T+\xi^{20}XT^2+\xi^{12}Y^3+\xi^{2}XYT+$ $\xi^{20}XY^2+\xi^{20}X^2T+\xi^{20}X^2Y+\xi^{12}X^3$	45	ξ^{19}

Table 84 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$\xi^4T^3+\xi^{12}YT^2+\xi^{12}Y^2T+\xi^{12}XT^2+\xi^4Y^3+\xi^{23}XYT+\xi^{12}XY^2+\xi^{12}X^2T+\xi^{12}X^2Y+\xi^4X^3$	42	ξ^{31}
$\mathcal{G}_3^1$	$\xi^{28}T^3+\xi^{36}YT^2+\xi^{36}Y^2T+\xi^{36}XT^2+\xi^{28}Y^3+\xi^{17}XYT+\xi^{36}XY^2+\xi^{36}X^2T+\xi^{36}X^2Y+\xi^{28}X^3$	42	ξ^{25}
$\mathcal{G}_3^1$	$\xi^{23}T^3+\xi^{31}YT^2+\xi^{31}Y^2T+\xi^{31}XT^2+\xi^{23}Y^3+\xi^4XYT+\xi^{31}XY^2+\xi^{31}X^2T+\xi^{31}X^2Y+\xi^{23}X^3$	42	ξ^2
$\mathcal{G}_3^1$	$\xi^{17}T^3+\xi^{25}YT^2+\xi^{25}Y^2T+\xi^{25}XT^2+\xi^{17}Y^3+\xi^{28}XYT+\xi^{25}XY^2+\xi^{25}X^2T+\xi^{25}X^2Y+\xi^{17}X^3$	42	ξ^{14}
$\mathcal{G}_3^1$	$\xi^{46}T^3+\xi^6YT^2+\xi^6Y^2T+\xi^6XT^2+\xi^{46}Y^3+\xi^{34}XYT+\xi^6XY^2+\xi^6X^2T+\xi^6X^2Y+\xi^{46}X^3$	39	ξ^{41}
$\mathcal{G}_3^1$	$\xi^{34}T^3+\xi^{42}YT^2+\xi^{42}Y^2T+\xi^{42}XT^2+\xi^{34}Y^3+\xi^{46}XYT+\xi^{42}XY^2+\xi^{42}X^2T+\xi^{42}X^2Y+\xi^{34}X^3$	39	ξ^{47}
$\overline{\mathcal{E}}_3^1$	$\xi T^3+XY^2+X^2Y$	48	0
$\overline{\mathcal{E}}_3^1$	$\xi^2T^3+XY^2+X^2Y$	39	0
$\mathcal{H}_1^4$	$YT^2+XY^2+X^3$	64	ξ^{24}
$\mathcal{E}_1^1$	$YT^2+\xi^{29}Y^3+X^3$	61	0
$\mathcal{E}_1^1$	$YT^2+\xi^{27}Y^3+X^3$	52	0
$\mathcal{H}_1^0$	$YT^2+\xi^3XY^2+X^3$	50	ξ^{24}
$\mathcal{H}_1^0$	$YT^2+\xi XY^2+X^3$	50	ξ^{24}
$\mathcal{G}_1$	$YT^2+Y^3+\xi^2XY^2+X^3$	62	ξ^9
$\mathcal{G}_1$	$YT^2+\xi^6Y^3+\xi^2XY^2+X^3$	62	ξ^{15}
$\mathcal{G}_1$	$YT^2+\xi^{47}Y^3+\xi^{25}XY^2+X^3$	61	ξ^{41}
$\mathcal{G}_1$	$YT^2+\xi^{35}Y^3+\xi^{27}XY^2+X^3$	61	ξ^{47}
$\mathcal{G}_1$	$YT^2+\xi^{39}Y^3+\xi^{25}XY^2+X^3$	59	ξ^{39}
$\mathcal{G}_1$	$YT^2+\xi^{27}Y^3+\xi^{27}XY^2+X^3$	59	ξ^{33}
$\mathcal{G}_1$	$YT^2+\xi^{37}Y^3+\xi^{27}XY^2+X^3$	58	ξ^2
$\mathcal{G}_1$	$YT^2+\xi^{37}Y^3+\xi^{25}XY^2+X^3$	58	ξ^{14}
$\mathcal{G}_1$	$YT^2+\xi^{31}Y^3+XY^2+X^3$	58	ξ^{25}
$\mathcal{G}_1$	$YT^2+\xi^{25}Y^3+XY^2+X^3$	58	ξ^{31}
$\mathcal{G}_1$	$YT^2+\xi^4Y^3+\xi^{25}XY^2+X^3$	56	ξ^{45}
$\mathcal{G}_1$	$YT^2+\xi^{22}Y^3+\xi^2XY^2+X^3$	56	ξ^{21}
$\mathcal{G}_1$	$YT^2+\xi^{22}Y^3+\xi^{27}XY^2+X^3$	56	ξ^{27}
$\mathcal{G}_1$	$YT^2+\xi^{16}Y^3+\xi^2XY^2+X^3$	56	ξ^3
$\mathcal{G}_1$	$YT^2+\xi^{16}Y^3+\xi^{25}XY^2+X^3$	56	ξ^{30}

Table 84 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+\xi^{10}Y^3+\xi^{27}XY^2+X^3$	56	ξ^{18}
$\mathcal{G}_1$	$YT^2+Y^3+XY^2+X^3$	55	1
$\mathcal{G}_1$	$YT^2+Y^3+\xi^{27}XY^2+X^3$	55	ξ^{37}
$\mathcal{G}_1$	$YT^2+\xi^{18}Y^3+\xi^{2}XY^2+X^3$	55	ξ^{38}
$\mathcal{G}_1$	$YT^2+\xi^{18}Y^3+\xi^{25}XY^2+X^3$	55	ξ^{19}
$\mathcal{G}_1$	$YT^2+\xi^{12}Y^3+\xi^{2}XY^2+X^3$	55	ξ^{26}
$\mathcal{G}_1$	$YT^2+\xi^{2}Y^3+\xi^{2}XY^2+X^3$	53	ξ^{36}
$\mathcal{G}_1$	$YT^2+\xi^{20}Y^3+\xi^{2}XY^2+X^3$	53	ξ^{12}
$\mathcal{G}_1$	$YT^2+\xi^{45}Y^3+\xi^{2}XY^2+X^3$	52	ξ
$\mathcal{G}_1$	$YT^2+\xi^{39}Y^3+\xi^{2}XY^2+X^3$	52	ξ^{16}
$\mathcal{G}_1$	$YT^2+\xi^{39}Y^3+\xi^{27}XY^2+X^3$	52	ξ^{4}
$\mathcal{G}_1$	$YT^2+\xi^{33}Y^3+\xi^{2}XY^2+X^3$	52	ξ^{7}
$\mathcal{G}_1$	$YT^2+\xi^{33}Y^3+\xi^{27}XY^2+X^3$	52	ξ^{17}
$\mathcal{G}_1$	$YT^2+\xi^{33}Y^3+\xi^{25}XY^2+X^3$	52	ξ^{23}
$\mathcal{G}_1$	$YT^2+\xi^{27}Y^3+\xi^{25}XY^2+X^3$	52	ξ^{28}
$\mathcal{G}_1$	$YT^2+\xi^{4}Y^3+\xi^{27}XY^2+X^3$	49	ξ^{35}
$\mathcal{G}_1$	$YT^2+\xi^{22}Y^3+XY^2+X^3$	49	ξ^{22}
$\mathcal{G}_1$	$YT^2+\xi^{22}Y^3+\xi^{25}XY^2+X^3$	49	ξ^{5}
$\mathcal{G}_1$	$YT^2+\xi^{10}Y^3+XY^2+X^3$	49	ξ^{10}
$\mathcal{G}_1$	$YT^2+\xi^{47}Y^3+XY^2+X^3$	47	ξ^{36}
$\mathcal{G}_1$	$YT^2+\xi^{41}Y^3+XY^2+X^3$	47	ξ^{12}
$\mathcal{G}_1$	$YT^2+\xi^{8}Y^3+\xi^{2}XY^2+X^3$	46	ξ^{13}
$\mathcal{G}_1$	$YT^2+\xi^{8}Y^3+\xi^{27}XY^2+X^3$	46	ξ^{42}
$\mathcal{G}_1$	$YT^2+\xi^{2}Y^3+XY^2+X^3$	46	ξ^{11}
$\mathcal{G}_1$	$YT^2+\xi^{2}Y^3+\xi^{25}XY^2+X^3$	46	ξ^{6}
$\mathcal{G}_1$	$YT^2+\xi^{14}Y^3+XY^2+X^3$	46	ξ^{29}
$\mathcal{G}_1$	$YT^2+\xi^{14}Y^3+\xi^{2}XY^2+X^3$	46	ξ^{43}
$\mathcal{G}_1$	$YT^2+\xi^{43}Y^3+XY^2+X^3$	44	ξ^{21}
$\mathcal{G}_1$	$YT^2+\xi^{43}Y^3+\xi^{27}XY^2+X^3$	44	ξ^{30}
$\mathcal{G}_1$	$YT^2+\xi^{43}Y^3+\xi^{25}XY^2+X^3$	44	ξ^{27}
$\mathcal{G}_1$	$YT^2+\xi^{37}Y^3+XY^2+X^3$	44	ξ^{3}
$\mathcal{G}_1$	$YT^2+\xi^{31}Y^3+\xi^{27}XY^2+X^3$	44	ξ^{45}
$\mathcal{G}_1$	$YT^2+\xi^{31}Y^3+\xi^{25}XY^2+X^3$	44	ξ^{18}
$\mathcal{G}_1$	$YT^2+\xi^{47}Y^3+\xi^{2}XY^2+X^3$	40	ξ^{32}

Table 84 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+\xi^{35}Y^3+\xi^2XY^2+X^3$	40	ξ^{40}
$\mathcal{G}_1$	$YT^2+\xi^{45}Y^3+XY^2+X^3$	38	ξ^{9}
$\mathcal{G}_1$	$YT^2+\xi^{27}Y^3+XY^2+X^3$	38	ξ^{15}
$\mathcal{H}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{40}XYT+X^3$	36	ξ^{24}
$\mathcal{H}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{34}XYT+X^3$	36	ξ^{24}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{46}XYT+X^3$	54	ξ^{6}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{44}XYT+X^3$	54	ξ^{42}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{42}XYT+X^3$	54	ξ^{6}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{32}XYT+X^3$	54	ξ^{42}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{23}XYT+X^3$	54	ξ^{6}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{19}XYT+X^3$	54	ξ^{42}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{15}XYT+X^3$	54	ξ^{6}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{11}XYT+X^3$	54	ξ^{42}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{38}XYT+X^3$	45	1
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{36}XYT+X^3$	45	1
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{21}XYT+X^3$	45	1
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{13}XYT+X^3$	45	1
$\overline{\mathcal{E}}_0^4$	$\xi^2T^3+\xi Y^3+X^3$	63	0
$\mathcal{E}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{9}XYT+X^3$	63	0
$\mathcal{G}_0^1$	$\xi^{28}T^3+\xi YT^2+\xi^{27}Y^3+\xi^{11}XYT+XY^2+X^2T+\xi^{26}X^3$	63	ξ^{8}
$\mathcal{G}_0^1$	$\xi^{3}T^3+\xi YT^2+\xi^{2}Y^3+\xi^{34}XYT+XY^2+X^2T+\xi X^3$	60	ξ^{44}
$\mathcal{G}_0^1$	$\xi^{36}T^3+\xi^{2}YT^2+\xi^{34}Y^3+\xi^{18}XYT+XY^2+X^2T+\xi^{32}X^3$	60	ξ^{34}
$\mathcal{G}_0^1$	$\xi^{36}T^3+\xi YT^2+\xi^{35}Y^3+\xi^{19}XYT+XY^2+X^2T+\xi^{34}X^3$	60	ξ^{32}
$\mathcal{G}_0^1$	$\xi^{32}T^3+\xi^{2}YT^2+\xi^{30}Y^3+\xi^{14}XYT+XY^2+X^2T+\xi^{28}X^3$	60	ξ^{40}
$\mathcal{G}_0^1$	$\xi^{28}T^3+\xi^{2}YT^2+\xi^{26}Y^3+\xi^{10}XYT+XY^2+X^2T+\xi^{24}X^3$	60	ξ^{46}
$\mathcal{G}_0^1$	$\xi^{13}T^3+\xi YT^2+\xi^{12}Y^3+\xi^{44}XYT+XY^2+X^2T+\xi^{11}X^3$	60	ξ^{20}
$\mathcal{G}_0^1$	$\xi^{5}T^3+\xi^{2}YT^2+\xi^{3}Y^3+\xi^{35}XYT+XY^2+X^2T+\xi X^3$	54	ξ^{13}
$\mathcal{G}_0^1$	$\xi^{30}T^3+\xi YT^2+\xi^{29}Y^3+\xi^{13}XYT+XY^2+X^2T+\xi^{28}X^3$	54	ξ^{11}
$\mathcal{G}_0^1$	$\xi^{26}T^3+\xi YT^2+\xi^{25}Y^3+\xi^{9}XYT+XY^2+X^2T+\xi^{24}X^3$	54	ξ^{29}
$\mathcal{G}_0^1$	$\xi^{19}T^3+\xi^{2}YT^2+\xi^{17}Y^3+\xi XYT+XY^2+X^2T+\xi^{15}X^3$	54	ξ^{43}
$\mathcal{G}_0^1$	$\xi^{9}T^3+\xi YT^2+\xi^{8}Y^3+\xi^{40}XYT+XY^2+X^2T+\xi^{7}X^3$	51	ξ^{5}

Table 84 Continue 5

type	equation	n	$j-$ inv.
$\mathcal{G}_0^1$	$\xi^7T^3+\xi^2YT^2+\xi^5Y^3+\xi^{37}XYT+XY^2+X^2T+\xi^3X^3$	51	ξ^{22}
$\mathcal{G}_0^1$	$\xi^7T^3+\xi YT^2+\xi^6Y^3+\xi^{38}XYT+XY^2+X^2T+\xi^5X^3$	51	ξ^{35}
$\mathcal{G}_0^1$	$\xi^{17}T^3+\xi^2YT^2+\xi^{15}Y^3+\xi^{47}XYT+XY^2+X^2T+\xi^{13}X^3$	51	ξ^{10}
$\mathcal{G}_0^1$	$\xi^9T^3+\xi^2YT^2+\xi^7Y^3+\xi^{39}XYT+XY^2+X^2T+\xi^5X^3$	48	ξ^4
$\mathcal{G}_0^1$	$\xi^{42}T^3+\xi^2YT^2+\xi^{40}Y^3+\xi^{24}XYT+XY^2+X^2T+\xi^{38}X^3$	48	ξ
$\mathcal{G}_0^1$	$\xi^{40}T^3+\xi^2YT^2+\xi^{38}Y^3+\xi^{22}XYT+XY^2+X^2T+\xi^{36}X^3$	48	ξ^{16}
$\mathcal{G}_0^1$	$\xi^{38}T^3+\xi^2YT^2+\xi^{36}Y^3+\xi^{20}XYT+XY^2+X^2T+\xi^{34}X^3$	48	ξ^7
$\mathcal{G}_0^1$	$\xi^{17}T^3+\xi YT^2+\xi^{16}Y^3+XYT+XY^2+X^2T+\xi^{15}X^3$	48	ξ^{17}
$\mathcal{G}_0^1$	$\xi^{15}T^3+\xi^2YT^2+\xi^{13}Y^3+\xi^{45}XYT+XY^2+X^2T+\xi^{11}X^3$	48	ξ^{28}
$\mathcal{G}_0^1$	$\xi^{15}T^3+\xi YT^2+\xi^{14}Y^3+\xi^{46}XYT+XY^2+X^2T+\xi^{13}X^3$	48	ξ^{23}
$\mathcal{G}_0^1$	$\xi^5T^3+\xi YT^2+\xi^4Y^3+\xi^{36}XYT+XY^2+X^2T+\xi^3X^3$	45	ξ^{26}
$\mathcal{G}_0^1$	$\xi^{34}T^3+\xi^2YT^2+\xi^{32}Y^3+\xi^{16}XYT+XY^2+X^2T+\xi^{30}X^3$	45	ξ^{19}
$\mathcal{G}_0^1$	$\xi^{30}T^3+\xi^2YT^2+\xi^{28}Y^3+\xi^{12}XYT+XY^2+X^2T+\xi^{26}X^3$	45	ξ^{37}
$\mathcal{G}_0^1$	$\xi^{11}T^3+\xi YT^2+\xi^{10}Y^3+\xi^{42}XYT+XY^2+X^2T+\xi^9X^3$	45	ξ^{38}
$\mathcal{G}_0^1$	$\xi^{40}T^3+\xi YT^2+\xi^{39}Y^3+\xi^{23}XYT+XY^2+X^2T+\xi^{38}X^3$	42	ξ^{14}
$\mathcal{G}_0^1$	$\xi^{32}T^3+\xi YT^2+\xi^{31}Y^3+\xi^{15}XYT+XY^2+X^2T+\xi^{30}X^3$	42	ξ^2
$\mathcal{G}_0^1$	$\xi^{13}T^3+\xi^2YT^2+\xi^{11}Y^3+\xi^{43}XYT+XY^2+X^2T+\xi^9X^3$	42	ξ^{25}
$\mathcal{G}_0^1$	$\xi^{11}T^3+\xi^2YT^2+\xi^9Y^3+\xi^{41}XYT+XY^2+X^2T+\xi^7X^3$	42	ξ^{31}
$\mathcal{G}_0^1$	$\xi^{38}T^3+\xi YT^2+\xi^{37}Y^3+\xi^{21}XYT+XY^2+X^2T+\xi^{36}X^3$	39	ξ^{41}
$\mathcal{G}_0^1$	$\xi^{34}T^3+\xi YT^2+\xi^{33}Y^3+\xi^{17}XYT+XY^2+X^2T+\xi^{32}X^3$	39	ξ^{47}
$\mathcal{E}_0^1$	$\xi YT^2+XY^2+X^2T$	48	0
$\mathcal{E}_0^1$	$\xi^2YT^2+XY^2+X^2T$	39	0

Table 85 $q = 53$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$44YT^2 + 3XT^2 + Y^3 + XY^2$	55	3
$\mathcal{N}_1^1$	$T^3 + XY^2$	54	1

Table 86 $q = 53$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	53
$\mathcal{N}_0^0$	$52T^3 + 44YT^2 + Y^2T + 3XT^2 + Y^3 + XY^2$	55

Table 87 $q = 53$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^2$	$9T^3 + 27YT^2 + 27Y^2T + 27XT^2 + 9Y^3 + 2XYT + 27XY^2 + 27X^2T + 27X^2Y + 9X^3$	42	1	44
$\overline{\mathcal{E}}_3^2$	$2T^3 + XY^2 + X^2Y$	54	1	0
$\mathcal{E}_3^2$	$11T^3 + 33YT^2 + 33Y^2T + 33XT^2 + 11Y^3 + 14XYT + 33XY^2 + 33X^2T + 33X^2Y + 11X^3$	54	3	0
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 4XY^2 + X^3$	43	2	23
$\mathcal{E}_0^2$	$T^3 + 50Y^3 + 3XY^2 + 52X^3$	54	1	0

Table 88 $q = 53$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$47T^3 + 35YT^2 + 35Y^2T + 35XT^2 + 47Y^3 + 18XYT + 35XY^2 + 35X^2T + 35X^2Y + 47X^3$	66	18
$\mathcal{G}_3^2$	$42T^3 + 20YT^2 + 20Y^2T + 20XT^2 + 42Y^3 + 41XYT + 20XY^2 + 20X^2T + 20X^2Y + 42X^3$	66	37
$\mathcal{G}_3^2$	$31T^3 + 40YT^2 + 40Y^2T + 40XT^2 + 31Y^3 + 28XYT + 40XY^2 + 40X^2T + 40X^2Y + 31X^3$	66	44
$\mathcal{G}_3^2$	$18T^3 + YT^2 + Y^2T + XT^2 + 18Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 18X^3$	66	51
$\mathcal{G}_3^2$	$5T^3 + 15YT^2 + 15Y^2T + 15XT^2 + 5Y^3 + 31XYT + 15XY^2 + 15X^2T + 15X^2Y + 5X^3$	63	15
$\mathcal{G}_3^2$	$49T^3 + 41YT^2 + 41Y^2T + 41XT^2 + 49Y^3 + 30XYT + 41XY^2 + 41X^2T + 41X^2Y + 49X^3$	63	38
$\mathcal{G}_3^2$	$29T^3 + 34YT^2 + 34Y^2T + 34XT^2 + 29Y^3 + 16XYT + 34XY^2 + 34X^2T + 34X^2Y + 29X^3$	63	48
$\mathcal{G}_3^2$	$16T^3 + 48YT^2 + 48Y^2T + 48XT^2 + 16Y^3 + 44XYT + 48XY^2 + 48X^2T + 48X^2Y + 16X^3$	63	26
$\mathcal{G}_3^2$	$10T^3 + 30YT^2 + 30Y^2T + 30XT^2 + 10Y^3 + 8XYT + 30XY^2 + 30X^2T + 30X^2Y + 10X^3$	63	4
$\mathcal{G}_3^2$	$6T^3 + 18YT^2 + 18Y^2T + 18XT^2 + 6Y^3 + 37XYT + 18XY^2 + 18X^2T + 18X^2Y + 6X^3$	60	39
$\mathcal{G}_3^2$	$50T^3 + 44YT^2 + 44Y^2T + 44XT^2 + 50Y^3 + 36XYT + 44XY^2 + 44X^2T + 44X^2Y + 50X^3$	60	8
$\mathcal{G}_3^2$	$48T^3 + 38YT^2 + 38Y^2T + 38XT^2 + 48Y^3 + 24XYT + 38XY^2 + 38X^2T + 38X^2Y + 48X^3$	60	12
$\mathcal{G}_3^2$	$43T^3 + 23YT^2 + 23Y^2T + 23XT^2 + 43Y^3 + 47XYT + 23XY^2 + 23X^2T + 23X^2Y + 43X^3$	60	22
$\mathcal{G}_3^2$	$38T^3 + 8YT^2 + 8Y^2T + 8XT^2 + 38Y^3 + 17XYT + 8XY^2 + 8X^2T + 8X^2Y + 38X^3$	60	13
$\mathcal{G}_3^2$	$30T^3 + 37YT^2 + 37Y^2T + 37XT^2 + 30Y^3 + 22XYT + 37XY^2 + 37X^2T + 37X^2Y + 30X^3$	60	40

Table 88 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$26T^3+25YT^2+25Y^2T+25XT^2+26Y^3+51XYT+25XY^2+25X^2T+25X^2Y+26X^3$	60	42
$\mathcal{G}_3^2$	$19T^3+4YT^2+4Y^2T+4XT^2+19Y^3+9XYT+4XY^2+4X^2T+4X^2Y+19X^3$	60	11
$\mathcal{G}_3^2$	$15T^3+45YT^2+45Y^2T+45XT^2+15Y^3+38XYT+45XY^2+45X^2T+45X^2Y+15X^3$	60	5
$\mathcal{G}_3^2$	$12T^3+36YT^2+36Y^2T+36XT^2+12Y^3+20XYT+36XY^2+36X^2T+36X^2Y+12X^3$	60	14
$\mathcal{G}_3^2$	$34T^3+49YT^2+49Y^2T+49XT^2+34Y^3+46XYT+49XY^2+49X^2T+49X^2Y+34X^3$	57	21
$\mathcal{G}_3^2$	$28T^3+31YT^2+31Y^2T+31XT^2+28Y^3+10XYT+31XY^2+31X^2T+31X^2Y+28X^3$	57	16
$\mathcal{G}_3^2$	$24T^3+19YT^2+19Y^2T+19XT^2+24Y^3+39XYT+19XY^2+19X^2T+19X^2Y+24X^3$	57	43
$\mathcal{G}_3^2$	$14T^3+42YT^2+42Y^2T+42XT^2+14Y^3+32XYT+42XY^2+42X^2T+42X^2Y+14X^3$	57	19
$\mathcal{G}_3^2$	$7T^3+21YT^2+21Y^2T+21XT^2+7Y^3+43XYT+21XY^2+21X^2T+21X^2Y+7X^3$	54	50
$\mathcal{G}_3^2$	$52T^3+50YT^2+50Y^2T+50XT^2+52Y^3+48XYT+50XY^2+50X^2T+50X^2Y+52X^3$	54	46
$\mathcal{G}_3^2$	$44T^3+26YT^2+26Y^2T+26XT^2+44Y^3+26XY^2+26X^2T+26X^2Y+44X^3$	54	46
$\mathcal{G}_3^2$	$40T^3+14YT^2+14Y^2T+14XT^2+40Y^3+29XYT+14XY^2+14X^2T+14X^2Y+40X^3$	54	50
$\mathcal{G}_3^2$	$37T^3+5YT^2+5Y^2T+5XT^2+37Y^3+11XYT+5XY^2+5X^2T+5X^2Y+37X^3$	51	21
$\mathcal{G}_3^2$	$27T^3+28YT^2+28Y^2T+28XT^2+27Y^3+4XYT+28XY^2+28X^2T+28X^2Y+27X^3$	51	16
$\mathcal{G}_3^2$	$23T^3+16YT^2+16Y^2T+16XT^2+23Y^3+33XYT+16XY^2+16X^2T+16X^2Y+23X^3$	51	19
$\mathcal{G}_3^2$	$17T^3+51YT^2+51Y^2T+51XT^2+17Y^3+50XYT+51XY^2+51X^2T+51X^2Y+17X^3$	51	43

Table 88 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$T^3+3YT^2+3Y^2T+3XT^2+Y^3+7XYT+3XY^2+3X^2T+3X^2Y+X^3$	48	42
$\mathcal{G}_3^2$	$8T^3+24YT^2+24Y^2T+24XT^2+8Y^3+49XYT+24XY^2+24X^2T+24X^2Y+8X^3$	48	8
$\mathcal{G}_3^2$	$45T^3+29YT^2+29Y^2T+29XT^2+45Y^3+6XYT+29XY^2+29X^2T+29X^2Y+45X^3$	48	39
$\mathcal{G}_3^2$	$3T^3+9YT^2+9Y^2T+9XT^2+3Y^3+19XYT+9XY^2+9X^2T+9X^2Y+3X^3$	48	13
$\mathcal{G}_3^2$	$39T^3+11YT^2+11Y^2T+11XT^2+39Y^3+23XYT+11XY^2+11X^2T+11X^2Y+39X^3$	48	12
$\mathcal{G}_3^2$	$36T^3+2YT^2+2Y^2T+2XT^2+36Y^3+5XYT+2XY^2+2X^2T+2X^2Y+36X^3$	48	14
$\mathcal{G}_3^2$	$32T^3+43YT^2+43Y^2T+43XT^2+32Y^3+34XYT+43XY^2+43X^2T+43X^2Y+32X^3$	48	40
$\mathcal{G}_3^2$	$25T^3+22YT^2+22Y^2T+22XT^2+25Y^3+45XYT+22XY^2+22X^2T+22X^2Y+25X^3$	48	22
$\mathcal{G}_3^2$	$21T^3+10YT^2+10Y^2T+10XT^2+21Y^3+21XYT+10XY^2+10X^2T+10X^2Y+21X^3$	48	5
$\mathcal{G}_3^2$	$13T^3+39YT^2+39Y^2T+39XT^2+13Y^3+26XYT+39XY^2+39X^2T+39X^2Y+13X^3$	48	11
$\mathcal{G}_3^2$	$46T^3+32YT^2+32Y^2T+32XT^2+46Y^3+12XYT+32XY^2+32X^2T+32X^2Y+46X^3$	45	26
$\mathcal{G}_3^2$	$41T^3+17YT^2+17Y^2T+17XT^2+41Y^3+35XYT+17XY^2+17X^2T+17X^2Y+41X^3$	45	48
$\mathcal{G}_3^2$	$35T^3+52YT^2+52Y^2T+52XT^2+35Y^3+52XYT+52XY^2+52X^2T+52X^2Y+35X^3$	45	38
$\mathcal{G}_3^2$	$2T^3+6YT^2+6Y^2T+6XT^2+2Y^3+13XYT+6XY^2+6X^2T+6X^2Y+2X^3$	45	4
$\mathcal{G}_3^2$	$22T^3+13YT^2+13Y^2T+13XT^2+22Y^3+27XYT+13XY^2+13X^2T+13X^2Y+22X^3$	45	15

Table 88 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$4T^3+12YT^2+12Y^2T+12XT^2+4Y^3+25XYT+12XY^2+12X^2T+12X^2Y+4X^3$	42	51
$\mathcal{G}_3^2$	$33T^3+46YT^2+46Y^2T+46XT^2+33Y^3+40XYT+46XY^2+46X^2T+46X^2Y+33X^3$	42	37
$\mathcal{G}_3^2$	$20T^3+7YT^2+7Y^2T+7XT^2+20Y^3+15XYT+7XY^2+7X^2T+7X^2Y+20X^3$	42	18
$\mathcal{H}_1^0$	$YT^2+XY^2+X^3$	68	32
$\mathcal{H}_1^0$	$YT^2+8XY^2+X^3$	58	32
$\mathcal{H}_1^0$	$YT^2+2XY^2+X^3$	50	32
$\mathcal{H}_1^0$	$YT^2+4XY^2+X^3$	40	32
$\mathcal{G}_1$	$YT^2+10Y^3+4XY^2+X^3$	68	24
$\mathcal{G}_1$	$YT^2+22Y^3+2XY^2+X^3$	67	49
$\mathcal{G}_1$	$YT^2+26Y^3+XY^2+X^3$	65	23
$\mathcal{G}_1$	$YT^2+15Y^3+4XY^2+X^3$	65	41
$\mathcal{G}_1$	$YT^2+6Y^3+XY^2+X^3$	64	1
$\mathcal{G}_1$	$YT^2+5Y^3+5XY^2+X^3$	64	17
$\mathcal{G}_1$	$YT^2+3Y^3+2XY^2+X^3$	64	7
$\mathcal{G}_1$	$YT^2+24Y^3+2XY^2+X^3$	64	35
$\mathcal{G}_1$	$YT^2+Y^3+5XY^2+X^3$	62	2

Table 88 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 5XY^2 + X^3$	62	27
$\mathcal{G}_1$	$YT^2 + 8Y^3 + XY^2 + X^3$	61	33
$\mathcal{G}_1$	$YT^2 + Y^3 + 2XY^2 + X^3$	59	47
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 2XY^2 + X^3$	59	28
$\mathcal{G}_1$	$YT^2 + Y^3 + XY^2 + X^3$	58	52
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 5XY^2 + X^3$	58	34
$\mathcal{G}_1$	$YT^2 + 17Y^3 + 4XY^2 + X^3$	58	10
$\mathcal{G}_1$	$YT^2 + 16Y^3 + XY^2 + X^3$	58	9
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 5XY^2 + X^3$	56	30
$\mathcal{G}_1$	$YT^2 + 23Y^3 + XY^2 + X^3$	56	29
$\mathcal{G}_1$	$YT^2 + 21Y^3 + XY^2 + X^3$	56	6
$\mathcal{G}_1$	$YT^2 + 21Y^3 + 5XY^2 + X^3$	56	20
$\mathcal{G}_1$	$YT^2 + 14Y^3 + 4XY^2 + X^3$	56	45
$\mathcal{G}_1$	$YT^2 + 14Y^3 + 2XY^2 + X^3$	56	25
$\mathcal{G}_1$	$YT^2 + 26Y^3 + 2XY^2 + X^3$	55	36
$\mathcal{G}_1$	$YT^2 + 25Y^3 + XY^2 + X^3$	55	3
$\mathcal{G}_1$	$YT^2 + 19Y^3 + XY^2 + X^3$	55	31
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 4XY^2 + X^3$	53	31
$\mathcal{G}_1$	$YT^2 + 25Y^3 + 5XY^2 + X^3$	53	36
$\mathcal{G}_1$	$YT^2 + 12Y^3 + 4XY^2 + X^3$	53	3
$\mathcal{G}_1$	$YT^2 + 9Y^3 + 4XY^2 + X^3$	52	6
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 2XY^2 + X^3$	52	20
$\mathcal{G}_1$	$YT^2 + 25Y^3 + 4XY^2 + X^3$	52	29
$\mathcal{G}_1$	$YT^2 + 20Y^3 + 2XY^2 + X^3$	52	30
$\mathcal{G}_1$	$YT^2 + 15Y^3 + XY^2 + X^3$	52	45
$\mathcal{G}_1$	$YT^2 + 11Y^3 + 5XY^2 + X^3$	52	25
$\mathcal{G}_1$	$YT^2 + 8Y^3 + 4XY^2 + X^3$	50	52
$\mathcal{G}_1$	$YT^2 + 22Y^3 + XY^2 + X^3$	50	10
$\mathcal{G}_1$	$YT^2 + 22Y^3 + 4XY^2 + X^3$	50	9
$\mathcal{G}_1$	$YT^2 + 19Y^3 + 2XY^2 + X^3$	50	34
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 5XY^2 + X^3$	49	47

Table 88 Continue 5

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+23Y^3+5XY^2+X^3$	49	28
$\mathcal{G}_1$	$YT^2+11Y^3+4XY^2+X^3$	47	33
$\mathcal{G}_1$	$YT^2+2Y^3+2XY^2+X^3$	46	27
$\mathcal{G}_1$	$YT^2+18Y^3+2XY^2+X^3$	46	2
$\mathcal{G}_1$	$YT^2+9Y^3+5XY^2+X^3$	44	7
$\mathcal{G}_1$	$YT^2+5Y^3+4XY^2+X^3$	44	1
$\mathcal{G}_1$	$YT^2+19Y^3+5XY^2+X^3$	44	35
$\mathcal{G}_1$	$YT^2+16Y^3+2XY^2+X^3$	44	17
$\mathcal{G}_1$	$YT^2+18Y^3+XY^2+X^3$	43	41
$\mathcal{G}_1$	$YT^2+13Y^3+5XY^2+X^3$	41	49
$\mathcal{G}_1$	$YT^2+12Y^3+XY^2+X^3$	40	24
$\mathcal{G}_0^2$	$T^3+44Y^2T+48Y^3+45XYT+3XY^2+44X^2T+52X^3$	66	51
$\mathcal{G}_0^2$	$T^3+44Y^2T+47Y^3+XYT+3XY^2+44X^2T+52X^3$	66	44
$\mathcal{G}_0^2$	$T^3+35Y^2T+36Y^3+41XYT+3XY^2+35X^2T+52X^3$	66	18
$\mathcal{G}_0^2$	$T^3+35Y^2T+31Y^3+25XYT+3XY^2+35X^2T+52X^3$	66	37
$\mathcal{G}_0^2$	$T^3+47Y^2T+47Y^3+36XYT+3XY^2+47X^2T+52X^3$	63	4
$\mathcal{G}_0^2$	$T^3+47Y^2T+36Y^3+49XYT+3XY^2+47X^2T+52X^3$	63	38
$\mathcal{G}_0^2$	$T^3+47Y^2T+34Y^3+8XYT+3XY^2+47X^2T+52X^3$	63	26
$\mathcal{G}_0^2$	$T^3+44Y^2T+50Y^3+27XYT+3XY^2+44X^2T+52X^3$	63	48
$\mathcal{G}_0^2$	$T^3+35Y^2T+41Y^3+4XYT+3XY^2+35X^2T+52X^3$	63	15
$\mathcal{G}_0^2$	$T^3+52Y^2T+41Y^3+12XYT+3XY^2+52X^2T+52X^3$	60	14
$\mathcal{G}_0^2$	$T^3+50Y^2T+46Y^3+21XYT+3XY^2+50X^2T+52X^3$	60	13
$\mathcal{G}_0^2$	$T^3+50Y^2T+41Y^3+36XYT+3XY^2+50X^2T+52X^3$	60	42
$\mathcal{G}_0^2$	$T^3+50Y^2T+31Y^3+13XYT+3XY^2+50X^2T+52X^3$	60	5
$\mathcal{G}_0^2$	$T^3+47Y^2T+50Y^3+18XYT+3XY^2+47X^2T+52X^3$	60	22
$\mathcal{G}_0^2$	$T^3+47Y^2T+30Y^3+32XYT+3XY^2+47X^2T+52X^3$	60	39
$\mathcal{G}_0^2$	$T^3+44Y^2T+36Y^3+47XYT+3XY^2+44X^2T+52X^3$	60	11
$\mathcal{G}_0^2$	$T^3+41Y^2T+50Y^3+36XYT+3XY^2+41X^2T+52X^3$	60	8
$\mathcal{G}_0^2$	$T^3+17Y^2T+48Y^3+21XYT+3XY^2+17X^2T+52X^3$	60	12
$\mathcal{G}_0^2$	$T^3+17Y^2T+31Y^3+50XYT+3XY^2+17X^2T+52X^3$	60	40
$\mathcal{G}_0^2$	$T^3+47Y^2T+41Y^3+19XYT+3XY^2+47X^2T+52X^3$	57	16

Table 88 Continue 6

type	equation	n	$j-$ inv.
$\mathcal{G}_0^2$	$T^3+41Y^2T+31Y^3+52XYT+3XY^2+41X^2T+52X^3$	57	19
$\mathcal{G}_0^2$	$T^3+38Y^2T+31Y^3+12XYT+3XY^2+38X^2T+52X^3$	57	43
$\mathcal{G}_0^2$	$T^3+35Y^2T+34Y^3+24XYT+3XY^2+35X^2T+52X^3$	57	21
$\mathcal{G}_0^2$	$T^3+50Y^2T+50Y^3+9XYT+3XY^2+50X^2T+52X^3$	54	50
$\mathcal{G}_0^2$	$T^3+41Y^2T+30Y^3+11XYT+3XY^2+41X^2T+52X^3$	54	46
$\mathcal{G}_0^2$	$T^3+32Y^2T+36Y^3+39XYT+3XY^2+32X^2T+52X^3$	54	46
$\mathcal{G}_0^2$	$T^3+26Y^2T+50Y^3+28XYT+3XY^2+26X^2T+52X^3$	54	50
$\mathcal{G}_0^2$	$T^3+41Y^2T+48Y^3+7XYT+3XY^2+41X^2T+52X^3$	51	19
$\mathcal{G}_0^2$	$T^3+38Y^2T+47Y^3+37XYT+3XY^2+38X^2T+52X^3$	51	43
$\mathcal{G}_0^2$	$T^3+35Y^2T+48Y^3+37XYT+3XY^2+35X^2T+52X^3$	51	16
$\mathcal{G}_0^2$	$T^3+29Y^2T+46Y^3+9XYT+3XY^2+29X^2T+52X^3$	51	21
$\mathcal{G}_0^2$	$T^3+50Y^2T+48Y^3+15XYT+3XY^2+50X^2T+52X^3$	48	8
$\mathcal{G}_0^2$	$T^3+50Y^2T+34Y^3+4XYT+3XY^2+50X^2T+52X^3$	48	14
$\mathcal{G}_0^2$	$T^3+47Y^2T+48Y^3+30XYT+3XY^2+47X^2T+52X^3$	48	12
$\mathcal{G}_0^2$	$T^3+47Y^2T+46Y^3+42XYT+3XY^2+47X^2T+52X^3$	48	13
$\mathcal{G}_0^2$	$T^3+44Y^2T+46Y^3+10XYT+3XY^2+44X^2T+52X^3$	48	22
$\mathcal{G}_0^2$	$T^3+44Y^2T+41Y^3+2XYT+3XY^2+44X^2T+52X^3$	48	42
$\mathcal{G}_0^2$	$T^3+44Y^2T+34Y^3+12XYT+3XY^2+44X^2T+52X^3$	48	5
$\mathcal{G}_0^2$	$T^3+44Y^2T+31Y^3+39XYT+3XY^2+44X^2T+52X^3$	48	40
$\mathcal{G}_0^2$	$T^3+41Y^2T+46Y^3+31XYT+3XY^2+41X^2T+52X^3$	48	39
$\mathcal{G}_0^2$	$T^3+26Y^2T+31Y^3+11XYT+3XY^2+26X^2T+52X^3$	48	11
$\mathcal{G}_0^2$	$T^3+50Y^2T+47Y^3+18XYT+3XY^2+50X^2T+52X^3$	45	48
$\mathcal{G}_0^2$	$T^3+50Y^2T+36Y^3+51XYT+3XY^2+50X^2T+52X^3$	45	38
$\mathcal{G}_0^2$	$T^3+38Y^2T+30Y^3+27XYT+3XY^2+38X^2T+52X^3$	45	26
$\mathcal{G}_0^2$	$T^3+35Y^2T+47Y^3+2XYT+3XY^2+35X^2T+52X^3$	45	15
$\mathcal{G}_0^2$	$T^3+14Y^2T+47Y^3+22XYT+3XY^2+14X^2T+52X^3$	45	4
$\mathcal{G}_0^2$	$T^3+52Y^2T+31Y^3+22XYT+3XY^2+52X^2T+52X^3$	42	37
$\mathcal{G}_0^2$	$T^3+50Y^2T+30Y^3+16XYT+3XY^2+50X^2T+52X^3$	42	44
$\mathcal{G}_0^2$	$T^3+47Y^2T+31Y^3+26XYT+3XY^2+47X^2T+52X^3$	42	18
$\mathcal{G}_0^2$	$T^3+26Y^2T+41Y^3+6XYT+3XY^2+26X^2T+52X^3$	42	51
$\mathcal{E}_0^2$	$T^3+41Y^2T+36Y^3+45XYT+3XY^2+41X^2T+52X^3$	54	0

Table 89 $q = 59$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$50YT^2 + 3XT^2 + Y^3 + XY^2$	61	3
$\mathcal{N}_1^1$	$T^3 + XY^2$	60	1

Table 90 $q = 59$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	59
$\mathcal{N}_0^0$	$58T^3 + 50YT^2 + Y^2T + 3XT^2 + Y^3 + XY^2$	61

Table 91 $q = 59$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^2$	$57T^3 + 53YT^2 + 53Y^2T + 53XT^2 + 57Y^3 + 48XYT + 53XY^2 + 53X^2T + 53X^2Y + 57X^3$	45	3	36
$\overline{\mathcal{E}}_3^2$	$2T^3 + XY^2 + X^2Y$	60	1	0
$\mathcal{E}_3^2$	$27T^3 + 22YT^2 + 22Y^2T + 22XT^2 + 27Y^3 + 45XYT + 22XY^2 + 22X^2T + 22X^2Y + 27X^3$	60	3	0
$\mathcal{G}_1$	$YT^2 + 16Y^3 + XY^2 + X^3$	47	1	37
$\mathcal{E}_0^2$	$T^3 + 58Y^3 + 3XY^2 + 58X^3$	60	1	0

Table 92 $q = 59$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{H}_3^2$	$33T^3 + 40YT^2 + 40Y^2T + 40XT^2 + 33Y^3 + 22XYT + 40XY^2 + 40X^2T + 40X^2Y + 33X^3$	60	17
$\mathcal{H}_3^2$	$16T^3 + 48YT^2 + 48Y^2T + 48XT^2 + 16Y^3 + 38XYT + 48XY^2 + 48X^2T + 48X^2Y + 16X^3$	60	17
$\mathcal{G}_3^2$	$26T^3 + 19YT^2 + 19Y^2T + 19XT^2 + 26Y^3 + 39XYT + 19XY^2 + 19X^2T + 19X^2Y + 26X^3$	75	36
$\mathcal{G}_3^2$	$54T^3 + 44YT^2 + 44Y^2T + 44XT^2 + 54Y^3 + 30XYT + 44XY^2 + 44X^2T + 44X^2Y + 54X^3$	72	49
$\mathcal{G}_3^2$	$51T^3 + 35YT^2 + 35Y^2T + 35XT^2 + 51Y^3 + 12XYT + 35XY^2 + 35X^2T + 35X^2Y + 51X^3$	72	40
$\mathcal{G}_3^2$	$48T^3 + 26YT^2 + 26Y^2T + 26XT^2 + 48Y^3 + 53XYT + 26XY^2 + 26X^2T + 26X^2Y + 48X^3$	72	44
$\mathcal{G}_3^2$	$44T^3 + 14YT^2 + 14Y^2T + 14XT^2 + 44Y^3 + 29XYT + 14XY^2 + 14X^2T + 14X^2Y + 44X^3$	72	42
$\mathcal{G}_3^2$	$36T^3 + 49YT^2 + 49Y^2T + 49XT^2 + 36Y^3 + 40XYT + 49XY^2 + 49X^2T + 49X^2Y + 36X^3$	72	19
$\mathcal{G}_3^2$	$20T^3 + YT^2 + Y^2T + XT^2 + 20Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 20X^3$	72	20
$\mathcal{G}_3^2$	$7T^3 + 21YT^2 + 21Y^2T + 21XT^2 + 7Y^3 + 43XYT + 21XY^2 + 21X^2T + 21X^2Y + 7X^3$	69	22
$\mathcal{G}_3^2$	$43T^3 + 11YT^2 + 11Y^2T + 11XT^2 + 43Y^3 + 23XYT + 11XY^2 + 11X^2T + 11X^2Y + 43X^3$	69	58
$\mathcal{G}_3^2$	$3T^3 + 9YT^2 + 9Y^2T + 9XT^2 + 3Y^3 + 19XYT + 9XY^2 + 9X^2T + 9X^2Y + 3X^3$	69	39
$\mathcal{G}_3^2$	$31T^3 + 34YT^2 + 34Y^2T + 34XT^2 + 31Y^3 + 10XYT + 34XY^2 + 34X^2T + 34X^2Y + 31X^3$	69	24
$\mathcal{G}_3^2$	$T^3 + 3YT^2 + 3Y^2T + 3XT^2 + Y^3 + 7XYT + 3XY^2 + 3X^2T + 3X^2Y + X^3$	66	13

Table 92 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$58T^3+56YT^2+56Y^2T+56XT^2+58Y^3+54XYT+56XY^2+56X^2T+56X^2Y+58X^3$	66	30
$\mathcal{G}_3^2$	$53T^3+41YT^2+41Y^2T+41XT^2+53Y^3+24XYT+41XY^2+41X^2T+41X^2Y+53X^3$	66	35
$\mathcal{G}_3^2$	$45T^3+17YT^2+17Y^2T+17XT^2+45Y^3+35XYT+17XY^2+17X^2T+17X^2Y+45X^3$	66	50
$\mathcal{G}_3^2$	$42T^3+8YT^2+8Y^2T+8XT^2+42Y^3+17XYT+8XY^2+8X^2T+8X^2Y+42X^3$	66	41
$\mathcal{G}_3^2$	$28T^3+25YT^2+25Y^2T+25XT^2+28Y^3+51XYT+25XY^2+25X^2T+25X^2Y+28X^3$	66	27
$\mathcal{G}_3^2$	$22T^3+7YT^2+7Y^2T+7XT^2+22Y^3+15XYT+7XY^2+7X^2T+7X^2Y+22X^3$	66	54
$\mathcal{G}_3^2$	$6T^3+18YT^2+18Y^2T+18XT^2+6Y^3+37XYT+18XY^2+18X^2T+18X^2Y+6X^3$	63	26
$\mathcal{G}_3^2$	$19T^3+57YT^2+57Y^2T+57XT^2+19Y^3+56XYT+57XY^2+57X^2T+57X^2Y+19X^3$	63	18
$\mathcal{G}_3^2$	$15T^3+45YT^2+45Y^2T+45XT^2+15Y^3+32XYT+45XY^2+45X^2T+45X^2Y+15X^3$	63	9
$\mathcal{G}_3^2$	$13T^3+39YT^2+39Y^2T+39XT^2+13Y^3+20XYT+39XY^2+39X^2T+39X^2Y+13X^3$	63	6
$\mathcal{G}_3^2$	$10T^3+30YT^2+30Y^2T+30XT^2+10Y^3+2XYT+30XY^2+30X^2T+30X^2Y+10X^3$	63	4
$\mathcal{G}_3^2$	$8T^3+24YT^2+24Y^2T+24XT^2+8Y^3+49XYT+24XY^2+24X^2T+24X^2Y+8X^3$	60	47
$\mathcal{G}_3^2$	$56T^3+50YT^2+50Y^2T+50XT^2+56Y^3+42XYT+50XY^2+50X^2T+50X^2Y+56X^3$	60	48
$\mathcal{G}_3^2$	$50T^3+32YT^2+32Y^2T+32XT^2+50Y^3+6XYT+32XY^2+32X^2T+32X^2Y+50X^3$	60	15
$\mathcal{G}_3^2$	$49T^3+29YT^2+29Y^2T+29XT^2+49Y^3+29XY^2+29X^2T+29X^2Y+49X^3$	60	48
$\mathcal{G}_3^2$	$46T^3+20YT^2+20Y^2T+20XT^2+46Y^3+41XYT+20XY^2+20X^2T+20X^2Y+46X^3$	60	28
$\mathcal{G}_3^2$	$37T^3+52YT^2+52Y^2T+52XT^2+37Y^3+46XYT+52XY^2+52X^2T+52X^2Y+37X^3$	60	47

Table 92 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$34T^3+43YT^2+43Y^2T+43XT^2+34Y^3+28XYT+43XY^2+43X^2T+43X^2Y+34X^3$	60	28
$\mathcal{G}_3^2$	$12T^3+36YT^2+36Y^2T+36XT^2+12Y^3+14XYT+36XY^2+36X^2T+36X^2Y+12X^3$	60	15
$\mathcal{G}_3^2$	$9T^3+27YT^2+27Y^2T+27XT^2+9Y^3+55XYT+27XY^2+27X^2T+27X^2Y+9X^3$	57	18
$\mathcal{G}_3^2$	$5T^3+15YT^2+15Y^2T+15XT^2+5Y^3+31XYT+15XY^2+15X^2T+15X^2Y+5X^3$	57	4
$\mathcal{G}_3^2$	$18T^3+54YT^2+54Y^2T+54XT^2+18Y^3+50XYT+54XY^2+54X^2T+54X^2Y+18X^3$	57	9
$\mathcal{G}_3^2$	$14T^3+42YT^2+42Y^2T+42XT^2+14Y^3+26XYT+42XY^2+42X^2T+42X^2Y+14X^3$	57	6
$\mathcal{G}_3^2$	$11T^3+33YT^2+33Y^2T+33XT^2+11Y^3+8XYT+33XY^2+33X^2T+33X^2Y+11X^3$	57	26
$\mathcal{G}_3^2$	$55T^3+47YT^2+47Y^2T+47XT^2+55Y^3+36XYT+47XY^2+47X^2T+47X^2Y+55X^3$	54	41
$\mathcal{G}_3^2$	$41T^3+5YT^2+5Y^2T+5XT^2+41Y^3+11XYT+5XY^2+5X^2T+5X^2Y+41X^3$	54	50
$\mathcal{G}_3^2$	$38T^3+55YT^2+55Y^2T+55XT^2+38Y^3+52XYT+55XY^2+55X^2T+55X^2Y+38X^3$	54	54
$\mathcal{G}_3^2$	$30T^3+31YT^2+31Y^2T+31XT^2+30Y^3+4XYT+31XY^2+31X^2T+31X^2Y+30X^3$	54	35
$\mathcal{G}_3^2$	$2T^3+6YT^2+6Y^2T+6XT^2+2Y^3+13XYT+6XY^2+6X^2T+6X^2Y+2X^3$	54	13
$\mathcal{G}_3^2$	$25T^3+16YT^2+16Y^2T+16XT^2+25Y^3+33XYT+16XY^2+16X^2T+16X^2Y+25X^3$	54	27
$\mathcal{G}_3^2$	$23T^3+10YT^2+10Y^2T+10XT^2+23Y^3+21XYT+10XY^2+10X^2T+10X^2Y+23X^3$	54	30

Table 92 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$52T^3+38YT^2+38Y^2T+38XT^2+52Y^3+18XYT+38XY^2+38X^2T+38X^2Y+52X^3$	51	58
$\mathcal{G}_3^2$	$40T^3+2YT^2+2Y^2T+2XT^2+40Y^3+5XYT+2XY^2+2X^2T+2X^2Y+40X^3$	51	22
$\mathcal{G}_3^2$	$21T^3+4YT^2+4Y^2T+4XT^2+21Y^3+9XYT+4XY^2+4X^2T+4X^2Y+21X^3$	51	24
$\mathcal{G}_3^2$	$17T^3+51YT^2+51Y^2T+51XT^2+17Y^3+44XYT+51XY^2+51X^2T+51X^2Y+17X^3$	51	39
$\mathcal{G}_3^2$	$4T^3+12YT^2+12Y^2T+12XT^2+4Y^3+25XYT+12XY^2+12X^2T+12X^2Y+4X^3$	48	42
$\mathcal{G}_3^2$	$47T^3+23YT^2+23Y^2T+23XT^2+47Y^3+47XYT+23XY^2+23X^2T+23X^2Y+47X^3$	48	49
$\mathcal{G}_3^2$	$39T^3+58YT^2+58Y^2T+58XT^2+39Y^3+58XYT+58XY^2+58X^2T+58X^2Y+39X^3$	48	44
$\mathcal{G}_3^2$	$35T^3+46YT^2+46Y^2T+46XT^2+35Y^3+34XYT+46XY^2+46X^2T+46X^2Y+35X^3$	48	20
$\mathcal{G}_3^2$	$32T^3+37YT^2+37Y^2T+37XT^2+32Y^3+16XYT+37XY^2+37X^2T+37X^2Y+32X^3$	48	19
$\mathcal{G}_3^2$	$29T^3+28YT^2+28Y^2T+28XT^2+29Y^3+57XYT+28XY^2+28X^2T+28X^2Y+29X^3$	48	40
$\mathcal{G}_1$	$YT^2+50Y^3+2XY^2+X^3$	74	2
$\mathcal{G}_1$	$YT^2+31Y^3+2XY^2+X^3$	74	10
$\mathcal{G}_1$	$YT^2+43Y^3+XY^2+X^3$	73	37
$\mathcal{G}_1$	$YT^2+30Y^3+2XY^2+X^3$	71	3
$\mathcal{G}_1$	$YT^2+22Y^3+XY^2+X^3$	71	11
$\mathcal{G}_1$	$YT^2+27Y^3+2XY^2+X^3$	70	8
$\mathcal{G}_1$	$YT^2+23Y^3+XY^2+X^3$	70	1

Table 92 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 14Y^3 + XY^2 + X^3$	70	12
$\mathcal{G}_1$	$YT^2 + 10Y^3 + XY^2 + X^3$	70	5
$\mathcal{G}_1$	$YT^2 + 52Y^3 + 2XY^2 + X^3$	68	23
$\mathcal{G}_1$	$YT^2 + 41Y^3 + 2XY^2 + X^3$	68	31
$\mathcal{G}_1$	$YT^2 + 39Y^3 + 2XY^2 + X^3$	68	56
$\mathcal{G}_1$	$YT^2 + 15Y^3 + XY^2 + X^3$	68	34
$\mathcal{G}_1$	$YT^2 + 46Y^3 + XY^2 + X^3$	67	52
$\mathcal{G}_1$	$YT^2 + 11Y^3 + 2XY^2 + X^3$	67	21
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 2XY^2 + X^3$	65	46
$\mathcal{G}_1$	$YT^2 + 3Y^3 + XY^2 + X^3$	65	33
$\mathcal{G}_1$	$YT^2 + 35Y^3 + XY^2 + X^3$	65	32
$\mathcal{G}_1$	$YT^2 + 8Y^3 + XY^2 + X^3$	64	51
$\mathcal{G}_1$	$YT^2 + 57Y^3 + 2XY^2 + X^3$	64	14
$\mathcal{G}_1$	$YT^2 + 50Y^3 + XY^2 + X^3$	64	38
$\mathcal{G}_1$	$YT^2 + 47Y^3 + XY^2 + X^3$	64	25
$\mathcal{G}_1$	$YT^2 + 43Y^3 + 2XY^2 + X^3$	64	55
$\mathcal{G}_1$	$YT^2 + 42Y^3 + 2XY^2 + X^3$	64	53
$\mathcal{G}_1$	$YT^2 + 40Y^3 + 2XY^2 + X^3$	64	7
$\mathcal{G}_1$	$YT^2 + 27Y^3 + XY^2 + X^3$	64	43
$\mathcal{G}_1$	$YT^2 + 33Y^3 + XY^2 + X^3$	62	57
$\mathcal{G}_1$	$YT^2 + 17Y^3 + XY^2 + X^3$	62	16
$\mathcal{G}_1$	$YT^2 + 34Y^3 + 2XY^2 + X^3$	61	29
$\mathcal{G}_1$	$YT^2 + 23Y^3 + 2XY^2 + X^3$	61	45
$\mathcal{G}_1$	$YT^2 + 36Y^3 + 2XY^2 + X^3$	59	45
$\mathcal{G}_1$	$YT^2 + 25Y^3 + 2XY^2 + X^3$	59	29
$\mathcal{G}_1$	$YT^2 + 42Y^3 + XY^2 + X^3$	58	16
$\mathcal{G}_1$	$YT^2 + 26Y^3 + XY^2 + X^3$	58	57
$\mathcal{G}_1$	$YT^2 + 9Y^3 + XY^2 + X^3$	56	38
$\mathcal{G}_1$	$YT^2 + 51Y^3 + XY^2 + X^3$	56	51
$\mathcal{G}_1$	$YT^2 + 32Y^3 + XY^2 + X^3$	56	43
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 2XY^2 + X^3$	56	14

Table 92 Continue 5

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+19Y^3+2XY^2+X^3$	56	7
$\mathcal{G}_1$	$YT^2+17Y^3+2XY^2+X^3$	56	53
$\mathcal{G}_1$	$YT^2+16Y^3+2XY^2+X^3$	56	55
$\mathcal{G}_1$	$YT^2+12Y^3+XY^2+X^3$	56	25
$\mathcal{G}_1$	$YT^2+56Y^3+XY^2+X^3$	55	33
$\mathcal{G}_1$	$YT^2+54Y^3+2XY^2+X^3$	55	46
$\mathcal{G}_1$	$YT^2+24Y^3+XY^2+X^3$	55	32
$\mathcal{G}_1$	$YT^2+48Y^3+2XY^2+X^3$	53	21
$\mathcal{G}_1$	$YT^2+13Y^3+XY^2+X^3$	53	52
$\mathcal{G}_1$	$YT^2+7Y^3+2XY^2+X^3$	52	23
$\mathcal{G}_1$	$YT^2+44Y^3+XY^2+X^3$	52	34
$\mathcal{G}_1$	$YT^2+20Y^3+2XY^2+X^3$	52	56
$\mathcal{G}_1$	$YT^2+18Y^3+2XY^2+X^3$	52	31
$\mathcal{G}_1$	$YT^2+49Y^3+XY^2+X^3$	50	5
$\mathcal{G}_1$	$YT^2+45Y^3+XY^2+X^3$	50	12
$\mathcal{G}_1$	$YT^2+36Y^3+XY^2+X^3$	50	1
$\mathcal{G}_1$	$YT^2+32Y^3+2XY^2+X^3$	50	8
$\mathcal{G}_1$	$YT^2+37Y^3+XY^2+X^3$	49	11
$\mathcal{G}_1$	$YT^2+29Y^3+2XY^2+X^3$	49	3
$\mathcal{G}_1$	$YT^2+9Y^3+2XY^2+X^3$	46	2
$\mathcal{G}_1$	$YT^2+28Y^3+2XY^2+X^3$	46	10
$\mathcal{H}_0^2$	$T^3+56Y^2T+58Y^3+3XYT+3XY^2+56X^2T+58X^3$	60	17
$\mathcal{H}_0^2$	$T^3+56Y^2T+39Y^3+XYT+3XY^2+56X^2T+58X^3$	60	17
$\mathcal{G}_0^2$	$T^3+35Y^2T+50Y^3+39XYT+3XY^2+35X^2T+58X^3$	75	36
$\mathcal{G}_0^2$	$T^3+56Y^2T+31Y^3+25XYT+3XY^2+56X^2T+58X^3$	72	42
$\mathcal{G}_0^2$	$T^3+53Y^2T+49Y^3+XYT+3XY^2+53X^2T+58X^3$	72	44
$\mathcal{G}_0^2$	$T^3+50Y^2T+50Y^3+22XYT+3XY^2+50X^2T+58X^3$	72	40
$\mathcal{G}_0^2$	$T^3+50Y^2T+30Y^3+25XYT+3XY^2+50X^2T+58X^3$	72	19
$\mathcal{G}_0^2$	$T^3+41Y^2T+50Y^3+44XYT+3XY^2+41X^2T+58X^3$	72	20
$\mathcal{G}_0^2$	$T^3+35Y^2T+31Y^3+23XYT+3XY^2+35X^2T+58X^3$	72	49
$\mathcal{G}_0^2$	$T^3+53Y^2T+39Y^3+2XYT+3XY^2+53X^2T+58X^3$	69	39

Table 92 Continue 6

type	equation	n	$j-$ inv.
$\mathcal{G}_0^2$	$T^3+47Y^2T+48Y^3+14XYT+3XY^2+47X^2T+58X^3$	69	24
$\mathcal{G}_0^2$	$T^3+44Y^2T+49Y^3+32XYT+3XY^2+44X^2T+58X^3$	69	58
$\mathcal{G}_0^2$	$T^3+29Y^2T+58Y^3+30XYT+3XY^2+29X^2T+58X^3$	69	22
$\mathcal{G}_0^2$	$T^3+56Y^2T+50Y^3+27XYT+3XY^2+56X^2T+58X^3$	66	50
$\mathcal{G}_0^2$	$T^3+56Y^2T+46Y^3+39XYT+3XY^2+56X^2T+58X^3$	66	54
$\mathcal{G}_0^2$	$T^3+56Y^2T+30Y^3+28XYT+3XY^2+56X^2T+58X^3$	66	35
$\mathcal{G}_0^2$	$T^3+47Y^2T+37Y^3+28XYT+3XY^2+47X^2T+58X^3$	66	13
$\mathcal{G}_0^2$	$T^3+47Y^2T+31Y^3+41XYT+3XY^2+47X^2T+58X^3$	66	27
$\mathcal{G}_0^2$	$T^3+35Y^2T+37Y^3+56XYT+3XY^2+35X^2T+58X^3$	66	30
$\mathcal{G}_0^2$	$T^3+17Y^2T+39Y^3+14XYT+3XY^2+17X^2T+58X^3$	66	41
$\mathcal{G}_0^2$	$T^3+50Y^2T+48Y^3+40XYT+3XY^2+50X^2T+58X^3$	63	4
$\mathcal{G}_0^2$	$T^3+50Y^2T+46Y^3+58XYT+3XY^2+50X^2T+58X^3$	63	6
$\mathcal{G}_0^2$	$T^3+44Y^2T+58Y^3+15XYT+3XY^2+44X^2T+58X^3$	63	26
$\mathcal{G}_0^2$	$T^3+41Y^2T+37Y^3+42XYT+3XY^2+41X^2T+58X^3$	63	9
$\mathcal{G}_0^2$	$T^3+29Y^2T+49Y^3+5XYT+3XY^2+29X^2T+58X^3$	63	18
$\mathcal{G}_0^2$	$T^3+56Y^2T+44Y^3+45XYT+3XY^2+56X^2T+58X^3$	60	28
$\mathcal{G}_0^2$	$T^3+53Y^2T+50Y^3+54XYT+3XY^2+53X^2T+58X^3$	60	28
$\mathcal{G}_0^2$	$T^3+53Y^2T+44Y^3+31XYT+3XY^2+53X^2T+58X^3$	60	15
$\mathcal{G}_0^2$	$T^3+53Y^2T+31Y^3+50XYT+3XY^2+53X^2T+58X^3$	60	48
$\mathcal{G}_0^2$	$T^3+44Y^2T+46Y^3+18XYT+3XY^2+44X^2T+58X^3$	60	48
$\mathcal{G}_0^2$	$T^3+41Y^2T+48Y^3+21XYT+3XY^2+41X^2T+58X^3$	60	47
$\mathcal{G}_0^2$	$T^3+38Y^2T+39Y^3+7XYT+3XY^2+38X^2T+58X^3$	60	15
$\mathcal{G}_0^2$	$T^3+35Y^2T+39Y^3+8XYT+3XY^2+35X^2T+58X^3$	60	47
$\mathcal{G}_0^2$	$T^3+53Y^2T+46Y^3+19XYT+3XY^2+53X^2T+58X^3$	57	18
$\mathcal{G}_0^2$	$T^3+50Y^2T+49Y^3+31XYT+3XY^2+50X^2T+58X^3$	57	9
$\mathcal{G}_0^2$	$T^3+50Y^2T+37Y^3+21XYT+3XY^2+50X^2T+58X^3$	57	26
$\mathcal{G}_0^2$	$T^3+47Y^2T+39Y^3+4XYT+3XY^2+47X^2T+58X^3$	57	6
$\mathcal{G}_0^2$	$T^3+29Y^2T+46Y^3+36XYT+3XY^2+29X^2T+58X^3$	57	4
$\mathcal{G}_0^2$	$T^3+5Y^2T+50Y^3+14XYT+3XY^2+5X^2T+58X^3$	54	13
$\mathcal{G}_0^2$	$T^3+53Y^2T+58Y^3+6XYT+3XY^2+53X^2T+58X^3$	54	30
$\mathcal{G}_0^2$	$T^3+41Y^2T+49Y^3+3XYT+3XY^2+41X^2T+58X^3$	54	54

Table 92 Continue 7

type	equation	n	$j-$ inv.
$\mathcal{G}_0^2$	$T^3+41Y^2T+46Y^3+57XYT+3XY^2+41X^2T+58X^3$	54	35
$\mathcal{G}_0^2$	$T^3+41Y^2T+30Y^3+50XYT+3XY^2+41X^2T+58X^3$	54	41
$\mathcal{G}_0^2$	$T^3+32Y^2T+50Y^3+7XYT+3XY^2+32X^2T+58X^3$	54	27
$\mathcal{G}_0^2$	$T^3+32Y^2T+37Y^3+4XYT+3XY^2+32X^2T+58X^3$	54	50
$\mathcal{G}_0^2$	$T^3+53Y^2T+48Y^3+7XYT+3XY^2+53X^2T+58X^3$	51	24
$\mathcal{G}_0^2$	$T^3+53Y^2T+37Y^3+14XYT+3XY^2+53X^2T+58X^3$	51	39
$\mathcal{G}_0^2$	$T^3+47Y^2T+50Y^3+49XYT+3XY^2+47X^2T+58X^3$	51	22
$\mathcal{G}_0^2$	$T^3+47Y^2T+44Y^3+3XYT+3XY^2+47X^2T+58X^3$	51	58
$\mathcal{G}_0^2$	$T^3+56Y^2T+49Y^3+30XYT+3XY^2+56X^2T+58X^3$	48	44
$\mathcal{G}_0^2$	$T^3+53Y^2T+30Y^3+56XYT+3XY^2+53X^2T+58X^3$	48	20
$\mathcal{G}_0^2$	$T^3+44Y^2T+48Y^3+47XYT+3XY^2+44X^2T+58X^3$	48	40
$\mathcal{G}_0^2$	$T^3+35Y^2T+48Y^3+28XYT+3XY^2+35X^2T+58X^3$	48	49
$\mathcal{G}_0^2$	$T^3+29Y^2T+48Y^3+35XYT+3XY^2+29X^2T+58X^3$	48	19
$\mathcal{G}_0^2$	$T^3+20Y^2T+49Y^3+36XYT+3XY^2+20X^2T+58X^3$	48	42
$\mathcal{G}_0^2$	$T^3+35Y^2T+44Y^3+6XYT+3XY^2+35X^2T+58X^3$	45	36
$\mathcal{E}_0^2$	$T^3+56Y^2T+37Y^3+7XYT+3XY^2+56X^2T+58X^3$	60	0

Table 93 $q=61$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_1^0$	$6YT^2+59XT^2+Y^3+XY^2$	63	1

Table 94 $q = 61$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_3^2$	$T^3 + Y^3 + XYT$	61
$\mathcal{N}_1^1$	$T^3 + XY^2$	62
$\mathcal{N}_0^2$	$2T^3 + Y^3 + XYT$	61

Table 95 $q = 61$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^1$	$52T^3 + 34YT^2 + 34Y^2T + 34XT^2 + 52Y^3 + 8XYT + 34XY^2 + 34X^2T + 34X^2Y + 52X^3$	54	1	12
$\mathcal{G}_3^1$	$15T^3 + 45YT^2 + 45Y^2T + 45XT^2 + 15Y^3 + 30XYT + 45XY^2 + 45X^2T + 45X^2Y + 15X^3$	48	3	44

Table 96 $q = 61$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{H}_9^4$	$T^3 + Y^3 + 34XYT + X^3$	72	20
$\mathcal{G}_9^4$	$T^3 + Y^3 + 55XYT + X^3$	72	3
$\mathcal{G}_9^4$	$T^3 + Y^3 + 28XYT + X^3$	63	23
$\mathcal{G}_9^4$	$T^3 + Y^3 + 40XYT + X^3$	54	52
$\mathcal{G}_9^4$	$T^3 + Y^3 + 37XYT + X^3$	54	28
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	63	0
$\mathcal{G}_3^1$	$48T^3 + 22YT^2 + 22Y^2T + 22XT^2 + 48Y^3 + 45XYT + 22XY^2 + 22X^2T + 22X^2Y + 48X^3$	75	17
$\mathcal{G}_3^1$	$22T^3 + 5YT^2 + 5Y^2T + 5XT^2 + 22Y^3 + 11XYT + 5XY^2 + 5X^2T + 5X^2Y + 22X^3$	75	19
$\mathcal{G}_3^1$	$58T^3 + 52YT^2 + 52Y^2T + 52XT^2 + 58Y^3 + 44XYT + 52XY^2 + 52X^2T + 52X^2Y + 58X^3$	72	40
$\mathcal{G}_3^1$	$41T^3 + YT^2 + Y^2T + XT^2 + 41Y^3 + 3XYT + XY^2 + X^2T + X^2Y + 41X^3$	72	2
$\mathcal{G}_3^1$	$3T^3 + 9YT^2 + 9Y^2T + 9XT^2 + 3Y^3 + 19XYT + 9XY^2 + 9X^2T + 9X^2Y + 3X^3$	72	26
$\mathcal{G}_3^1$	$28T^3 + 23YT^2 + 23Y^2T + 23XT^2 + 28Y^3 + 47XYT + 23XY^2 + 23X^2T + 23X^2Y + 28X^3$	72	22
$\mathcal{G}_3^1$	$24T^3 + 11YT^2 + 11Y^2T + 11XT^2 + 24Y^3 + 23XYT + 11XY^2 + 11X^2T + 11X^2Y + 24X^3$	72	14
$\mathcal{G}_3^1$	$11T^3 + 33YT^2 + 33Y^2T + 33XT^2 + 11Y^3 + 6XYT + 33XY^2 + 33X^2T + 33X^2Y + 11X^3$	72	35
$\mathcal{G}_3^1$	$5T^3 + 15YT^2 + 15Y^2T + 15XT^2 + 5Y^3 + 31XYT + 15XY^2 + 15X^2T + 15X^2Y + 5X^3$	69	16
$\mathcal{G}_3^1$	$57T^3 + 49YT^2 + 49Y^2T + 49XT^2 + 57Y^3 + 38XYT + 49XY^2 + 49X^2T + 49X^2Y + 57X^3$	69	47
$\mathcal{G}_3^1$	$4T^3 + 12YT^2 + 12Y^2T + 12XT^2 + 4Y^3 + 25XYT + 12XY^2 + 12X^2T + 12X^2Y + 4X^3$	69	42

Table 96 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$13T^3+39YT^2+39Y^2T+39XT^2+13Y^3+18XYT+39XY^2+39X^2T+39X^2Y+13X^3$	69	54
$\mathcal{G}_3^1$	$54T^3+40YT^2+40Y^2T+40XT^2+54Y^3+20XYT+40XY^2+40X^2T+40X^2Y+54X^3$	66	51
$\mathcal{G}_3^1$	$51T^3+31YT^2+31Y^2T+31XT^2+51Y^3+2XYT+31XY^2+31X^2T+31X^2Y+51X^3$	66	43
$\mathcal{G}_3^1$	$19T^3+57YT^2+57Y^2T+57XT^2+19Y^3+54XYT+57XY^2+57X^2T+57X^2Y+19X^3$	66	46
$\mathcal{G}_3^1$	$16T^3+48YT^2+48Y^2T+48XT^2+16Y^3+36XYT+48XY^2+48X^2T+48X^2Y+16X^3$	66	30
$\mathcal{G}_3^1$	$53T^3+37YT^2+37Y^2T+37XT^2+53Y^3+14XYT+37XY^2+37X^2T+37X^2Y+53X^3$	63	21
$\mathcal{G}_3^1$	$38T^3+53YT^2+53Y^2T+53XT^2+38Y^3+46XYT+53XY^2+53X^2T+53X^2Y+38X^3$	63	7
$\mathcal{G}_3^1$	$34T^3+41YT^2+41Y^2T+41XT^2+34Y^3+22XYT+41XY^2+41X^2T+41X^2Y+34X^3$	63	59
$\mathcal{G}_3^1$	$49T^3+25YT^2+25Y^2T+25XT^2+49Y^3+51XYT+25XY^2+25X^2T+25X^2Y+49X^3$	60	57
$\mathcal{G}_3^1$	$45T^3+13YT^2+13Y^2T+13XT^2+45Y^3+27XYT+13XY^2+13X^2T+13X^2Y+45X^3$	60	6
$\mathcal{G}_3^1$	$40T^3+59YT^2+59Y^2T+59XT^2+40Y^3+58XYT+59XY^2+59X^2T+59X^2Y+40X^3$	60	56
$\mathcal{G}_3^1$	$39T^3+56YT^2+56Y^2T+56XT^2+39Y^3+52XYT+56XY^2+56X^2T+56X^2Y+39X^3$	60	18
$\mathcal{G}_3^1$	$31T^3+32YT^2+32Y^2T+32XT^2+31Y^3+4XYT+32XY^2+32X^2T+32X^2Y+31X^3$	60	31
$\mathcal{G}_3^1$	$30T^3+29YT^2+29Y^2T+29XT^2+30Y^3+59XYT+29XY^2+29X^2T+29X^2Y+30X^3$	60	32

Table 96 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$25T^3+14YT^2+14Y^2T+14XT^2+25Y^3+29XYT+14XY^2+14X^2T+14X^2Y+25X^3$	60	4
$\mathcal{G}_3^1$	$21T^3+2YT^2+2Y^2T+2XT^2+21Y^3+5XYT+2XY^2+2X^2T+2X^2Y+21X^3$	60	13
$\mathcal{G}_3^1$	$7T^3+21YT^2+21Y^2T+21XT^2+7Y^3+43XYT+21XY^2+21X^2T+21X^2Y+7X^3$	57	36
$\mathcal{G}_3^1$	$44T^3+10YT^2+10Y^2T+10XT^2+44Y^3+21XYT+10XY^2+10X^2T+10X^2Y+44X^3$	57	5
$\mathcal{G}_3^1$	$2T^3+6YT^2+6Y^2T+6XT^2+2Y^3+13XYT+6XY^2+6X^2T+6X^2Y+2X^3$	57	25
$\mathcal{G}_3^1$	$26T^3+17YT^2+17Y^2T+17XT^2+26Y^3+35XYT+17XY^2+17X^2T+17X^2Y+26X^3$	57	39
$\mathcal{G}_3^1$	$60T^3+58YT^2+58Y^2T+58XT^2+60Y^3+56XYT+58XY^2+58X^2T+58X^2Y+60X^3$	54	48
$\mathcal{G}_3^1$	$27T^3+20YT^2+20Y^2T+20XT^2+27Y^3+41XYT+20XY^2+20X^2T+20X^2Y+27X^3$	54	10
$\mathcal{G}_3^1$	$23T^3+8YT^2+8Y^2T+8XT^2+23Y^3+17XYT+8XY^2+8X^2T+8X^2Y+23X^3$	54	55
$\mathcal{G}_3^1$	$56T^3+46YT^2+46Y^2T+46XT^2+56Y^3+32XYT+46XY^2+46X^2T+46X^2Y+56X^3$	51	45
$\mathcal{G}_3^1$	$14T^3+42YT^2+42Y^2T+42XT^2+14Y^3+24XYT+42XY^2+42X^2T+42X^2Y+14X^3$	51	29
$\mathcal{G}_3^1$	$55T^3+43YT^2+43Y^2T+43XT^2+55Y^3+26XYT+43XY^2+43X^2T+43X^2Y+55X^3$	48	49
$\mathcal{G}_3^1$	$35T^3+44YT^2+44Y^2T+44XT^2+35Y^3+28XYT+44XY^2+44X^2T+44X^2Y+35X^3$	48	15

Table 96 Continue 3

type	equation	n	$j-$ inv.
$\overline{\mathcal{E}}_3^1$	$4T^3 + XY^2 + X^2Y$	75	0
$\overline{\mathcal{E}}_3^1$	$2T^3 + XY^2 + X^2Y$	48	0
$\mathcal{H}_1^4$	$YT^2 + XY^2 + X^3$	52	20
$\mathcal{E}_1^4$	$YT^2 + 59Y^3 + X^3$	61	0
$\mathcal{E}_1^1$	$YT^2 + 53Y^3 + X^3$	76	0
$\mathcal{E}_1^1$	$YT^2 + 29Y^3 + X^3$	49	0
$\mathcal{H}_1^0$	$YT^2 + 2XY^2 + X^3$	74	20
$\mathcal{H}_1^0$	$YT^2 + 8XY^2 + X^3$	50	20
$\mathcal{G}_1$	$YT^2 + 29Y^3 + 6XY^2 + X^3$	77	8
$\mathcal{G}_1$	$YT^2 + 9Y^3 + 3XY^2 + X^3$	76	44
$\mathcal{G}_1$	$YT^2 + 7Y^3 + XY^2 + X^3$	76	15
$\mathcal{G}_1$	$YT^2 + 22Y^3 + 6XY^2 + X^3$	76	49
$\mathcal{G}_1$	$YT^2 + 8Y^3 + 6XY^2 + X^3$	74	27
$\mathcal{G}_1$	$YT^2 + 24Y^3 + 3XY^2 + X^3$	74	38
$\mathcal{G}_1$	$YT^2 + 9Y^3 + XY^2 + X^3$	73	45
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 6XY^2 + X^3$	73	29
$\mathcal{G}_1$	$YT^2 + 12Y^3 + XY^2 + X^3$	71	34
$\mathcal{G}_1$	$YT^2 + 5Y^3 + XY^2 + X^3$	70	10

Table 96 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+5Y^3+3XY^2+X^3$	70	28
$\mathcal{G}_1$	$YT^2+30Y^3+2XY^2+X^3$	70	48
$\mathcal{G}_1$	$YT^2+28Y^3+2XY^2+X^3$	70	12
$\mathcal{G}_1$	$YT^2+20Y^3+XY^2+X^3$	70	55
$\mathcal{G}_1$	$YT^2+14Y^3+2XY^2+X^3$	70	52
$\mathcal{G}_1$	$YT^2+3Y^3+2XY^2+X^3$	68	60
$\mathcal{G}_1$	$YT^2+2Y^3+XY^2+X^3$	68	53
$\mathcal{G}_1$	$YT^2+29Y^3+XY^2+X^3$	68	1
$\mathcal{G}_1$	$YT^2+26Y^3+XY^2+X^3$	68	37
$\mathcal{G}_1$	$YT^2+23Y^3+6XY^2+X^3$	68	33
$\mathcal{G}_1$	$YT^2+16Y^3+2XY^2+X^3$	68	58
$\mathcal{G}_1$	$YT^2+3Y^3+3XY^2+X^3$	67	39
$\mathcal{G}_1$	$YT^2+26Y^3+3XY^2+X^3$	67	36
$\mathcal{G}_1$	$YT^2+19Y^3+XY^2+X^3$	67	25
$\mathcal{G}_1$	$YT^2+16Y^3+3XY^2+X^3$	67	5
$\mathcal{G}_1$	$YT^2+2Y^3+6XY^2+X^3$	65	11
$\mathcal{G}_1$	$YT^2+29Y^3+2XY^2+X^3$	65	24
$\mathcal{G}_1$	$YT^2+7Y^3+6XY^2+X^3$	64	32
$\mathcal{G}_1$	$YT^2+28Y^3+6XY^2+X^3$	64	57
$\mathcal{G}_1$	$YT^2+27Y^3+XY^2+X^3$	64	56
$\mathcal{G}_1$	$YT^2+21Y^3+3XY^2+X^3$	64	18
$\mathcal{G}_1$	$YT^2+20Y^3+6XY^2+X^3$	64	6
$\mathcal{G}_1$	$YT^2+20Y^3+3XY^2+X^3$	64	31
$\mathcal{G}_1$	$YT^2+15Y^3+2XY^2+X^3$	64	13
$\mathcal{G}_1$	$YT^2+10Y^3+XY^2+X^3$	64	4
$\mathcal{G}_1$	$YT^2+30Y^3+XY^2+X^3$	62	50
$\mathcal{G}_1$	$YT^2+27Y^3+6XY^2+X^3$	62	41
$\mathcal{G}_1$	$YT^2+24Y^3+2XY^2+X^3$	62	41
$\mathcal{G}_1$	$YT^2+21Y^3+2XY^2+X^3$	62	9
$\mathcal{G}_1$	$YT^2+16Y^3+6XY^2+X^3$	62	9
$\mathcal{G}_1$	$YT^2+12Y^3+3XY^2+X^3$	62	50

Table 96 Continue 5

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 2XY^2 + X^3$	61	7
$\mathcal{G}_1$	$YT^2 + 21Y^3 + 6XY^2 + X^3$	61	59
$\mathcal{G}_1$	$YT^2 + 18Y^3 + 2XY^2 + X^3$	61	23
$\mathcal{G}_1$	$YT^2 + 14Y^3 + 6XY^2 + X^3$	61	21
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 2XY^2 + X^3$	59	11
$\mathcal{G}_1$	$YT^2 + 25Y^3 + 6XY^2 + X^3$	59	24
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 3XY^2 + X^3$	58	51
$\mathcal{G}_1$	$YT^2 + 25Y^3 + XY^2 + X^3$	58	43
$\mathcal{G}_1$	$YT^2 + 24Y^3 + 6XY^2 + X^3$	58	46
$\mathcal{G}_1$	$YT^2 + 16Y^3 + XY^2 + X^3$	58	30
$\mathcal{G}_1$	$YT^2 + 27Y^3 + 2XY^2 + X^3$	56	33
$\mathcal{G}_1$	$YT^2 + 25Y^3 + 3XY^2 + X^3$	56	1
$\mathcal{G}_1$	$YT^2 + 18Y^3 + 6XY^2 + X^3$	56	58
$\mathcal{G}_1$	$YT^2 + 14Y^3 + 3XY^2 + X^3$	56	37
$\mathcal{G}_1$	$YT^2 + 13Y^3 + 3XY^2 + X^3$	56	53
$\mathcal{G}_1$	$YT^2 + 11Y^3 + 6XY^2 + X^3$	56	60
$\mathcal{G}_1$	$YT^2 + 3Y^3 + XY^2 + X^3$	55	47
$\mathcal{G}_1$	$YT^2 + 28Y^3 + XY^2 + X^3$	55	16
$\mathcal{G}_1$	$YT^2 + 17Y^3 + XY^2 + X^3$	55	42
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 2XY^2 + X^3$	55	54
$\mathcal{G}_1$	$YT^2 + 17Y^3 + 3XY^2 + X^3$	53	34
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 3XY^2 + X^3$	52	2
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 2XY^2 + X^3$	52	14
$\mathcal{G}_1$	$YT^2 + 30Y^3 + 3XY^2 + X^3$	52	26
$\mathcal{G}_1$	$YT^2 + 17Y^3 + 6XY^2 + X^3$	52	40
$\mathcal{G}_1$	$YT^2 + 17Y^3 + 2XY^2 + X^3$	52	35
$\mathcal{G}_1$	$YT^2 + 13Y^3 + 6XY^2 + X^3$	52	22
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 6XY^2 + X^3$	52	3
$\mathcal{G}_1$	$YT^2 + Y^3 + XY^2 + X^3$	50	38
$\mathcal{G}_1$	$YT^2 + 20Y^3 + 2XY^2 + X^3$	50	27
$\mathcal{G}_1$	$YT^2 + 9Y^3 + 6XY^2 + X^3$	49	17

Table 96 Continue 6

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+24Y^3+XY^2+X^3$	49	19
$\mathcal{G}_1$	$YT^2+19Y^3+2XY^2+X^3$	47	8
$\mathcal{H}_0^4$	$4T^3+2Y^3+7XYT+X^3$	72	20
$\mathcal{H}_0^4$	$4T^3+2Y^3+58XYT+X^3$	72	20
$\mathcal{G}_0^4$	$4T^3+2Y^3+49XYT+X^3$	72	3
$\mathcal{G}_0^4$	$4T^3+2Y^3+43XYT+X^3$	72	3
$\mathcal{G}_0^4$	$4T^3+2Y^3+37XYT+X^3$	72	3
$\mathcal{G}_0^4$	$4T^3+2Y^3+25XYT+X^3$	72	3
$\mathcal{G}_0^4$	$4T^3+2Y^3+56XYT+X^3$	63	23
$\mathcal{G}_0^4$	$4T^3+2Y^3+41XYT+X^3$	63	23
$\mathcal{G}_0^4$	$4T^3+2Y^3+40XYT+X^3$	63	23
$\mathcal{G}_0^4$	$4T^3+2Y^3+14XYT+X^3$	63	23
$\mathcal{G}_0^4$	$4T^3+2Y^3+53XYT+X^3$	54	28
$\mathcal{G}_0^4$	$4T^3+2Y^3+52XYT+X^3$	54	52
$\mathcal{G}_0^4$	$4T^3+2Y^3+38XYT+X^3$	54	52
$\mathcal{G}_0^4$	$4T^3+2Y^3+29XYT+X^3$	54	28
$\mathcal{G}_0^4$	$4T^3+2Y^3+28XYT+X^3$	54	28
$\mathcal{G}_0^4$	$4T^3+2Y^3+26XYT+X^3$	54	52
$\mathcal{G}_0^4$	$4T^3+2Y^3+19XYT+X^3$	54	52
$\mathcal{G}_0^4$	$4T^3+2Y^3+13XYT+X^3$	54	28
$\overline{\mathcal{E}}_0^4$	$4T^3+2Y^3+X^3$	63	0
$\mathcal{E}_0^4$	$4T^3+2Y^3+34XYT+X^3$	63	0
$\mathcal{G}_0^1$	$39T^3+2YT^2+50Y^3+33XYT+XY^2+X^2T+25X^3$	75	19
$\mathcal{G}_0^1$	$25T^3+2YT^2+43Y^3+54XYT+XY^2+X^2T+52X^3$	75	17
$\mathcal{G}_0^1$	$56T^3+4YT^2+14Y^3+19XYT+XY^2+X^2T+34X^3$	72	22
$\mathcal{G}_0^1$	$37T^3+4YT^2+55Y^3+18XYT+XY^2+X^2T+29X^3$	72	2
$\mathcal{G}_0^1$	$37T^3+2YT^2+49Y^3+36XYT+XY^2+X^2T+55X^3$	72	35
$\mathcal{G}_0^1$	$34T^3+4YT^2+39Y^3+5XYT+XY^2+X^2T+25X^3$	72	40
$\mathcal{G}_0^1$	$17T^3+2YT^2+39Y^3+5XYT+XY^2+X^2T+50X^3$	72	26
$\mathcal{G}_0^1$	$14T^3+2YT^2+7Y^3+40XYT+XY^2+X^2T+34X^3$	72	14
$\mathcal{G}_0^1$	$5T^3+2YT^2+33Y^3+23XYT+XY^2+X^2T+47X^3$	69	42

Table 96 Continue 7

type	equation	n	$j-$ inv.
$\mathcal{G}_0^1$	$58T^3 + 2YT^2 + 29Y^3 + 35XYT + XY^2 + X^2T + 45X^3$	69	47
$\mathcal{G}_0^1$	$14T^3 + 4YT^2 + 34Y^3 + 20XYT + XY^2 + X^2T + 39X^3$	69	16
$\mathcal{G}_0^1$	$13T^3 + 4YT^2 + 49Y^3 + 36XYT + XY^2 + X^2T + 58X^3$	69	54
$\mathcal{G}_0^1$	$53T^3 + 4YT^2 + 59Y^3 + 6XYT + XY^2 + X^2T + 30X^3$	66	46
$\mathcal{G}_0^1$	$52T^3 + 4YT^2 + 13Y^3 + 22XYT + XY^2 + X^2T + 49X^3$	66	43
$\mathcal{G}_0^1$	$34T^3 + 2YT^2 + 17Y^3 + 10XYT + XY^2 + X^2T + 39X^3$	66	51
$\mathcal{G}_0^1$	$10T^3 + 2YT^2 + 5Y^3 + 46XYT + XY^2 + X^2T + 33X^3$	66	30
$\mathcal{G}_0^1$	$7T^3 + 4YT^2 + 17Y^3 + 10XYT + XY^2 + X^2T + 50X^3$	63	7
$\mathcal{G}_0^1$	$39T^3 + 4YT^2 + 25Y^3 + 47XYT + XY^2 + X^2T + 52X^3$	63	59
$\mathcal{G}_0^1$	$29T^3 + 4YT^2 + 53Y^3 + 24XYT + XY^2 + X^2T + 59X^3$	63	21
$\mathcal{G}_0^1$	$59T^3 + 4YT^2 + 30Y^3 + 32XYT + XY^2 + X^2T + 38X^3$	60	18
$\mathcal{G}_0^1$	$59T^3 + 2YT^2 + 60Y^3 + 3XYT + XY^2 + X^2T + 30X^3$	60	57
$\mathcal{G}_0^1$	$58T^3 + 4YT^2 + 45Y^3 + 48XYT + XY^2 + X^2T + 57X^3$	60	6
$\mathcal{G}_0^1$	$49T^3 + 4YT^2 + 58Y^3 + 9XYT + XY^2 + X^2T + 45X^3$	60	13
$\mathcal{G}_0^1$	$49T^3 + 2YT^2 + 55Y^3 + 18XYT + XY^2 + X^2T + 58X^3$	60	4
$\mathcal{G}_0^1$	$45T^3 + 2YT^2 + 53Y^3 + 24XYT + XY^2 + X^2T + 57X^3$	60	31
$\mathcal{G}_0^1$	$33T^3 + 2YT^2 + 47Y^3 + 42XYT + XY^2 + X^2T + 54X^3$	60	32
$\mathcal{G}_0^1$	$26T^3 + 4YT^2 + 37Y^3 + 11XYT + XY^2 + X^2T + 55X^3$	60	56
$\mathcal{G}_0^1$	$55T^3 + 4YT^2 + 29Y^3 + 35XYT + XY^2 + X^2T + 53X^3$	57	5
$\mathcal{G}_0^1$	$53T^3 + 2YT^2 + 57Y^3 + 12XYT + XY^2 + X^2T + 59X^3$	57	25
$\mathcal{G}_0^1$	$40T^3 + 4YT^2 + 10Y^3 + 31XYT + XY^2 + X^2T + 33X^3$	57	39
$\mathcal{G}_0^1$	$30T^3 + 2YT^2 + 15Y^3 + 16XYT + XY^2 + X^2T + 38X^3$	57	36
$\mathcal{G}_0^1$	$50T^3 + 2YT^2 + 25Y^3 + 47XYT + XY^2 + X^2T + 43X^3$	54	12
$\mathcal{G}_0^1$	$29T^3 + 2YT^2 + 45Y^3 + 48XYT + XY^2 + X^2T + 53X^3$	54	10
$\mathcal{G}_0^1$	$20T^3 + 4YT^2 + 5Y^3 + 46XYT + XY^2 + X^2T + 47X^3$	54	55
$\mathcal{G}_0^1$	$10T^3 + 4YT^2 + 33Y^3 + 23XYT + XY^2 + X^2T + 54X^3$	54	48
$\mathcal{G}_0^1$	$57T^3 + 2YT^2 + 59Y^3 + 6XYT + XY^2 + X^2T + 60X^3$	51	29
$\mathcal{G}_0^1$	$45T^3 + 4YT^2 + 57Y^3 + 12XYT + XY^2 + X^2T + 60X^3$	51	45
$\mathcal{G}_0^1$	$55T^3 + 2YT^2 + 58Y^3 + 9XYT + XY^2 + X^2T + 29X^3$	48	44
$\mathcal{G}_0^1$	$17T^3 + 4YT^2 + 50Y^3 + 33XYT + XY^2 + X^2T + 43X^3$	48	15
$\mathcal{G}_0^1$	$13T^3 + 2YT^2 + 37Y^3 + 11XYT + XY^2 + X^2T + 49X^3$	48	49

Table 96 Continue 8

type	equation	n	$j-$ inv.
$\mathcal{E}_0^1$	$4YT^2 + XY^2 + X^2T$	75	0
$\mathcal{E}_0^1$	$2YT^2 + XY^2 + X^2T$	48	0

Table 97 $q = 64$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_1^0$	$\xi^{53}YT^2 + \xi^{58}Y^2T + \xi^{58}XT^2 + \xi^{25}Y^3 + XYT + XY^2$	66	1

Table 98 $q = 64$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_3^2$	$T^3 + Y^3 + XYT$	64
$\mathcal{N}_1^1$	$T^3 + XY^2$	65
$\mathcal{N}_0^2$	$\xi^{58}T^3+Y^3+XYT$	64

Table 99 $q = 64$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_9^4$	$T^3 + Y^3 + \xi^{58}XYT + X^3$	72	ξ^9
$\mathcal{G}_9^4$	$T^3 + Y^3 + \xi^{53}XYT + X^3$	72	ξ^{18}
$\mathcal{G}_9^4$	$T^3 + Y^3 + \xi^{48}XYT + X^3$	72	ξ^{36}
$\mathcal{G}_9^4$	$T^3 + Y^3 + \xi^{38}XYT + X^3$	54	ξ^{21}
$\mathcal{G}_9^4$	$T^3 + Y^3 + \xi^{13}XYT + X^3$	54	ξ^{42}
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	81	0
$\mathcal{G}_3^1$	$\xi^{62}T^3 + \xi^{62}YT^2 + \xi^{62}Y^2T + \xi^{62}XT^2 + \xi^{62}Y^3 + XYT + \xi^{62}XY^2 + \xi^{62}X^2T + \xi^{62}X^2Y + \xi^{62}X^3$	78	ξ^{11}
$\mathcal{G}_3^1$	$\xi^{61}T^3 + \xi^{61}YT^2 + \xi^{61}Y^2T + \xi^{61}XT^2 + \xi^{61}Y^3 + XYT + \xi^{61}XY^2 + \xi^{61}X^2T + \xi^{61}X^2Y + \xi^{61}X^3$	78	ξ^{22}
$\mathcal{G}_3^1$	$\xi^{59}T^3 + \xi^{59}YT^2 + \xi^{59}Y^2T + \xi^{59}XT^2 + \xi^{59}Y^3 + XYT + \xi^{59}XY^2 + \xi^{59}X^2T + \xi^{59}X^2Y + \xi^{59}X^3$	78	ξ^{44}
$\mathcal{G}_3^1$	$\xi^{55}T^3 + \xi^{55}YT^2 + \xi^{55}Y^2T + \xi^{55}XT^2 + \xi^{55}Y^3 + XYT + \xi^{55}XY^2 + \xi^{55}X^2T + \xi^{55}X^2Y + \xi^{55}X^3$	78	ξ^{25}
$\mathcal{G}_3^1$	$\xi^{47}T^3 + \xi^{47}YT^2 + \xi^{47}Y^2T + \xi^{47}XT^2 + \xi^{47}Y^3 + XYT + \xi^{47}XY^2 + \xi^{47}X^2T + \xi^{47}X^2Y + \xi^{47}X^3$	78	ξ^{50}
$\mathcal{G}_3^1$	$\xi^{31}T^3 + \xi^{31}YT^2 + \xi^{31}Y^2T + \xi^{31}XT^2 + \xi^{31}Y^3 + XYT + \xi^{31}XY^2 + \xi^{31}X^2T + \xi^{31}X^2Y + \xi^{31}X^3$	78	ξ^{37}
$\mathcal{G}_3^1$	$\xi^{60}T^3 + \xi^{60}YT^2 + \xi^{60}Y^2T + \xi^{60}XT^2 + \xi^{60}Y^3 + XYT + \xi^{60}XY^2 + \xi^{60}X^2T + \xi^{60}X^2Y + \xi^{60}X^3$	72	ξ^{62}
$\mathcal{G}_3^1$	$\xi^{57}T^3 + \xi^{57}YT^2 + \xi^{57}Y^2T + \xi^{57}XT^2 + \xi^{57}Y^3 + XYT + \xi^{57}XY^2 + \xi^{57}X^2T + \xi^{57}X^2Y + \xi^{57}X^3$	72	ξ^{61}
$\mathcal{G}_3^1$	$\xi^{51}T^3 + \xi^{51}YT^2 + \xi^{51}Y^2T + \xi^{51}XT^2 + \xi^{51}Y^3 + XYT + \xi^{51}XY^2 + \xi^{51}X^2T + \xi^{51}X^2Y + \xi^{51}X^3$	72	ξ^{59}
$\mathcal{G}_3^1$	$\xi^{39}T^3 + \xi^{39}YT^2 + \xi^{39}Y^2T + \xi^{39}XT^2 + \xi^{39}Y^3 + XYT + \xi^{39}XY^2 + \xi^{39}X^2T + \xi^{39}X^2Y + \xi^{39}X^3$	72	ξ^{55}
$\mathcal{G}_3^1$	$\xi^{30}T^3 + \xi^{30}YT^2 + \xi^{30}Y^2T + \xi^{30}XT^2 + \xi^{30}Y^3 + XYT + \xi^{30}XY^2 + \xi^{30}X^2T + \xi^{30}X^2Y + \xi^{30}X^3$	72	ξ^{31}

Table 99 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$\xi^{15}T^3+\xi^{15}YT^2+\xi^{15}Y^2T+\xi^{15}XT^2+\xi^{15}Y^3+XYT+$ $\xi^{15}XY^2+\xi^{15}X^2T+\xi^{15}X^2Y+\xi^{15}X^3$	72	ξ^{47}
$\mathcal{G}_3^1$	$\xi^{58}T^3+\xi^{58}YT^2+\xi^{58}Y^2T+\xi^{58}XT^2+\xi^{58}Y^3+XYT+$ $\xi^{58}XY^2+\xi^{58}X^2T+\xi^{58}X^2Y+\xi^{58}X^3$	66	ξ^{53}
$\mathcal{G}_3^1$	$\xi^{53}T^3+\xi^{53}YT^2+\xi^{53}Y^2T+\xi^{53}XT^2+\xi^{53}Y^3+XYT+$ $\xi^{53}XY^2+\xi^{53}X^2T+\xi^{53}X^2Y+\xi^{53}X^3$	66	ξ^{43}
$\mathcal{G}_3^1$	$\xi^{50}T^3+\xi^{50}YT^2+\xi^{50}Y^2T+\xi^{50}XT^2+\xi^{50}Y^3+XYT+$ $\xi^{50}XY^2+\xi^{50}X^2T+\xi^{50}X^2Y+\xi^{50}X^3$	66	ξ^{49}
$\mathcal{G}_3^1$	$\xi^{46}T^3+\xi^{46}YT^2+\xi^{46}Y^2T+\xi^{46}XT^2+\xi^{46}Y^3+XYT+$ $\xi^{46}XY^2+\xi^{46}X^2T+\xi^{46}X^2Y+\xi^{46}X^3$	66	ξ^{29}
$\mathcal{G}_3^1$	$\xi^{44}T^3+\xi^{44}YT^2+\xi^{44}Y^2T+\xi^{44}XT^2+\xi^{44}Y^3+XYT+$ $\xi^{44}XY^2+\xi^{44}X^2T+\xi^{44}X^2Y+\xi^{44}X^3$	66	ξ^{28}
$\mathcal{G}_3^1$	$\xi^{43}T^3+\xi^{43}YT^2+\xi^{43}Y^2T+\xi^{43}XT^2+\xi^{43}Y^3+XYT+$ $\xi^{43}XY^2+\xi^{43}X^2T+\xi^{43}X^2Y+\xi^{43}X^3$	66	ξ^{23}
$\mathcal{G}_3^1$	$\xi^{37}T^3+\xi^{37}YT^2+\xi^{37}Y^2T+\xi^{37}XT^2+\xi^{37}Y^3+XYT+$ $\xi^{37}XY^2+\xi^{37}X^2T+\xi^{37}X^2Y+\xi^{37}X^3$	66	ξ^{35}
$\mathcal{G}_3^1$	$\xi^{29}T^3+\xi^{29}YT^2+\xi^{29}Y^2T+\xi^{29}XT^2+\xi^{29}Y^3+XYT+$ $\xi^{29}XY^2+\xi^{29}X^2T+\xi^{29}X^2Y+\xi^{29}X^3$	66	ξ^{58}
$\mathcal{G}_3^1$	$\xi^{25}T^3+\xi^{25}YT^2+\xi^{25}Y^2T+\xi^{25}XT^2+\xi^{25}Y^3+XYT+$ $\xi^{25}XY^2+\xi^{25}X^2T+\xi^{25}X^2Y+\xi^{25}X^3$	66	ξ^{56}
$\mathcal{G}_3^1$	$\xi^{23}T^3+\xi^{23}YT^2+\xi^{23}Y^2T+\xi^{23}XT^2+\xi^{23}Y^3+XYT+$ $\xi^{23}XY^2+\xi^{23}X^2T+\xi^{23}X^2Y+\xi^{23}X^3$	66	ξ^{46}
$\mathcal{G}_3^1$	$\xi^{22}T^3+\xi^{22}YT^2+\xi^{22}Y^2T+\xi^{22}XT^2+\xi^{22}Y^3+XYT+$ $\xi^{22}XY^2+\xi^{22}X^2T+\xi^{22}X^2Y+\xi^{22}X^3$	66	ξ^{14}
$\mathcal{G}_3^1$	$\xi^{11}T^3+\xi^{11}YT^2+\xi^{11}Y^2T+\xi^{11}XT^2+\xi^{11}Y^3+XYT+$ $\xi^{11}XY^2+\xi^{11}X^2T+\xi^{11}X^2Y+\xi^{11}X^3$	66	ξ^{7}
$\mathcal{G}_3^1$	$\xi^{8}T^3+\xi^{8}YT^2+\xi^{8}Y^2T+\xi^{8}XT^2+\xi^{8}Y^3+XYT+$ $\xi^{8}XY^2+\xi^{8}X^2T+\xi^{8}X^2Y+\xi^{8}X^3$	60	ξ^{32}

Table 99 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$\xi^7T^3+\xi^7YT^2+\xi^7Y^2T+\xi^7XT^2+\xi^7Y^3+XYT+$ $\xi^7XY^2+\xi^7X^2T+\xi^7X^2Y+\xi^7X^3$	60	ξ^{34}
$\mathcal{G}_3^1$	$\xi^{56}T^3+\xi^{56}YT^2+\xi^{56}Y^2T+\xi^{56}XT^2+\xi^{56}Y^3+XYT+$ $\xi^{56}XY^2+\xi^{56}X^2T+\xi^{56}X^2Y+\xi^{56}X^3$	60	ξ^{20}
$\mathcal{G}_3^1$	$\xi^4T^3+\xi^4YT^2+\xi^4Y^2T+\xi^4XT^2+\xi^4Y^3+XYT+$ $\xi^4XY^2+\xi^4X^2T+\xi^4X^2Y+\xi^4X^3$	60	ξ^{16}
$\mathcal{G}_3^1$	$\xi^{49}T^3+\xi^{49}YT^2+\xi^{49}Y^2T+\xi^{49}XT^2+\xi^{49}Y^3+XYT+$ $\xi^{49}XY^2+\xi^{49}X^2T+\xi^{49}X^2Y+\xi^{49}X^3$	60	ξ^{40}
$\mathcal{G}_3^1$	$\xi^{35}T^3+\xi^{35}YT^2+\xi^{35}Y^2T+\xi^{35}XT^2+\xi^{35}Y^3+XYT+$ $\xi^{35}XY^2+\xi^{35}X^2T+\xi^{35}X^2Y+\xi^{35}X^3$	60	ξ^{17}
$\mathcal{G}_3^1$	$\xi^{32}T^3+\xi^{32}YT^2+\xi^{32}Y^2T+\xi^{32}XT^2+\xi^{32}Y^3+XYT+$ $\xi^{32}XY^2+\xi^{32}X^2T+\xi^{32}X^2Y+\xi^{32}X^3$	60	ξ^2
$\mathcal{G}_3^1$	$\xi^2T^3+\xi^2YT^2+\xi^2Y^2T+\xi^2XT^2+\xi^2Y^3+XYT+$ $\xi^2XY^2+\xi^2X^2T+\xi^2X^2Y+\xi^2X^3$	60	ξ^8
$\mathcal{G}_3^1$	$\xi^{28}T^3+\xi^{28}YT^2+\xi^{28}Y^2T+\xi^{28}XT^2+\xi^{28}Y^3+XYT+$ $\xi^{28}XY^2+\xi^{28}X^2T+\xi^{28}X^2Y+\xi^{28}X^3$	60	ξ^{10}
$\mathcal{G}_3^1$	$\xi^{16}T^3+\xi^{16}YT^2+\xi^{16}Y^2T+\xi^{16}XT^2+\xi^{16}Y^3+XYT+$ $\xi^{16}XY^2+\xi^{16}X^2T+\xi^{16}X^2Y+\xi^{16}X^3$	60	ξ
$\mathcal{G}_3^1$	$\xi^{14}T^3+\xi^{14}YT^2+\xi^{14}Y^2T+\xi^{14}XT^2+\xi^{14}Y^3+XYT+$ $\xi^{14}XY^2+\xi^{14}X^2T+\xi^{14}X^2Y+\xi^{14}X^3$	60	ξ^5
$\mathcal{G}_3^1$	$\xi T^3+\xi YT^2+\xi Y^2T+\xi XT^2+\xi Y^3+XYT+\xi XY^2+$ $\xi X^2T+\xi X^2Y+\xi X^3$	60	ξ^4
$\mathcal{G}_3^1$	$\xi^6T^3+\xi^6YT^2+\xi^6Y^2T+\xi^6XT^2+\xi^6Y^3+XYT+$ $\xi^6XY^2+\xi^6X^2T+\xi^6X^2Y+\xi^6X^3$	54	ξ^{19}
$\mathcal{G}_3^1$	$\xi^{48}T^3+\xi^{48}YT^2+\xi^{48}Y^2T+\xi^{48}XT^2+\xi^{48}Y^3+XYT+$ $\xi^{48}XY^2+\xi^{48}X^2T+\xi^{48}X^2Y+\xi^{48}X^3$	54	ξ^{26}
$\mathcal{G}_3^1$	$\xi^3T^3+\xi^3YT^2+\xi^3Y^2T+\xi^3XT^2+\xi^3Y^3+XYT+$ $\xi^3XY^2+\xi^3X^2T+\xi^3X^2Y+\xi^3X^3$	54	ξ^{41}
$\mathcal{G}_3^1$	$\xi^{33}T^3+\xi^{33}YT^2+\xi^{33}Y^2T+\xi^{33}XT^2+\xi^{33}Y^3+XYT+$ $\xi^{33}XY^2+\xi^{33}X^2T+\xi^{33}X^2Y+\xi^{33}X^3$	54	ξ^{52}
$\mathcal{G}_3^1$	$\xi^{24}T^3+\xi^{24}YT^2+\xi^{24}Y^2T+\xi^{24}XT^2+\xi^{24}Y^3+XYT+$ $\xi^{24}XY^2+\xi^{24}X^2T+\xi^{24}X^2Y+\xi^{24}X^3$	54	ξ^{13}
$\mathcal{G}_3^1$	$\xi^{12}T^3+\xi^{12}YT^2+\xi^{12}Y^2T+\xi^{12}XT^2+\xi^{12}Y^3+XYT+$ $\xi^{12}XY^2+\xi^{12}X^2T+\xi^{12}X^2Y+\xi^{12}X^3$	54	ξ^{38}

Table 99 Continue 3

type	equation	n	$j-$ inv.
$\overline{\mathcal{E}}_3^1$	$\xi^2T^3+XY^2+X^2Y$	57	0
$\overline{\mathcal{E}}_3^1$	$\xi T^3+XY^2+X^2Y$	57	0
$\mathcal{G}_1^4$	$YT^2+XYT+\xi^{42}XY^2+X^3$	76	ξ^{42}
$\mathcal{G}_1^4$	$YT^2+XYT+\xi^{21}XY^2+X^3$	76	ξ^{21}
$\mathcal{G}_1^4$	$YT^2+XYT+\xi^{54}XY^2+\xi^{58}X^2Y+X^3$	58	ξ^{18}
$\mathcal{G}_1^4$	$YT^2+XYT+\xi^{45}XY^2+\xi^{58}X^2Y+X^3$	58	ξ^{36}
$\mathcal{G}_1^4$	$YT^2+XYT+\xi^{27}XY^2+\xi^{58}X^2Y+X^3$	58	ξ^{9}
$\mathcal{E}_1^4$	$YT^2+Y^2T+\xi^{28}XY^2+X^3$	49	0
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{50}XY^2+X^3$	76	ξ^{26}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{44}XY^2+X^3$	76	ξ^{38}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{37}XY^2+X^3$	76	ξ^{52}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{25}XY^2+X^3$	76	ξ^{13}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{22}XY^2+X^3$	76	ξ^{19}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{11}XY^2+X^3$	76	ξ^{41}

Table 99 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{62}XY^2+\xi^{58}X^2Y+X^3$	70	ξ^2
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{61}XY^2+\xi^{58}X^2Y+X^3$	70	ξ^4
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{59}XY^2+\xi^{58}X^2Y+X^3$	70	ξ^8
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{58}XY^2+\xi^{58}X^2Y+X^3$	70	ξ^{10}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{55}XY^2+\xi^{58}X^2Y+X^3$	70	ξ^{16}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{53}XY^2+\xi^{58}X^2Y+X^3$	70	ξ^{20}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{47}XY^2+\xi^{58}X^2Y+X^3$	70	ξ^{32}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{46}XY^2+\xi^{58}X^2Y+X^3$	70	ξ^{34}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{43}XY^2+\xi^{58}X^2Y+X^3$	70	ξ^{40}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{31}XY^2+\xi^{58}X^2Y+X^3$	70	ξ
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{29}XY^2+\xi^{58}X^2Y+X^3$	70	ξ^5
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{23}XY^2+\xi^{58}X^2Y+X^3$	70	ξ^{17}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{7}XY^2+X^3$	64	ξ^{49}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{5}XY^2+X^3$	64	ξ^{53}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{56}XY^2+X^3$	64	ξ^{14}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{49}XY^2+X^3$	64	ξ^{28}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{40}XY^2+X^3$	64	ξ^{46}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{35}XY^2+X^3$	64	ξ^{56}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{34}XY^2+X^3$	64	ξ^{58}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{28}XY^2+X^3$	64	ξ^{7}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{20}XY^2+X^3$	64	ξ^{23}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{17}XY^2+X^3$	64	ξ^{29}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{14}XY^2+X^3$	64	ξ^{35}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{10}XY^2+X^3$	64	ξ^{43}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{8}XY^2+\xi^{58}X^2Y+X^3$	58	ξ^{47}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{4}XY^2+\xi^{58}X^2Y+X^3$	58	ξ^{55}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{32}XY^2+\xi^{58}X^2Y+X^3$	58	ξ^{62}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{2}XY^2+\xi^{58}X^2Y+X^3$	58	ξ^{59}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{16}XY^2+\xi^{58}X^2Y+X^3$	58	ξ^{31}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi XY^2+\xi^{58}X^2Y+X^3$	58	ξ^{61}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{52}XY^2+X^3$	52	ξ^{22}

Table 99 Continue 5

type	equation	n	$j-$ inv.
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{41}XY^2+X^3$	52	ξ^{44}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{38}XY^2+X^3$	52	ξ^{50}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{26}XY^2+X^3$	52	ξ^{11}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{19}XY^2+X^3$	52	ξ^{25}
$\mathcal{G}_1^1$	$YT^2+XYT+\xi^{13}XY^2+X^3$	52	ξ^{37}
$\mathcal{E}_1^1$	$YT^2+Y^2T+\xi^{58}Y^3+XY^2+\xi^2X^3$	73	0
$\mathcal{E}_1^1$	$YT^2+Y^2T+\xi^{58}Y^3+XY^2+\xi X^3$	73	0
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{9}XY^2+X^3$	80	ξ^{45}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{36}XY^2+X^3$	80	ξ^{54}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{18}XY^2+X^3$	80	ξ^{27}
$\mathcal{G}_1^0$	$YT^2+XYT+XY^2+\xi^{58}X^2Y+X^3$	74	1
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{60}XY^2+\xi^{58}X^2Y+X^3$	74	ξ^{6}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{57}XY^2+\xi^{58}X^2Y+X^3$	74	ξ^{12}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{51}XY^2+\xi^{58}X^2Y+X^3$	74	ξ^{24}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{39}XY^2+\xi^{58}X^2Y+X^3$	74	ξ^{48}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{30}XY^2+\xi^{58}X^2Y+X^3$	74	ξ^{3}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{15}XY^2+\xi^{58}X^2Y+X^3$	74	ξ^{33}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{6}XY^2+X^3$	68	ξ^{51}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{48}XY^2+X^3$	68	ξ^{30}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{3}XY^2+X^3$	68	ξ^{57}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{33}XY^2+X^3$	68	ξ^{60}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{24}XY^2+X^3$	68	ξ^{15}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{12}XY^2+X^3$	68	ξ^{39}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{6}XY^2+\xi^{58}X^2Y+X^3$	62	ξ^{51}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{48}XY^2+\xi^{58}X^2Y+X^3$	62	ξ^{30}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{3}XY^2+\xi^{58}X^2Y+X^3$	62	ξ^{57}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{33}XY^2+\xi^{58}X^2Y+X^3$	62	ξ^{60}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{24}XY^2+\xi^{58}X^2Y+X^3$	62	ξ^{15}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{12}XY^2+\xi^{58}X^2Y+X^3$	62	ξ^{39}
$\mathcal{G}_1^0$	$YT^2+XYT+XY^2+X^3$	56	1
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{60}XY^2+X^3$	56	ξ^{6}

Table 99 Continue 6

type	equation	n	$j-$ inv.
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{57}XY^2+X^3$	56	ξ^{12}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{51}XY^2+X^3$	56	ξ^{24}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{39}XY^2+X^3$	56	ξ^{48}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{30}XY^2+X^3$	56	ξ^{3}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{15}XY^2+X^3$	56	ξ^{33}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{9}XY^2+\xi^{58}X^2Y+X^3$	50	ξ^{45}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{36}XY^2+\xi^{58}X^2Y+X^3$	50	ξ^{54}
$\mathcal{G}_1^0$	$YT^2+XYT+\xi^{18}XY^2+\xi^{58}X^2Y+X^3$	50	ξ^{27}
$\mathcal{E}_1^0$	$YT^2+Y^2T+\xi^{58}Y^3+XY^2+X^3$	65	0
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{61}XYT+X^3$	72	ξ^{36}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{58}XYT+X^3$	72	ξ^{9}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{51}XYT+X^3$	72	ξ^{36}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{46}XYT+X^3$	72	ξ^{18}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{3}XYT+X^3$	72	ξ^{9}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{38}XYT+X^3$	72	ξ^{9}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{33}XYT+X^3$	72	ξ^{18}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{31}XYT+X^3$	72	ξ^{18}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{28}XYT+X^3$	72	ξ^{36}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{26}XYT+X^3$	72	ξ^{18}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{23}XYT+X^3$	72	ξ^{36}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{13}XYT+X^3$	72	ξ^{9}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+XYT+X^3$	54	ξ^{21}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{8}XYT+X^3$	54	ξ^{21}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{56}XYT+X^3$	54	ξ^{42}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{53}XYT+X^3$	54	ξ^{42}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{48}XYT+X^3$	54	ξ^{21}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{41}XYT+X^3$	54	ξ^{42}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{36}XYT+X^3$	54	ξ^{42}
$\mathcal{G}_0^4$	$\xi^2T^3+\xi Y^3+\xi^{18}XYT+X^3$	54	ξ^{21}
$\overline{\mathcal{E}}_0^4$	$\xi^2T^3+\xi Y^3+X^3$	81	0
$\mathcal{G}_0^1$	$\xi^{50}T^3+\xi^2YT^2+\xi^{48}Y^3+\xi^{48}XYT+XY^2+X^2T+\xi^{46}X^3$	78	ξ^{22}

Table 99 Continue 7

type	equation	n	$j-$ inv.
$\mathcal{G}_0^1$	$\xi^4T^3+\xi^2YT^2+\xi^2Y^3+\xi^2XYT+XY^2+X^2T+X^3$	78	ξ^{37}
$\mathcal{G}_0^1$	$\xi^{45}T^3+\xi^2YT^2+\xi^{43}Y^3+\xi^{43}XYT+XY^2+X^2T+\xi^{41}X^3$	78	ξ^{25}
$\mathcal{G}_0^1$	$\xi^{33}T^3+\xi YT^2+\xi^{32}Y^3+\xi^{32}XYT+XY^2+X^2T+\xi^{31}X^3$	78	ξ^{44}
$\mathcal{G}_0^1$	$\xi^2T^3+\xi YT^2+\xi Y^3+\xi XYT+XY^2+X^2T+X^3$	78	ξ^{50}
$\mathcal{G}_0^1$	$\xi^{25}T^3+\xi YT^2+\xi^{24}Y^3+\xi^{24}XYT+XY^2+X^2T+\xi^{23}X^3$	78	ξ^{11}
$\mathcal{G}_0^1$	$\xi^{60}T^3+\xi^2YT^2+\xi^{58}Y^3+\xi^{58}XYT+XY^2+X^2T+\xi^{56}X^3$	72	ξ^{55}
$\mathcal{G}_0^1$	$\xi^{53}T^3+\xi YT^2+\xi^{52}Y^3+\xi^{52}XYT+XY^2+X^2T+\xi^{51}X^3$	72	ξ^{47}
$\mathcal{G}_0^1$	$\xi^{40}T^3+\xi YT^2+\xi^{39}Y^3+\xi^{39}XYT+XY^2+X^2T+\xi^{38}X^3$	72	ξ^{62}
$\mathcal{G}_0^1$	$\xi^{30}T^3+\xi YT^2+\xi^{29}Y^3+\xi^{29}XYT+XY^2+X^2T+\xi^{28}X^3$	72	ξ^{59}
$\mathcal{G}_0^1$	$\xi^{22}T^3+\xi^2YT^2+\xi^{20}Y^3+\xi^{20}XYT+XY^2+X^2T+\xi^{18}X^3$	72	ξ^{31}
$\mathcal{G}_0^1$	$\xi^{17}T^3+\xi^2YT^2+\xi^{15}Y^3+\xi^{15}XYT+XY^2+X^2T+\xi^{13}X^3$	72	ξ^{61}
$\mathcal{G}_0^1$	$\xi^7T^3+\xi^2YT^2+\xi^5Y^3+\xi^5XYT+XY^2+X^2T+\xi^3X^3$	66	ξ^{43}
$\mathcal{G}_0^1$	$\xi^{62}T^3+\xi^2YT^2+\xi^{60}Y^3+\xi^{60}XYT+XY^2+X^2T+\xi^{58}X^3$	66	ξ^{46}
$\mathcal{G}_0^1$	$\xi^{50}T^3+\xi YT^2+\xi^{49}Y^3+\xi^{49}XYT+XY^2+X^2T+\xi^{48}X^3$	66	ξ^{35}
$\mathcal{G}_0^1$	$\xi^{45}T^3+\xi YT^2+\xi^{44}Y^3+\xi^{44}XYT+XY^2+X^2T+\xi^{43}X^3$	66	ξ^{56}
$\mathcal{G}_0^1$	$\xi^{37}T^3+\xi^2YT^2+\xi^{35}Y^3+\xi^{35}XYT+XY^2+X^2T+\xi^{33}X^3$	66	ξ^7
$\mathcal{G}_0^1$	$\xi^{35}T^3+\xi^2YT^2+\xi^{33}Y^3+\xi^{33}XYT+XY^2+X^2T+\xi^{31}X^3$	66	ξ^{28}
$\mathcal{G}_0^1$	$\xi^{35}T^3+\xi YT^2+\xi^{34}Y^3+\xi^{34}XYT+XY^2+X^2T+\xi^{33}X^3$	66	ξ^{53}
$\mathcal{G}_0^1$	$\xi^{30}T^3+\xi^2YT^2+\xi^{28}Y^3+\xi^{28}XYT+XY^2+X^2T+\xi^{26}X^3$	66	ξ^{58}
$\mathcal{G}_0^1$	$\xi^{28}T^3+\xi YT^2+\xi^{27}Y^3+\xi^{27}XYT+XY^2+X^2T+\xi^{26}X^3$	66	ξ^{14}
$\mathcal{G}_0^1$	$\xi^{27}T^3+\xi^2YT^2+\xi^{25}Y^3+\xi^{25}XYT+XY^2+X^2T+\xi^{23}X^3$	66	ξ^{49}
$\mathcal{G}_0^1$	$\xi^{15}T^3+\xi YT^2+\xi^{14}Y^3+\xi^{14}XYT+XY^2+X^2T+\xi^{13}X^3$	66	ξ^{29}
$\mathcal{G}_0^1$	$\xi^{10}T^3+\xi YT^2+\xi^9Y^3+\xi^9XYT+XY^2+X^2T+\xi^8X^3$	66	ξ^{23}
$\mathcal{G}_0^1$	$T^3+\xi YT^2+\xi^{62}Y^3+\xi^{62}XYT+XY^2+X^2T+\xi^{61}X^3$	60	ξ^{17}
$\mathcal{G}_0^1$	$\xi^{55}T^3+\xi^2YT^2+\xi^{53}Y^3+\xi^{53}XYT+XY^2+X^2T+\xi^{51}X^3$	60	ξ^{10}
$\mathcal{G}_0^1$	$\xi^{55}T^3+\xi YT^2+\xi^{54}Y^3+\xi^{54}XYT+XY^2+X^2T+\xi^{53}X^3$	60	ξ^2
$\mathcal{G}_0^1$	$\xi^{48}T^3+\xi YT^2+\xi^{47}Y^3+\xi^{47}XYT+XY^2+X^2T+\xi^{46}X^3$	60	ξ^8
$\mathcal{G}_0^1$	$\xi^{47}T^3+\xi^2YT^2+\xi^{45}Y^3+\xi^{45}XYT+XY^2+X^2T+\xi^{43}X^3$	60	ξ^4
$\mathcal{G}_0^1$	$\xi^{43}T^3+\xi YT^2+\xi^{42}Y^3+\xi^{42}XYT+XY^2+X^2T+\xi^{41}X^3$	60	ξ^{20}
$\mathcal{G}_0^1$	$\xi^{42}T^3+\xi^2YT^2+\xi^{40}Y^3+\xi^{40}XYT+XY^2+X^2T+\xi^{38}X^3$	60	ξ^{34}
$\mathcal{G}_0^1$	$\xi^{40}T^3+\xi^2YT^2+\xi^{38}Y^3+\xi^{38}XYT+XY^2+X^2T+\xi^{36}X^3$	60	ξ

Table 99 Continue 8

type	equation	n	$j-$ inv.
$\mathcal{G}_0^1$	$\xi^{38}T^3+\xi YT^2+\xi^{37}Y^3+\xi^{37}XYT+XY^2+X^2T+\xi^{36}X^3$	60	ξ^5
$\mathcal{G}_0^1$	$\xi^2T^3+\xi^2YT^2+Y^3+XYT+XY^2+X^2T+\xi^{61}X^3$	60	ξ^{40}
$\mathcal{G}_0^1$	$\xi^{20}T^3+\xi YT^2+\xi^{19}Y^3+\xi^{19}XYT+XY^2+X^2T+\xi^{18}X^3$	60	ξ^{32}
$\mathcal{G}_0^1$	$\xi^{12}T^3+\xi^2YT^2+\xi^{10}Y^3+\xi^{10}XYT+XY^2+X^2T+\xi^8X^3$	60	ξ^{16}
$\mathcal{G}_0^1$	$\xi^{60}T^3+\xi YT^2+\xi^{59}Y^3+\xi^{59}XYT+XY^2+X^2T+\xi^{58}X^3$	54	ξ^{41}
$\mathcal{G}_0^1$	$\xi^5T^3+\xi YT^2+\xi^4Y^3+\xi^4XYT+XY^2+X^2T+\xi^3X^3$	54	ξ^{38}
$\mathcal{G}_0^1$	$\xi^{58}T^3+\xi YT^2+\xi^{57}Y^3+\xi^{57}XYT+XY^2+X^2T+\xi^{56}X^3$	54	ξ^{26}
$\mathcal{G}_0^1$	$\xi^{57}T^3+\xi^2YT^2+\xi^{55}Y^3+\xi^{55}XYT+XY^2+X^2T+\xi^{53}X^3$	54	ξ^{19}
$\mathcal{G}_0^1$	$\xi^{52}T^3+\xi^2YT^2+\xi^{50}Y^3+\xi^{50}XYT+XY^2+X^2T+\xi^{48}X^3$	54	ξ^{13}
$\mathcal{G}_0^1$	$\xi^{32}T^3+\xi^2YT^2+\xi^{30}Y^3+\xi^{30}XYT+XY^2+X^2T+\xi^{28}X^3$	54	ξ^{52}
$\mathcal{E}_0^1$	$\xi^2YT^2+XY^2+X^2T$	57	0
$\mathcal{E}_0^1$	$\xi YT^2+XY^2+X^2T$	57	0

Table 100 $q=67$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_1^0$	$6YT^2+65XT^2+Y^3+XY^2$	69	1

Table 101 $q=67$, a. i. singular cubic curves giving complete $(n,3)$-arcs

type	equation	n
$\mathcal{N}_3^2$	T^3+Y^3+XYT	67
$\mathcal{N}_1^1$	T^3+XY^2	68
$\mathcal{N}_0^2$	$2T^3+Y^3+XYT$	67

Table 102 $q = 67$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_9^4$	$T^3 + Y^3 + 52XYT + X^3$	81	62
$\mathcal{G}_9^4$	$T^3 + Y^3 + 61XYT + X^3$	72	42
$\mathcal{G}_9^4$	$T^3 + Y^3 + 58XYT + X^3$	72	14
$\mathcal{G}_9^4$	$T^3 + Y^3 + 31XYT + X^3$	63	1
$\mathcal{G}_9^4$	$T^3 + Y^3 + 49XYT + X^3$	54	27
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	63	0
$\mathcal{G}_3^1$	$31T^3 + 26YT^2 + 26Y^2T + 26XT^2 + 31Y^3 + 53XYT + 26XY^2 + 26X^2T + 26X^2Y + 31X^3$	84	65
$\mathcal{G}_3^1$	$8T^3 + 24YT^2 + 24Y^2T + 24XT^2 + 8Y^3 + 49XYT + 24XY^2 + 24X^2T + 24X^2Y + 8X^3$	81	21
$\mathcal{G}_3^1$	$27T^3 + 14YT^2 + 14Y^2T + 14XT^2 + 27Y^3 + 29XYT + 14XY^2 + 14X^2T + 14X^2Y + 27X^3$	81	48
$\mathcal{G}_3^1$	$6T^3 + 18YT^2 + 18Y^2T + 18XT^2 + 6Y^3 + 37XYT + 18XY^2 + 18X^2T + 18X^2Y + 6X^3$	78	49
$\mathcal{G}_3^1$	$56T^3 + 34YT^2 + 34Y^2T + 34XT^2 + 56Y^3 + 2XYT + 34XY^2 + 34X^2T + 34X^2Y + 56X^3$	78	55
$\mathcal{G}_3^1$	$51T^3 + 19YT^2 + 19Y^2T + 19XT^2 + 51Y^3 + 39XYT + 19XY^2 + 19X^2T + 19X^2Y + 51X^3$	78	61
$\mathcal{G}_3^1$	$11T^3 + 33YT^2 + 33Y^2T + 33XT^2 + 11Y^3 + 33XY^2 + 33X^2T + 33X^2Y + 11X^3$	78	20
$\mathcal{G}_3^1$	$7T^3 + 21YT^2 + 21Y^2T + 21XT^2 + 7Y^3 + 43XYT + 21XY^2 + 21X^2T + 21X^2Y + 7X^3$	75	54
$\mathcal{G}_3^1$	$55T^3 + 31YT^2 + 31Y^2T + 31XT^2 + 55Y^3 + 63XYT + 31XY^2 + 31X^2T + 31X^2Y + 55X^3$	75	50
$\mathcal{G}_3^1$	$49T^3 + 13YT^2 + 13Y^2T + 13XT^2 + 49Y^3 + 27XYT + 13XY^2 + 13X^2T + 13X^2Y + 49X^3$	75	7
$\mathcal{G}_3^1$	$13T^3 + 39YT^2 + 39Y^2T + 39XT^2 + 13Y^3 + 12XYT + 39XY^2 + 39X^2T + 39X^2Y + 13X^3$	75	11

Table 102 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$T^3+3YT^2+3Y^2T+3XT^2+Y^3+7XYT+3XY^2+3X^2T+3X^2Y+X^3$	72	33
$\mathcal{G}_3^1$	$64T^3+58YT^2+58Y^2T+58XT^2+64Y^3+50XYT+58XY^2+58X^2T+58X^2Y+64X^3$	72	4
$\mathcal{G}_3^1$	$58T^3+40YT^2+40Y^2T+40XT^2+58Y^3+14XYT+40XY^2+40X^2T+40X^2Y+58X^3$	72	57
$\mathcal{G}_3^1$	$45T^3+YT^2+Y^2T+XT^2+45Y^3+3XYT+XY^2+X^2T+X^2Y+45X^3$	72	35
$\mathcal{G}_3^1$	$42T^3+59YT^2+59Y^2T+59XT^2+42Y^3+52XYT+59XY^2+59X^2T+59X^2Y+42X^3$	72	18
$\mathcal{G}_3^1$	$25T^3+8YT^2+8Y^2T+8XT^2+25Y^3+17XYT+8XY^2+8X^2T+8X^2Y+25X^3$	72	32
$\mathcal{G}_3^1$	$24T^3+5YT^2+5Y^2T+5XT^2+24Y^3+11XYT+5XY^2+5X^2T+5X^2Y+24X^3$	72	51
$\mathcal{G}_3^1$	$15T^3+45YT^2+45Y^2T+45XT^2+15Y^3+24XYT+45XY^2+45X^2T+45X^2Y+15X^3$	72	44
$\mathcal{G}_3^1$	$46T^3+4YT^2+4Y^2T+4XT^2+46Y^3+9XYT+4XY^2+4X^2T+4X^2Y+46X^3$	69	26
$\mathcal{G}_3^1$	$16T^3+48YT^2+48Y^2T+48XT^2+16Y^3+30XYT+48XY^2+48X^2T+48X^2Y+16X^3$	69	2
$\mathcal{G}_3^1$	$44T^3+65YT^2+65Y^2T+65XT^2+44Y^3+64XYT+65XY^2+65X^2T+65X^2Y+44X^3$	66	36
$\mathcal{G}_3^1$	$39T^3+50YT^2+50Y^2T+50XT^2+39Y^3+34XYT+50XY^2+50X^2T+50X^2Y+39X^3$	66	29
$\mathcal{G}_3^1$	$36T^3+41YT^2+41Y^2T+41XT^2+36Y^3+16XYT+41XY^2+41X^2T+41X^2Y+36X^3$	66	6
$\mathcal{G}_3^1$	$33T^3+32YT^2+32Y^2T+32XT^2+33Y^3+65XYT+32XY^2+32X^2T+32X^2Y+33X^3$	66	13

Table 102 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$29T^3+20YT^2+20Y^2T+20XT^2+29Y^3+41XYT+20XY^2+20X^2T+20X^2Y+29X^3$	66	16
$\mathcal{G}_3^1$	$26T^3+11YT^2+11Y^2T+11XT^2+26Y^3+23XYT+11XY^2+11X^2T+11X^2Y+26X^3$	66	30
$\mathcal{G}_3^1$	$23T^3+2YT^2+2Y^2T+2XT^2+23Y^3+5XYT+2XY^2+2X^2T+2X^2Y+23X^3$	66	34
$\mathcal{G}_3^1$	$18T^3+54YT^2+54Y^2T+54XT^2+18Y^3+42XYT+54XY^2+54X^2T+54X^2Y+18X^3$	66	60
$\mathcal{G}_3^1$	$52T^3+22YT^2+22Y^2T+22XT^2+52Y^3+45XYT+22XY^2+22X^2T+22X^2Y+52X^3$	63	46
$\mathcal{G}_3^1$	$43T^3+62YT^2+62Y^2T+62XT^2+43Y^3+58XYT+62XY^2+62X^2T+62X^2Y+43X^3$	63	41
$\mathcal{G}_3^1$	$14T^3+42YT^2+42Y^2T+42XT^2+14Y^3+18XYT+42XY^2+42X^2T+42X^2Y+14X^3$	63	63
$\mathcal{G}_3^1$	$60T^3+46YT^2+46Y^2T+46XT^2+60Y^3+26XYT+46XY^2+46X^2T+46X^2Y+60X^3$	60	12
$\mathcal{G}_3^1$	$50T^3+16YT^2+16Y^2T+16XT^2+50Y^3+33XYT+16XY^2+16X^2T+16X^2Y+50X^3$	60	28
$\mathcal{G}_3^1$	$34T^3+35YT^2+35Y^2T+35XT^2+34Y^3+4XYT+35XY^2+35X^2T+35X^2Y+34X^3$	60	47
$\mathcal{G}_3^1$	$32T^3+29YT^2+29Y^2T+29XT^2+32Y^3+59XYT+29XY^2+29X^2T+29X^2Y+32X^3$	60	56
$\mathcal{G}_3^1$	$30T^3+23YT^2+23Y^2T+23XT^2+30Y^3+47XYT+23XY^2+23X^2T+23X^2Y+30X^3$	60	37
$\mathcal{G}_3^1$	$2T^3+6YT^2+6Y^2T+6XT^2+2Y^3+13XYT+6XY^2+6X^2T+6X^2Y+2X^3$	60	23

Table 102 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$28T^3+17YT^2+17Y^2T+17XT^2+28Y^3+35XYT+17XY^2+17X^2T+17X^2Y+28X^3$	60	39
$\mathcal{G}_3^1$	$12T^3+36YT^2+36Y^2T+36XT^2+12Y^3+6XYT+36XY^2+36X^2T+36X^2Y+12X^3$	60	31
$\mathcal{G}_3^1$	$41T^3+56YT^2+56Y^2T+56XT^2+41Y^3+46XYT+56XY^2+56X^2T+56X^2Y+41X^3$	57	19
$\mathcal{G}_3^1$	$21T^3+63YT^2+63Y^2T+63XT^2+21Y^3+60XYT+63XY^2+63X^2T+63X^2Y+21X^3$	57	10
$\mathcal{G}_3^1$	$66T^3+64YT^2+64Y^2T+64XT^2+66Y^3+62XYT+64XY^2+64X^2T+64X^2Y+66X^3$	54	17
$\mathcal{G}_3^1$	$5T^3+15YT^2+15Y^2T+15XT^2+5Y^3+31XYT+15XY^2+15X^2T+15X^2Y+5X^3$	54	38
$\overline{\mathcal{E}}_3^1$	$2T^3+XY^2+X^2Y$	84	0
$\overline{\mathcal{E}}_3^1$	$4T^3+XY^2+X^2Y$	57	0
$\mathcal{E}_1^4$	$YT^2+65Y^3+X^3$	73	0
$\mathcal{E}_1^1$	$YT^2+35Y^3+X^3$	79	0
$\mathcal{E}_1^1$	$YT^2+59Y^3+X^3$	52	0
$\mathcal{H}_1^0$	$YT^2+XY^2+X^3$	68	53
$\mathcal{H}_1^0$	$YT^2+2XY^2+X^3$	68	53
$\mathcal{G}_1$	$YT^2+53Y^3+2XY^2+X^3$	83	5
$\mathcal{G}_1$	$YT^2+42Y^3+XY^2+X^3$	82	38
$\mathcal{G}_1$	$YT^2+40Y^3+2XY^2+X^3$	82	17
$\mathcal{G}_1$	$YT^2+11Y^3+XY^2+X^3$	82	27
$\mathcal{G}_1$	$YT^2+Y^3+XY^2+X^3$	80	9

Table 102 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 4Y^3 + XY^2 + X^3$	80	22
$\mathcal{G}_1$	$YT^2 + 48Y^3 + XY^2 + X^3$	80	58
$\mathcal{G}_1$	$YT^2 + 41Y^3 + 2XY^2 + X^3$	80	64
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 2XY^2 + X^3$	80	3
$\mathcal{G}_1$	$YT^2 + 38Y^3 + 2XY^2 + X^3$	80	24
$\mathcal{G}_1$	$YT^2 + 59Y^3 + XY^2 + X^3$	79	19
$\mathcal{G}_1$	$YT^2 + 32Y^3 + XY^2 + X^3$	79	10
$\mathcal{G}_1$	$YT^2 + 41Y^3 + XY^2 + X^3$	77	15
$\mathcal{G}_1$	$YT^2 + 30Y^3 + 2XY^2 + X^3$	77	8
$\mathcal{G}_1$	$YT^2 + 66Y^3 + 2XY^2 + X^3$	76	56
$\mathcal{G}_1$	$YT^2 + 62Y^3 + XY^2 + X^3$	76	31
$\mathcal{G}_1$	$YT^2 + 56Y^3 + 2XY^2 + X^3$	76	39
$\mathcal{G}_1$	$YT^2 + 35Y^3 + 2XY^2 + X^3$	76	47
$\mathcal{G}_1$	$YT^2 + 30Y^3 + XY^2 + X^3$	76	23
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 2XY^2 + X^3$	76	37
$\mathcal{G}_1$	$YT^2 + 29Y^3 + XY^2 + X^3$	76	28
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 2XY^2 + X^3$	76	12
$\mathcal{G}_1$	$YT^2 + 9Y^3 + XY^2 + X^3$	74	43
$\mathcal{G}_1$	$YT^2 + 50Y^3 + XY^2 + X^3$	74	52
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 2XY^2 + X^3$	73	46
$\mathcal{G}_1$	$YT^2 + 51Y^3 + 2XY^2 + X^3$	73	41
$\mathcal{G}_1$	$YT^2 + 20Y^3 + 2XY^2 + X^3$	73	63
$\mathcal{G}_1$	$YT^2 + 13Y^3 + XY^2 + X^3$	73	1
$\mathcal{G}_1$	$YT^2 + 50Y^3 + 2XY^2 + X^3$	71	45
$\mathcal{G}_1$	$YT^2 + 43Y^3 + XY^2 + X^3$	71	40
$\mathcal{G}_1$	$YT^2 + 3Y^3 + XY^2 + X^3$	71	25
$\mathcal{G}_1$	$YT^2 + 22Y^3 + XY^2 + X^3$	71	59
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 2XY^2 + X^3$	70	6
$\mathcal{G}_1$	$YT^2 + 55Y^3 + XY^2 + X^3$	70	13
$\mathcal{G}_1$	$YT^2 + 54Y^3 + 2XY^2 + X^3$	70	16
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 2XY^2 + X^3$	70	36

Table 102 Continue 5

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 36Y^3 + XY^2 + X^3$	70	34
$\mathcal{G}_1$	$YT^2 + 24Y^3 + 2XY^2 + X^3$	70	29
$\mathcal{G}_1$	$YT^2 + 23Y^3 + XY^2 + X^3$	70	30
$\mathcal{G}_1$	$YT^2 + 19Y^3 + 2XY^2 + X^3$	70	60
$\mathcal{G}_1$	$YT^2 + 40Y^3 + XY^2 + X^3$	68	66
$\mathcal{G}_1$	$YT^2 + 27Y^3 + XY^2 + X^3$	68	66
$\mathcal{G}_1$	$YT^2 + 53Y^3 + XY^2 + X^3$	67	26
$\mathcal{G}_1$	$YT^2 + 23Y^3 + 2XY^2 + X^3$	67	2
$\mathcal{G}_1$	$YT^2 + 64Y^3 + XY^2 + X^3$	65	25
$\mathcal{G}_1$	$YT^2 + 45Y^3 + XY^2 + X^3$	65	59
$\mathcal{G}_1$	$YT^2 + 24Y^3 + XY^2 + X^3$	65	40
$\mathcal{G}_1$	$YT^2 + 17Y^3 + 2XY^2 + X^3$	65	45
$\mathcal{G}_1$	$YT^2 + 59Y^3 + 2XY^2 + X^3$	64	57
$\mathcal{G}_1$	$YT^2 + 52Y^3 + XY^2 + X^3$	64	18
$\mathcal{G}_1$	$YT^2 + 34Y^3 + 2XY^2 + X^3$	64	4
$\mathcal{G}_1$	$YT^2 + 2Y^3 + XY^2 + X^3$	64	33
$\mathcal{G}_1$	$YT^2 + 28Y^3 + 2XY^2 + X^3$	64	51
$\mathcal{G}_1$	$YT^2 + 22Y^3 + 2XY^2 + X^3$	64	14
$\mathcal{G}_1$	$YT^2 + 21Y^3 + XY^2 + X^3$	64	35
$\mathcal{G}_1$	$YT^2 + 20Y^3 + XY^2 + X^3$	64	44
$\mathcal{G}_1$	$YT^2 + 16Y^3 + XY^2 + X^3$	64	32
$\mathcal{G}_1$	$YT^2 + 12Y^3 + 2XY^2 + X^3$	64	42
$\mathcal{G}_1$	$YT^2 + 58Y^3 + XY^2 + X^3$	62	43
$\mathcal{G}_1$	$YT^2 + 17Y^3 + XY^2 + X^3$	62	52
$\mathcal{G}_1$	$YT^2 + 9Y^3 + 2XY^2 + X^3$	61	11
$\mathcal{G}_1$	$YT^2 + 49Y^3 + 2XY^2 + X^3$	61	7
$\mathcal{G}_1$	$YT^2 + 36Y^3 + 2XY^2 + X^3$	61	50
$\mathcal{G}_1$	$YT^2 + 34Y^3 + XY^2 + X^3$	61	54
$\mathcal{G}_1$	$YT^2 + 37Y^3 + 2XY^2 + X^3$	59	8
$\mathcal{G}_1$	$YT^2 + 26Y^3 + XY^2 + X^3$	59	15
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 2XY^2 + X^3$	58	55

Table 102 Continue 6

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 60Y^3 + XY^2 + X^3$	58	61
$\mathcal{G}_1$	$YT^2 + 52Y^3 + 2XY^2 + X^3$	58	49
$\mathcal{G}_1$	$YT^2 + 10Y^3 + XY^2 + X^3$	58	20
$\mathcal{G}_1$	$YT^2 + 66Y^3 + XY^2 + X^3$	56	9
$\mathcal{G}_1$	$YT^2 + 64Y^3 + 2XY^2 + X^3$	56	3
$\mathcal{G}_1$	$YT^2 + 63Y^3 + XY^2 + X^3$	56	22
$\mathcal{G}_1$	$YT^2 + 29Y^3 + 2XY^2 + X^3$	56	24
$\mathcal{G}_1$	$YT^2 + 26Y^3 + 2XY^2 + X^3$	56	64
$\mathcal{G}_1$	$YT^2 + 19Y^3 + XY^2 + X^3$	56	58
$\mathcal{G}_1$	$YT^2 + 61Y^3 + XY^2 + X^3$	55	62
$\mathcal{G}_1$	$YT^2 + 21Y^3 + 2XY^2 + X^3$	55	48
$\mathcal{G}_1$	$YT^2 + 18Y^3 + XY^2 + X^3$	55	21
$\mathcal{G}_1$	$YT^2 + 14Y^3 + 2XY^2 + X^3$	53	5
$\mathcal{G}_1$	$YT^2 + 25Y^3 + 2XY^2 + X^3$	52	65
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 64XYT + X^3$	81	62
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 38XYT + X^3$	81	62
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 37XYT + X^3$	81	62
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 19XYT + X^3$	81	62
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 59XYT + X^3$	72	42
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 58XYT + X^3$	72	42
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 55XYT + X^3$	72	42
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 53XYT + X^3$	72	14
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 52XYT + X^3$	72	14
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 49XYT + X^3$	72	14
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 43XYT + X^3$	72	42
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 32XYT + X^3$	72	14
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 26XYT + X^3$	63	1
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 22XYT + X^3$	63	1
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 16XYT + X^3$	63	1
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 11XYT + X^3$	63	1
$\mathcal{G}_0^4$	$4T^3 + 2Y^3 + 65XYT + X^3$	54	27

Table 102 Continue 7

type	equation	n	$j-$ inv.
$\mathcal{G}_0^4$	$4T^3+2Y^3+44XYT+X^3$	54	27
$\mathcal{G}_0^4$	$4T^3+2Y^3+40XYT+X^3$	54	27
$\mathcal{G}_0^4$	$4T^3+2Y^3+31XYT+X^3$	54	27
$\overline{\mathcal{E}}_0^4$	$4T^3+2Y^3+X^3$	63	0
$\mathcal{E}_0^4$	$4T^3+2Y^3+13XYT+X^3$	63	0
$\mathcal{G}_0^1$	$12T^3+4YT^2+3Y^3+58XYT+XY^2+X^2T+51X^3$	84	65
$\mathcal{G}_0^1$	$37T^3+4YT^2+26Y^3+56XYT+XY^2+X^2T+40X^3$	81	48
$\mathcal{G}_0^1$	$35T^3+2YT^2+51Y^3+48XYT+XY^2+X^2T+59X^3$	81	21
$\mathcal{G}_0^1$	$56T^3+4YT^2+14Y^3+25XYT+XY^2+X^2T+37X^3$	78	49
$\mathcal{G}_0^1$	$51T^3+4YT^2+63Y^3+12XYT+XY^2+X^2T+66X^3$	78	61
$\mathcal{G}_0^1$	$34T^3+2YT^2+17Y^3+16XYT+XY^2+X^2T+42X^3$	78	20
$\mathcal{G}_0^1$	$26T^3+2YT^2+13Y^3+28XYT+XY^2+X^2T+40X^3$	78	55
$\mathcal{G}_0^1$	$6T^3+2YT^2+3Y^3+58XYT+XY^2+X^2T+35X^3$	75	11
$\mathcal{G}_0^1$	$57T^3+4YT^2+31Y^3+41XYT+XY^2+X^2T+58X^3$	75	50
$\mathcal{G}_0^1$	$57T^3+2YT^2+62Y^3+15XYT+XY^2+X^2T+31X^3$	75	7
$\mathcal{G}_0^1$	$19T^3+4YT^2+55Y^3+36XYT+XY^2+X^2T+64X^3$	75	54
$\mathcal{G}_0^1$	$9T^3+4YT^2+19Y^3+10XYT+XY^2+X^2T+55X^3$	72	57
$\mathcal{G}_0^1$	$6T^3+4YT^2+35Y^3+29XYT+XY^2+X^2T+59X^3$	72	44
$\mathcal{G}_0^1$	$65T^3+2YT^2+66Y^3+3XYT+XY^2+X^2T+33X^3$	72	35
$\mathcal{G}_0^1$	$62T^3+2YT^2+31Y^3+41XYT+XY^2+X^2T+49X^3$	72	32
$\mathcal{G}_0^1$	$43T^3+2YT^2+55Y^3+36XYT+XY^2+X^2T+61X^3$	72	33
$\mathcal{G}_0^1$	$41T^3+4YT^2+27Y^3+53XYT+XY^2+X^2T+57X^3$	72	51
$\mathcal{G}_0^1$	$37T^3+2YT^2+52Y^3+45XYT+XY^2+X^2T+26X^3$	72	4
$\mathcal{G}_0^1$	$27T^3+4YT^2+57Y^3+30XYT+XY^2+X^2T+31X^3$	72	18
$\mathcal{G}_0^1$	$28T^3+4YT^2+7Y^3+46XYT+XY^2+X^2T+52X^3$	69	2
$\mathcal{G}_0^1$	$19T^3+2YT^2+43Y^3+5XYT+XY^2+X^2T+55X^3$	69	26
$\mathcal{G}_0^1$	$63T^3+2YT^2+65Y^3+6XYT+XY^2+X^2T+66X^3$	66	60
$\mathcal{G}_0^1$	$59T^3+2YT^2+63Y^3+12XYT+XY^2+X^2T+65X^3$	66	34
$\mathcal{G}_0^1$	$54T^3+4YT^2+47Y^3+60XYT+XY^2+X^2T+62X^3$	66	30
$\mathcal{G}_0^1$	$47T^3+4YT^2+62Y^3+15XYT+XY^2+X^2T+49X^3$	66	6
$\mathcal{G}_0^1$	$27T^3+2YT^2+47Y^3+60XYT+XY^2+X^2T+57X^3$	66	36

Table 102 Continue 8

type	equation	n	$j-$ inv.
$\mathcal{G}_0^1$	$24T^3+4YT^2+6Y^3+49XYT+XY^2+X^2T+35X^3$	66	13
$\mathcal{G}_0^1$	$14T^3+4YT^2+37Y^3+23XYT+XY^2+X^2T+26X^3$	66	16
$\mathcal{G}_0^1$	$14T^3+2YT^2+7Y^3+46XYT+XY^2+X^2T+37X^3$	66	29
$\mathcal{G}_0^1$	$55T^3+2YT^2+61Y^3+18XYT+XY^2+X^2T+64X^3$	63	41
$\mathcal{G}_0^1$	$47T^3+2YT^2+57Y^3+30XYT+XY^2+X^2T+62X^3$	63	46
$\mathcal{G}_0^1$	$42T^3+2YT^2+21Y^3+4XYT+XY^2+X^2T+44X^3$	63	63
$\mathcal{G}_0^1$	$7T^3+2YT^2+37Y^3+23XYT+XY^2+X^2T+52X^3$	60	31
$\mathcal{G}_0^1$	$66T^3+2YT^2+33Y^3+35XYT+XY^2+X^2T+50X^3$	60	12
$\mathcal{G}_0^1$	$63T^3+4YT^2+66Y^3+3XYT+XY^2+X^2T+50X^3$	60	39
$\mathcal{G}_0^1$	$51T^3+2YT^2+59Y^3+24XYT+XY^2+X^2T+63X^3$	60	56
$\mathcal{G}_0^1$	$38T^3+4YT^2+43Y^3+5XYT+XY^2+X^2T+61X^3$	60	37
$\mathcal{G}_0^1$	$35T^3+4YT^2+59Y^3+24XYT+XY^2+X^2T+65X^3$	60	23
$\mathcal{G}_0^1$	$34T^3+4YT^2+42Y^3+8XYT+XY^2+X^2T+44X^3$	60	28
$\mathcal{G}_0^1$	$31T^3+2YT^2+49Y^3+54XYT+XY^2+X^2T+58X^3$	60	47
$\mathcal{G}_0^1$	$59T^3+4YT^2+65Y^3+6XYT+XY^2+X^2T+33X^3$	57	19
$\mathcal{G}_0^1$	$3T^3+4YT^2+51Y^3+48XYT+XY^2+X^2T+63X^3$	57	10
$\mathcal{G}_0^1$	$3T^3+2YT^2+35Y^3+29XYT+XY^2+X^2T+51X^3$	54	38
$\mathcal{G}_0^1$	$2T^3+4YT^2+34Y^3+32XYT+XY^2+X^2T+42X^3$	54	17
$\mathcal{E}_0^1$	$2YT^2+XY^2+X^2T$	84	0
$\mathcal{E}_0^1$	$4YT^2+XY^2+X^2T$	57	0

Table 103 $q=71$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_3^0$	$62YT^2+3XT^2+Y^3+XY^2$	73	3
$\mathcal{N}_1^1$	T^3+XY^2	72	1

Table 104 $q = 71$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	71
$\mathcal{N}_0^0$	$69T^3 + 62YT^2 + 2Y^2T + 3XT^2 + Y^3 + XY^2$	73

Table 105 $q = 71$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\overline{\mathcal{E}}_3^2$	$7T^3 + XY^2 + X^2Y$	72	1	0
$\mathcal{E}_3^2$	$68T^3 + 62YT^2 + 62Y^2T + 62XT^2 + 68Y^3 + 54XYT + 62XY^2 + 62X^2T + 62X^2Y + 68X^3$	72	3	0
$\mathcal{E}_0^2$	$T^3 + 66Y^3 + 3XY^2 + 70X^3$	72	1	0

Table 106 $q = 71$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{H}_3^2$	$9T^3 + 27YT^2 + 27Y^2T + 27XT^2 + 9Y^3 + 55XYT + 27XY^2 + 27X^2T + 27X^2Y + 9X^3$	72	24
$\mathcal{H}_3^2$	$50T^3 + 8YT^2 + 8Y^2T + 8XT^2 + 50Y^3 + 17XYT + 8XY^2 + 8X^2T + 8X^2Y + 50X^3$	72	24
$\mathcal{G}_3^2$	$61T^3 + 41YT^2 + 41Y^2T + 41XT^2 + 61Y^3 + 12XYT + 41XY^2 + 41X^2T + 41X^2Y + 61X^3$	87	54
$\mathcal{G}_3^2$	$53T^3 + 17YT^2 + 17Y^2T + 17XT^2 + 53Y^3 + 35XYT + 17XY^2 + 17X^2T + 17X^2Y + 53X^3$	87	67
$\mathcal{G}_3^2$	$18T^3 + 54YT^2 + 54Y^2T + 54XT^2 + 18Y^3 + 38XYT + 54XY^2 + 54X^2T + 54X^2Y + 18X^3$	87	51
$\mathcal{G}_3^2$	$8T^3 + 24YT^2 + 24Y^2T + 24XT^2 + 8Y^3 + 49XYT + 24XY^2 + 24X^2T + 24X^2Y + 8X^3$	84	15
$\mathcal{G}_3^2$	$51T^3 + 11YT^2 + 11Y^2T + 11XT^2 + 51Y^3 + 23XYT + 11XY^2 + 11X^2T + 11X^2Y + 51X^3$	84	25
$\mathcal{G}_3^2$	$4T^3 + 12YT^2 + 12Y^2T + 12XT^2 + 4Y^3 + 25XYT + 12XY^2 + 12X^2T + 12X^2Y + 4X^3$	84	57
$\mathcal{G}_3^2$	$48T^3 + 2YT^2 + 2Y^2T + 2XT^2 + 48Y^3 + 5XYT + 2XY^2 + 2X^2T + 2X^2Y + 48X^3$	84	19
$\mathcal{G}_3^2$	$35T^3 + 34YT^2 + 34Y^2T + 34XT^2 + 35Y^3 + 69XYT + 34XY^2 + 34X^2T + 34X^2Y + 35X^3$	84	68
$\mathcal{G}_3^2$	$34T^3 + 31YT^2 + 31Y^2T + 31XT^2 + 34Y^3 + 63XYT + 31XY^2 + 31X^2T + 31X^2Y + 34X^3$	84	23
$\mathcal{G}_3^2$	$29T^3 + 16YT^2 + 16Y^2T + 16XT^2 + 29Y^3 + 33XYT + 16XY^2 + 16X^2T + 16X^2Y + 29X^3$	84	21
$\mathcal{G}_3^2$	$23T^3 + 69YT^2 + 69Y^2T + 69XT^2 + 23Y^3 + 68XYT + 69XY^2 + 69X^2T + 69X^2Y + 23X^3$	84	42
$\mathcal{G}_3^2$	$6T^3 + 18YT^2 + 18Y^2T + 18XT^2 + 6Y^3 + 37XYT + 18XY^2 + 18X^2T + 18X^2Y + 6X^3$	81	30

Table 106 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$66T^3+56YT^2+56Y^2T+56XT^2+66Y^3+42XYT+56XY^2+56X^2T+56X^2Y+66X^3$	81	28
$\mathcal{G}_3^2$	$43T^3+58YT^2+58Y^2T+58XT^2+43Y^3+46XYT+58XY^2+58X^2T+58X^2Y+43X^3$	81	69
$\mathcal{G}_3^2$	$2T^3+6YT^2+6Y^2T+6XT^2+2Y^3+13XYT+6XY^2+6X^2T+6X^2Y+2X^3$	81	10
$\mathcal{G}_3^2$	$64T^3+50YT^2+50Y^2T+50XT^2+64Y^3+30XYT+50XY^2+50X^2T+50X^2Y+64X^3$	78	58
$\mathcal{G}_3^2$	$56T^3+26YT^2+26Y^2T+26XT^2+56Y^3+53XYT+26XY^2+26X^2T+26X^2Y+56X^3$	78	4
$\mathcal{G}_3^2$	$55T^3+23YT^2+23Y^2T+23XT^2+55Y^3+47XYT+23XY^2+23X^2T+23X^2Y+55X^3$	78	47
$\mathcal{G}_3^2$	$52T^3+14YT^2+14Y^2T+14XT^2+52Y^3+29XYT+14XY^2+14X^2T+14X^2Y+52X^3$	78	6
$\mathcal{G}_3^2$	$30T^3+19YT^2+19Y^2T+19XT^2+30Y^3+39XYT+19XY^2+19X^2T+19X^2Y+30X^3$	78	5
$\mathcal{G}_3^2$	$27T^3+10YT^2+10Y^2T+10XT^2+27Y^3+21XYT+10XY^2+10X^2T+10X^2Y+27X^3$	78	59
$\mathcal{G}_3^2$	$25T^3+4YT^2+4Y^2T+4XT^2+25Y^3+9XYT+4XY^2+4X^2T+4X^2Y+25X^3$	78	8
$\mathcal{G}_3^2$	$10T^3+30YT^2+30Y^2T+30XT^2+10Y^3+61XYT+30XY^2+30X^2T+30X^2Y+10X^3$	78	12
$\mathcal{G}_3^2$	$7T^3+21YT^2+21Y^2T+21XT^2+7Y^3+43XYT+21XY^2+21X^2T+21X^2Y+7X^3$	75	2
$\mathcal{G}_3^2$	$70T^3+68YT^2+68Y^2T+68XT^2+70Y^3+66XYT+68XY^2+68X^2T+68X^2Y+70X^3$	75	1
$\mathcal{G}_3^2$	$60T^3+38YT^2+38Y^2T+38XT^2+60Y^3+6XYT+38XY^2+38X^2T+38X^2Y+60X^3$	75	34
$\mathcal{G}_3^2$	$59T^3+35YT^2+35Y^2T+35XT^2+59Y^3+35XY^2+35X^2T+35X^2Y+59X^3$	75	13
$\mathcal{G}_3^2$	$16T^3+48YT^2+48Y^2T+48XT^2+16Y^3+26XYT+48XY^2+48X^2T+48X^2Y+16X^3$	75	49
$\mathcal{G}_3^2$	$T^3+3YT^2+3Y^2T+3XT^2+Y^3+7XYT+3XY^2+3X^2T+3X^2Y+X^3$	72	48

Table 106 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$54T^3+20YT^2+20Y^2T+20XT^2+54Y^3+41XYT+20XY^2+20X^2T+20X^2Y+54X^3$	72	40
$\mathcal{G}_3^2$	$47T^3+70YT^2+70Y^2T+70XT^2+47Y^3+70XYT+70XY^2+70X^2T+70X^2Y+47X^3$	72	66
$\mathcal{G}_3^2$	$46T^3+67YT^2+67Y^2T+67XT^2+46Y^3+64XYT+67XY^2+67X^2T+67X^2Y+46X^3$	72	40
$\mathcal{G}_3^2$	$45T^3+64YT^2+64Y^2T+64XT^2+45Y^3+58XYT+64XY^2+64X^2T+64X^2Y+45X^3$	72	41
$\mathcal{G}_3^2$	$42T^3+55YT^2+55Y^2T+55XT^2+42Y^3+40XYT+55XY^2+55X^2T+55X^2Y+42X^3$	72	66
$\mathcal{G}_3^2$	$38T^3+43YT^2+43Y^2T+43XT^2+38Y^3+16XYT+43XY^2+43X^2T+43X^2Y+38X^3$	72	17
$\mathcal{G}_3^2$	$24T^3+YT^2+Y^2T+XT^2+24Y^3+3XYT+XY^2+X^2T+X^2Y+24X^3$	72	41
$\mathcal{G}_3^2$	$20T^3+60YT^2+60Y^2T+60XT^2+20Y^3+50XYT+60XY^2+60X^2T+60X^2Y+20X^3$	72	17
$\mathcal{G}_3^2$	$12T^3+36YT^2+36Y^2T+36XT^2+12Y^3+2XYT+36XY^2+36X^2T+36X^2Y+12X^3$	72	48
$\mathcal{G}_3^2$	$5T^3+15YT^2+15Y^2T+15XT^2+5Y^3+31XYT+15XY^2+15X^2T+15X^2Y+5X^3$	69	1
$\mathcal{G}_3^2$	$33T^3+28YT^2+28Y^2T+28XT^2+33Y^3+57XYT+28XY^2+28X^2T+28X^2Y+33X^3$	69	49
$\mathcal{G}_3^2$	$32T^3+25YT^2+25Y^2T+25XT^2+32Y^3+51XYT+25XY^2+25X^2T+25X^2Y+32X^3$	69	34
$\mathcal{G}_3^2$	$22T^3+66YT^2+66Y^2T+66XT^2+22Y^3+62XYT+66XY^2+66X^2T+66X^2Y+22X^3$	69	2
$\mathcal{G}_3^2$	$14T^3+42YT^2+42Y^2T+42XT^2+14Y^3+14XYT+42XY^2+42X^2T+42X^2Y+14X^3$	69	13
$\mathcal{G}_3^2$	$67T^3+59YT^2+59Y^2T+59XT^2+67Y^3+48XYT+59XY^2+59X^2T+59X^2Y+67X^3$	66	6
$\mathcal{G}_3^2$	$65T^3+53YT^2+53Y^2T+53XT^2+65Y^3+36XYT+53XY^2+53X^2T+53X^2Y+65X^3$	66	5

Table 106 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$62T^3+44YT^2+44Y^2T+44XT^2+62Y^3+18XYT+44XY^2+44X^2T+44X^2Y+62X^3$	66	58
$\mathcal{G}_3^2$	$40T^3+49YT^2+49Y^2T+49XT^2+40Y^3+28XYT+49XY^2+49X^2T+49X^2Y+40X^3$	66	47
$\mathcal{G}_3^2$	$37T^3+40YT^2+40Y^2T+40XT^2+37Y^3+10XYT+40XY^2+40X^2T+40X^2Y+37X^3$	66	59
$\mathcal{G}_3^2$	$36T^3+37YT^2+37Y^2T+37XT^2+36Y^3+4XYT+37XY^2+37X^2T+37X^2Y+36X^3$	66	12
$\mathcal{G}_3^2$	$28T^3+13YT^2+13Y^2T+13XT^2+28Y^3+27XYT+13XY^2+13X^2T+13X^2Y+28X^3$	66	4
$\mathcal{G}_3^2$	$11T^3+33YT^2+33Y^2T+33XT^2+11Y^3+67XYT+33XY^2+33X^2T+33X^2Y+11X^3$	66	8
$\mathcal{G}_3^2$	$49T^3+5YT^2+5Y^2T+5XT^2+49Y^3+11XYT+5XY^2+5X^2T+5X^2Y+49X^3$	63	28
$\mathcal{G}_3^2$	$26T^3+7YT^2+7Y^2T+7XT^2+26Y^3+15XYT+7XY^2+7X^2T+7X^2Y+26X^3$	63	30
$\mathcal{G}_3^2$	$19T^3+57YT^2+57Y^2T+57XT^2+19Y^3+44XYT+57XY^2+57X^2T+57X^2Y+19X^3$	63	69
$\mathcal{G}_3^2$	$15T^3+45YT^2+45Y^2T+45XT^2+15Y^3+20XYT+45XY^2+45X^2T+45X^2Y+15X^3$	63	10
$\mathcal{G}_3^2$	$69T^3+65YT^2+65Y^2T+65XT^2+69Y^3+60XYT+65XY^2+65X^2T+65X^2Y+69X^3$	60	25
$\mathcal{G}_3^2$	$63T^3+47YT^2+47Y^2T+47XT^2+63Y^3+24XYT+47XY^2+47X^2T+47X^2Y+63X^3$	60	19
$\mathcal{G}_3^2$	$58T^3+32YT^2+32Y^2T+32XT^2+58Y^3+65XYT+32XY^2+32X^2T+32X^2Y+58X^3$	60	15
$\mathcal{G}_3^2$	$57T^3+29YT^2+29Y^2T+29XT^2+57Y^3+59XYT+29XY^2+29X^2T+29X^2Y+57X^3$	60	21
$\mathcal{G}_3^2$	$44T^3+61YT^2+61Y^2T+61XT^2+44Y^3+52XYT+61XY^2+61X^2T+61X^2Y+44X^3$	60	57
$\mathcal{G}_3^2$	$41T^3+52YT^2+52Y^2T+52XT^2+41Y^3+34XYT+52XY^2+52X^2T+52X^2Y+41X^3$	60	42
$\mathcal{G}_3^2$	$17T^3+51YT^2+51Y^2T+51XT^2+17Y^3+32XYT+51XY^2+51X^2T+51X^2Y+17X^3$	60	23

Table 106 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{G}_3^2$	$13T^3+39YT^2+39Y^2T+39XT^2+13Y^3+8XYT+39XY^2+39X^2T+39X^2Y+13X^3$	60	68
$\mathcal{G}_3^2$	$3T^3+9YT^2+9Y^2T+9XT^2+3Y^3+19XYT+9XY^2+9X^2T+9X^2Y+3X^3$	57	54
$\mathcal{G}_3^2$	$39T^3+46YT^2+46Y^2T+46XT^2+39Y^3+22XYT+46XY^2+46X^2T+46X^2Y+39X^3$	57	51
$\mathcal{G}_3^2$	$31T^3+22YT^2+22Y^2T+22XT^2+31Y^3+45XYT+22XY^2+22X^2T+22X^2Y+31X^3$	57	67
$\mathcal{G}_1$	$YT^2+62Y^3+XY^2+X^3$	88	33
$\mathcal{G}_1$	$YT^2+33Y^3+7XY^2+X^3$	88	35
$\mathcal{G}_1$	$YT^2+36Y^3+7XY^2+X^3$	86	46
$\mathcal{G}_1$	$YT^2+18Y^3+7XY^2+X^3$	86	22
$\mathcal{G}_1$	$YT^2+Y^3+XY^2+X^3$	85	26
$\mathcal{G}_1$	$YT^2+51Y^3+7XY^2+X^3$	85	43
$\mathcal{G}_1$	$YT^2+44Y^3+7XY^2+X^3$	83	36
$\mathcal{G}_1$	$YT^2+61Y^3+XY^2+X^3$	82	16
$\mathcal{G}_1$	$YT^2+35Y^3+XY^2+X^3$	82	37
$\mathcal{G}_1$	$YT^2+21Y^3+7XY^2+X^3$	82	63
$\mathcal{G}_1$	$YT^2+16Y^3+XY^2+X^3$	82	18
$\mathcal{G}_1$	$YT^2+70Y^3+7XY^2+X^3$	80	65
$\mathcal{G}_1$	$YT^2+69Y^3+XY^2+X^3$	80	11
$\mathcal{G}_1$	$YT^2+53Y^3+XY^2+X^3$	80	20
$\mathcal{G}_1$	$YT^2+41Y^3+XY^2+X^3$	80	56
$\mathcal{G}_1$	$YT^2+3Y^3+XY^2+X^3$	80	7
$\mathcal{G}_1$	$YT^2+34Y^3+7XY^2+X^3$	80	60
$\mathcal{G}_1$	$YT^2+22Y^3+7XY^2+X^3$	80	52
$\mathcal{G}_1$	$YT^2+17Y^3+7XY^2+X^3$	80	70
$\mathcal{G}_1$	$YT^2+63Y^3+XY^2+X^3$	79	44
$\mathcal{G}_1$	$YT^2+39Y^3+7XY^2+X^3$	79	27
$\mathcal{G}_1$	$YT^2+7Y^3+7XY^2+X^3$	77	29
$\mathcal{G}_1$	$YT^2+68Y^3+7XY^2+X^3$	77	64
$\mathcal{G}_1$	$YT^2+57Y^3+XY^2+X^3$	77	53
$\mathcal{G}_1$	$YT^2+33Y^3+XY^2+X^3$	77	62

Table 106 Continue 5

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 5Y^3 + XY^2 + X^3$	76	45
$\mathcal{G}_1$	$YT^2 + 59Y^3 + XY^2 + X^3$	76	9
$\mathcal{G}_1$	$YT^2 + 40Y^3 + XY^2 + X^3$	76	50
$\mathcal{G}_1$	$YT^2 + 23Y^3 + 7XY^2 + X^3$	76	32
$\mathcal{G}_1$	$YT^2 + 65Y^3 + 7XY^2 + X^3$	74	55
$\mathcal{G}_1$	$YT^2 + 62Y^3 + 7XY^2 + X^3$	74	14
$\mathcal{G}_1$	$YT^2 + 4Y^3 + XY^2 + X^3$	74	38
$\mathcal{G}_1$	$YT^2 + 19Y^3 + 7XY^2 + X^3$	74	31
$\mathcal{G}_1$	$YT^2 + 54Y^3 + XY^2 + X^3$	73	39
$\mathcal{G}_1$	$YT^2 + 39Y^3 + XY^2 + X^3$	73	61
$\mathcal{G}_1$	$YT^2 + 13Y^3 + 7XY^2 + X^3$	73	3
$\mathcal{G}_1$	$YT^2 + 58Y^3 + 7XY^2 + X^3$	71	3
$\mathcal{G}_1$	$YT^2 + 32Y^3 + XY^2 + X^3$	71	61
$\mathcal{G}_1$	$YT^2 + 17Y^3 + XY^2 + X^3$	71	39
$\mathcal{G}_1$	$YT^2 + 9Y^3 + 7XY^2 + X^3$	70	14
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 7XY^2 + X^3$	70	55
$\mathcal{G}_1$	$YT^2 + 67Y^3 + XY^2 + X^3$	70	38
$\mathcal{G}_1$	$YT^2 + 52Y^3 + 7XY^2 + X^3$	70	31
$\mathcal{G}_1$	$YT^2 + 66Y^3 + XY^2 + X^3$	68	45
$\mathcal{G}_1$	$YT^2 + 48Y^3 + 7XY^2 + X^3$	68	32
$\mathcal{G}_1$	$YT^2 + 31Y^3 + XY^2 + X^3$	68	50
$\mathcal{G}_1$	$YT^2 + 12Y^3 + XY^2 + X^3$	68	9
$\mathcal{G}_1$	$YT^2 + 64Y^3 + 7XY^2 + X^3$	67	29
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 7XY^2 + X^3$	67	64
$\mathcal{G}_1$	$YT^2 + 38Y^3 + XY^2 + X^3$	67	62
$\mathcal{G}_1$	$YT^2 + 14Y^3 + XY^2 + X^3$	67	53
$\mathcal{G}_1$	$YT^2 + 8Y^3 + XY^2 + X^3$	65	44
$\mathcal{G}_1$	$YT^2 + 32Y^3 + 7XY^2 + X^3$	65	27
$\mathcal{G}_1$	$YT^2 + Y^3 + 7XY^2 + X^3$	64	65
$\mathcal{G}_1$	$YT^2 + 68Y^3 + XY^2 + X^3$	64	7
$\mathcal{G}_1$	$YT^2 + 54Y^3 + 7XY^2 + X^3$	64	70

Table 106 Continue 6

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+49Y^3+7XY^2+X^3$	64	52
$\mathcal{G}_1$	$YT^2+37Y^3+7XY^2+X^3$	64	60
$\mathcal{G}_1$	$YT^2+30Y^3+XY^2+X^3$	64	56
$\mathcal{G}_1$	$YT^2+2Y^3+XY^2+X^3$	64	11
$\mathcal{G}_1$	$YT^2+18Y^3+XY^2+X^3$	64	20
$\mathcal{G}_1$	$YT^2+55Y^3+XY^2+X^3$	62	18
$\mathcal{G}_1$	$YT^2+50Y^3+7XY^2+X^3$	62	63
$\mathcal{G}_1$	$YT^2+36Y^3+XY^2+X^3$	62	37
$\mathcal{G}_1$	$YT^2+10Y^3+XY^2+X^3$	62	16
$\mathcal{G}_1$	$YT^2+27Y^3+7XY^2+X^3$	61	36
$\mathcal{G}_1$	$YT^2+70Y^3+XY^2+X^3$	59	26
$\mathcal{G}_1$	$YT^2+20Y^3+7XY^2+X^3$	59	43
$\mathcal{G}_1$	$YT^2+53Y^3+7XY^2+X^3$	58	22
$\mathcal{G}_1$	$YT^2+35Y^3+7XY^2+X^3$	58	46
$\mathcal{G}_1$	$YT^2+9Y^3+XY^2+X^3$	56	33
$\mathcal{G}_1$	$YT^2+38Y^3+7XY^2+X^3$	56	35
$\mathcal{H}_0^2$	$T^3+62Y^2T+60Y^3+28XYT+3XY^2+62X^2T+70X^3$	72	24
$\mathcal{H}_0^2$	$T^3+50Y^2T+60Y^3+18XYT+3XY^2+50X^2T+70X^3$	72	24
$\mathcal{G}_0^2$	$T^3+62Y^2T+41Y^3+57XYT+3XY^2+62X^2T+70X^3$	87	54
$\mathcal{G}_0^2$	$T^3+59Y^2T+50Y^3+39XYT+3XY^2+59X^2T+70X^3$	87	67
$\mathcal{G}_0^2$	$T^3+38Y^2T+48Y^3+49XYT+3XY^2+38X^2T+70X^3$	87	51
$\mathcal{G}_0^2$	$T^3+68Y^2T+60Y^3+33XYT+3XY^2+68X^2T+70X^3$	84	42
$\mathcal{G}_0^2$	$T^3+68Y^2T+48Y^3+69XYT+3XY^2+68X^2T+70X^3$	84	57
$\mathcal{G}_0^2$	$T^3+68Y^2T+46Y^3+4XYT+3XY^2+68X^2T+70X^3$	84	15
$\mathcal{G}_0^2$	$T^3+68Y^2T+42Y^3+16XYT+3XY^2+68X^2T+70X^3$	84	19
$\mathcal{G}_0^2$	$T^3+65Y^2T+42Y^3+32XYT+3XY^2+65X^2T+70X^3$	84	25
$\mathcal{G}_0^2$	$T^3+59Y^2T+41Y^3+5XYT+3XY^2+59X^2T+70X^3$	84	21
$\mathcal{G}_0^2$	$T^3+50Y^2T+40Y^3+12XYT+3XY^2+50X^2T+70X^3$	84	23
$\mathcal{G}_0^2$	$T^3+32Y^2T+41Y^3+34XYT+3XY^2+32X^2T+70X^3$	84	68
$\mathcal{G}_0^2$	$T^3+50Y^2T+45Y^3+49XYT+3XY^2+50X^2T+70X^3$	81	69
$\mathcal{G}_0^2$	$T^3+50Y^2T+41Y^3+62XYT+3XY^2+50X^2T+70X^3$	81	10

Table 106 Continue 7

type	equation	n	$j-$ inv.
$\mathcal{G}_0^2$	$T^3+41Y^2T+40Y^3+7XYT+3XY^2+41X^2T+70X^3$	81	28
$\mathcal{G}_0^2$	$T^3+38Y^2T+40Y^3+29XYT+3XY^2+38X^2T+70X^3$	81	30
$\mathcal{G}_0^2$	$T^3+68Y^2T+58Y^3+39XYT+3XY^2+68X^2T+70X^3$	78	8
$\mathcal{G}_0^2$	$T^3+68Y^2T+55Y^3+48XYT+3XY^2+68X^2T+70X^3$	78	59
$\mathcal{G}_0^2$	$T^3+68Y^2T+50Y^3+63XYT+3XY^2+68X^2T+70X^3$	78	12
$\mathcal{G}_0^2$	$T^3+65Y^2T+66Y^3+30XYT+3XY^2+65X^2T+70X^3$	78	5
$\mathcal{G}_0^2$	$T^3+65Y^2T+50Y^3+55XYT+3XY^2+65X^2T+70X^3$	78	58
$\mathcal{G}_0^2$	$T^3+50Y^2T+55Y^3+52XYT+3XY^2+50X^2T+70X^3$	78	4
$\mathcal{G}_0^2$	$T^3+50Y^2T+48Y^3+57XYT+3XY^2+50X^2T+70X^3$	78	6
$\mathcal{G}_0^2$	$T^3+38Y^2T+42Y^3+34XYT+3XY^2+38X^2T+70X^3$	78	47
$\mathcal{G}_0^2$	$T^3+68Y^2T+40Y^3+22XYT+3XY^2+68X^2T+70X^3$	75	2
$\mathcal{G}_0^2$	$T^3+65Y^2T+45Y^3+14XYT+3XY^2+65X^2T+70X^3$	75	13
$\mathcal{G}_0^2$	$T^3+65Y^2T+36Y^3+68XYT+3XY^2+65X^2T+70X^3$	75	1
$\mathcal{G}_0^2$	$T^3+50Y^2T+50Y^3+15XYT+3XY^2+50X^2T+70X^3$	75	49
$\mathcal{G}_0^2$	$T^3+32Y^2T+40Y^3+2XYT+3XY^2+32X^2T+70X^3$	75	34
$\mathcal{G}_0^2$	$T^3+65Y^2T+46Y^3+8XYT+3XY^2+65X^2T+70X^3$	72	40
$\mathcal{G}_0^2$	$T^3+56Y^2T+45Y^3+35XYT+3XY^2+56X^2T+70X^3$	72	41
$\mathcal{G}_0^2$	$T^3+53Y^2T+66Y^3+19XYT+3XY^2+53X^2T+70X^3$	72	41
$\mathcal{G}_0^2$	$T^3+50Y^2T+42Y^3+41XYT+3XY^2+50X^2T+70X^3$	72	48
$\mathcal{G}_0^2$	$T^3+50Y^2T+36Y^3+25XYT+3XY^2+50X^2T+70X^3$	72	48
$\mathcal{G}_0^2$	$T^3+32Y^2T+58Y^3+10XYT+3XY^2+32X^2T+70X^3$	72	17
$\mathcal{G}_0^2$	$T^3+32Y^2T+46Y^3+52XYT+3XY^2+32X^2T+70X^3$	72	66
$\mathcal{G}_0^2$	$T^3+29Y^2T+66Y^3+68XYT+3XY^2+29X^2T+70X^3$	72	17
$\mathcal{G}_0^2$	$T^3+29Y^2T+50Y^3+30XYT+3XY^2+29X^2T+70X^3$	72	66
$\mathcal{G}_0^2$	$T^3+29Y^2T+42Y^3+11XYT+3XY^2+29X^2T+70X^3$	72	40
$\mathcal{G}_0^2$	$T^3+68Y^2T+66Y^3+15XYT+3XY^2+68X^2T+70X^3$	69	2
$\mathcal{G}_0^2$	$T^3+65Y^2T+41Y^3+38XYT+3XY^2+65X^2T+70X^3$	69	13
$\mathcal{G}_0^2$	$T^3+59Y^2T+46Y^3+16XYT+3XY^2+59X^2T+70X^3$	69	49
$\mathcal{G}_0^2$	$T^3+38Y^2T+58Y^3+3XYT+3XY^2+38X^2T+70X^3$	69	1
$\mathcal{G}_0^2$	$T^3+38Y^2T+41Y^3+67XYT+3XY^2+38X^2T+70X^3$	69	34
$\mathcal{G}_0^2$	$T^3+68Y^2T+41Y^3+19XYT+3XY^2+68X^2T+70X^3$	66	12

Table 106 Continue 8

type	equation	n	$j-$ inv.
$\mathcal{G}_0^2$	$T^3+65Y^2T+40Y^3+44XYT+3XY^2+65X^2T+70X^3$	66	59
$\mathcal{G}_0^2$	$T^3+53Y^2T+40Y^3+61XYT+3XY^2+53X^2T+70X^3$	66	47
$\mathcal{G}_0^2$	$T^3+50Y^2T+46Y^3+28XYT+3XY^2+50X^2T+70X^3$	66	4
$\mathcal{G}_0^2$	$T^3+38Y^2T+50Y^3+54XYT+3XY^2+38X^2T+70X^3$	66	5
$\mathcal{G}_0^2$	$T^3+29Y^2T+40Y^3+24XYT+3XY^2+29X^2T+70X^3$	66	6
$\mathcal{G}_0^2$	$T^3+29Y^2T+36Y^3+50XYT+3XY^2+29X^2T+70X^3$	66	8
$\mathcal{G}_0^2$	$T^3+20Y^2T+55Y^3+35XYT+3XY^2+20X^2T+70X^3$	66	58
$\mathcal{G}_0^2$	$T^3+5Y^2T+58Y^3+6XYT+3XY^2+5X^2T+70X^3$	63	69
$\mathcal{G}_0^2$	$T^3+56Y^2T+40Y^3+39XYT+3XY^2+56X^2T+70X^3$	63	30
$\mathcal{G}_0^2$	$T^3+50Y^2T+66Y^3+34XYT+3XY^2+50X^2T+70X^3$	63	10
$\mathcal{G}_0^2$	$T^3+20Y^2T+36Y^3+10XYT+3XY^2+20X^2T+70X^3$	63	28
$\mathcal{G}_0^2$	$T^3+68Y^2T+45Y^3+7XYT+3XY^2+68X^2T+70X^3$	60	42
$\mathcal{G}_0^2$	$T^3+68Y^2T+36Y^3+34XYT+3XY^2+68X^2T+70X^3$	60	15
$\mathcal{G}_0^2$	$T^3+65Y^2T+58Y^3+7XYT+3XY^2+65X^2T+70X^3$	60	21
$\mathcal{G}_0^2$	$T^3+58Y^2T+41Y^3+35XYT+3XY^2+58X^2T+70X^3$	60	57
$\mathcal{G}_0^2$	$T^3+53Y^2T+60Y^3+56XYT+3XY^2+53X^2T+70X^3$	60	25
$\mathcal{G}_0^2$	$T^3+38Y^2T+66Y^3+23XYT+3XY^2+38X^2T+70X^3$	60	23
$\mathcal{G}_0^2$	$T^3+38Y^2T+60Y^3+8XYT+3XY^2+38X^2T+70X^3$	60	68
$\mathcal{G}_0^2$	$T^3+29Y^2T+41Y^3+53XYT+3XY^2+29X^2T+70X^3$	60	19
$\mathcal{G}_0^2$	$T^3+65Y^2T+60Y^3+66XYT+3XY^2+65X^2T+70X^3$	57	51
$\mathcal{G}_0^2$	$T^3+62Y^2T+40Y^3+66XYT+3XY^2+62X^2T+70X^3$	57	67
$\mathcal{G}_0^2$	$T^3+32Y^2T+66Y^3+53XYT+3XY^2+32X^2T+70X^3$	57	54
$\mathcal{E}_0^2$	$T^3+50Y^2T+58Y^3+60XYT+3XY^2+50X^2T+70X^3$	72	0

Table 107 $q=73$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_1^0$	$15YT^2+68XT^2+Y^3+XY^2$	75	1

Table 108 $q = 73$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_3^2$	$T^3 + Y^3 + XYT$	73
$\mathcal{N}_1^1$	$T^3 + XY^2$	74
$\mathcal{N}_0^2$	$2T^3 + Y^3 + XYT$	73

Table 109 $q = 73$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{G}_3^1$	$16T^3 + 48YT^2 + 48Y^2T + 48XT^2 + 16Y^3 + 24XYT + 48XY^2 + 48X^2T + 48X^2Y + 16X^3$	60	1	54

Table 110 $q = 73$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{H}_9^4$	$T^3 + Y^3 + 7XYT + X^3$	90	49
$\mathcal{G}_9^4$	$T^3 + Y^3 + 46XYT + X^3$	81	17
$\mathcal{G}_9^4$	$T^3 + Y^3 + 67XYT + X^3$	72	21
$\mathcal{G}_9^4$	$T^3 + Y^3 + 64XYT + X^3$	72	10
$\mathcal{G}_9^4$	$T^3 + Y^3 + 55XYT + X^3$	72	43
$\mathcal{G}_9^4$	$T^3 + Y^3 + 52XYT + X^3$	63	24
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	81	0
$\mathcal{G}_3^1$	$63T^3 + 43YT^2 + 43Y^2T + 43XT^2 + 63Y^3 + 14XYT + 43XY^2 + 43X^2T + 43X^2Y + 63X^3$	90	6
$\mathcal{G}_3^1$	$52T^3 + 10YT^2 + 10Y^2T + 10XT^2 + 52Y^3 + 21XYT + 10XY^2 + 10X^2T + 10X^2Y + 52X^3$	90	15
$\mathcal{G}_3^1$	$60T^3 + 34YT^2 + 34Y^2T + 34XT^2 + 60Y^3 + 69XYT + 34XY^2 + 34X^2T + 34X^2Y + 60X^3$	87	48
$\mathcal{G}_3^1$	$40T^3 + 47YT^2 + 47Y^2T + 47XT^2 + 40Y^3 + 22XYT + 47XY^2 + 47X^2T + 47X^2Y + 40X^3$	87	12
$\mathcal{G}_3^1$	$68T^3 + 58YT^2 + 58Y^2T + 58XT^2 + 68Y^3 + 44XYT + 58XY^2 + 58X^2T + 58X^2Y + 68X^3$	84	34
$\mathcal{G}_3^1$	$62T^3 + 40YT^2 + 40Y^2T + 40XT^2 + 62Y^3 + 8XYT + 40XY^2 + 40X^2T + 40X^2Y + 62X^3$	84	16
$\mathcal{G}_3^1$	$50T^3 + 4YT^2 + 4Y^2T + 4XT^2 + 50Y^3 + 9XYT + 4XY^2 + 4X^2T + 4X^2Y + 50X^3$	84	53

Table 110 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$38T^3+41YT^2+41Y^2T+41XT^2+38Y^3+10XYT+41XY^2+41X^2T+41X^2Y+38X^3$	84	20
$\mathcal{G}_3^1$	$32T^3+23YT^2+23Y^2T+23XT^2+32Y^3+47XYT+23XY^2+23X^2T+23X^2Y+32X^3$	84	18
$\mathcal{G}_3^1$	$2T^3+6YT^2+6Y^2T+6XT^2+2Y^3+13XYT+6XY^2+6X^2T+6X^2Y+2X^3$	84	50
$\mathcal{G}_3^1$	$25T^3+2YT^2+2Y^2T+2XT^2+25Y^3+5XYT+2XY^2+2X^2T+2X^2Y+25X^3$	84	47
$\mathcal{G}_3^1$	$9T^3+27YT^2+27Y^2T+27XT^2+9Y^3+55XYT+27XY^2+27X^2T+27X^2Y+9X^3$	81	61
$\mathcal{G}_3^1$	$66T^3+52YT^2+52Y^2T+52XT^2+66Y^3+32XYT+52XY^2+52X^2T+52X^2Y+66X^3$	81	58
$\mathcal{G}_3^1$	$46T^3+65YT^2+65Y^2T+65XT^2+46Y^3+58XYT+65XY^2+65X^2T+65X^2Y+46X^3$	81	68
$\mathcal{G}_3^1$	$69T^3+61YT^2+61Y^2T+61XT^2+69Y^3+50XYT+61XY^2+61X^2T+61X^2Y+69X^3$	78	32
$\mathcal{G}_3^1$	$67T^3+55YT^2+55Y^2T+55XT^2+67Y^3+38XYT+55XY^2+55X^2T+55X^2Y+67X^3$	78	59
$\mathcal{G}_3^1$	$61T^3+37YT^2+37Y^2T+37XT^2+61Y^3+2XYT+37XY^2+37X^2T+37X^2Y+61X^3$	78	35
$\mathcal{G}_3^1$	$59T^3+31YT^2+31Y^2T+31XT^2+59Y^3+63XYT+31XY^2+31X^2T+31X^2Y+59X^3$	78	2
$\mathcal{G}_3^1$	$41T^3+50YT^2+50Y^2T+50XT^2+41Y^3+28XYT+50XY^2+50X^2T+50X^2Y+41X^3$	78	28
$\mathcal{G}_3^1$	$39T^3+44YT^2+44Y^2T+44XT^2+39Y^3+16XYT+44XY^2+44X^2T+44X^2Y+39X^3$	78	42
$\mathcal{G}_3^1$	$33T^3+26YT^2+26Y^2T+26XT^2+33Y^3+53XYT+26XY^2+26X^2T+26X^2Y+33X^3$	78	36
$\mathcal{G}_3^1$	$31T^3+20YT^2+20Y^2T+20XT^2+31Y^3+41XYT+20XY^2+20X^2T+20X^2Y+31X^3$	78	19
$\mathcal{G}_3^1$	$4T^3+12YT^2+12Y^2T+12XT^2+4Y^3+25XYT+12XY^2+12X^2T+12X^2Y+4X^3$	75	67
$\mathcal{G}_3^1$	$23T^3+69YT^2+69Y^2T+69XT^2+23Y^3+66XYT+69XY^2+69X^2T+69X^2Y+23X^3$	75	14

Table 110 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$14T^3+42YT^2+42Y^2T+42XT^2+14Y^3+12XYT+42XY^2+42X^2T+42X^2Y+14X^3$	75	11
$\mathcal{G}_3^1$	$13T^3+39YT^2+39Y^2T+39XT^2+13Y^3+6XYT+39XY^2+39X^2T+39X^2Y+13X^3$	75	40
$\mathcal{G}_3^1$	$T^3+3YT^2+3Y^2T+3XT^2+Y^3+7XYT+3XY^2+3X^2T+3X^2Y+X^3$	72	39
$\mathcal{G}_3^1$	$7T^3+21YT^2+21Y^2T+21XT^2+7Y^3+43XYT+21XY^2+21X^2T+21X^2Y+7X^3$	72	41
$\mathcal{G}_3^1$	$72T^3+70YT^2+70Y^2T+70XT^2+72Y^3+68XYT+70XY^2+70X^2T+70X^2Y+72X^3$	72	44
$\mathcal{G}_3^1$	$64T^3+46YT^2+46Y^2T+46XT^2+64Y^3+20XYT+46XY^2+46X^2T+46X^2Y+64X^3$	72	25
$\mathcal{G}_3^1$	$43T^3+56YT^2+56Y^2T+56XT^2+43Y^3+40XYT+56XY^2+56X^2T+56X^2Y+43X^3$	72	38
$\mathcal{G}_3^1$	$21T^3+63YT^2+63Y^2T+63XT^2+21Y^3+54XYT+63XY^2+63X^2T+63X^2Y+21X^3$	72	5
$\mathcal{G}_3^1$	$58T^3+28YT^2+28Y^2T+28XT^2+58Y^3+57XYT+28XY^2+28X^2T+28X^2Y+58X^3$	69	37
$\mathcal{G}_3^1$	$42T^3+53YT^2+53Y^2T+53XT^2+42Y^3+34XYT+53XY^2+53X^2T+53X^2Y+42X^3$	69	31
$\mathcal{G}_3^1$	$71T^3+67YT^2+67Y^2T+67XT^2+71Y^3+62XYT+67XY^2+67X^2T+67X^2Y+71X^3$	66	4
$\mathcal{G}_3^1$	$29T^3+14YT^2+14Y^2T+14XT^2+29Y^3+29XYT+14XY^2+14X^2T+14X^2Y+29X^3$	66	69
$\mathcal{G}_3^1$	$15T^3+45YT^2+45Y^2T+45XT^2+15Y^3+18XYT+45XY^2+45X^2T+45X^2Y+15X^3$	66	60
$\mathcal{G}_3^1$	$12T^3+36YT^2+36Y^2T+36XT^2+12Y^3+36XY^2+36X^2T+36X^2Y+12X^3$	66	29
$\mathcal{G}_3^1$	$8T^3+24YT^2+24Y^2T+24XT^2+8Y^3+49XYT+24XY^2+24X^2T+24X^2Y+8X^3$	63	45

Table 110 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$65T^3+49YT^2+49Y^2T+49XT^2+65Y^3+26XYT+49XY^2+49X^2T+49X^2Y+65X^3$	63	13
$\mathcal{G}_3^1$	$56T^3+22YT^2+22Y^2T+22XT^2+56Y^3+45XYT+22XY^2+22X^2T+22X^2Y+56X^3$	63	33
$\mathcal{G}_3^1$	$22T^3+66YT^2+66Y^2T+66XT^2+22Y^3+60XYT+66XY^2+66X^2T+66X^2Y+22X^3$	63	57
$\mathcal{G}_3^1$	$55T^3+19YT^2+19Y^2T+19XT^2+55Y^3+39XYT+19XY^2+19X^2T+19X^2Y+55X^3$	60	71
$\mathcal{G}_3^1$	$53T^3+13YT^2+13Y^2T+13XT^2+53Y^3+27XYT+13XY^2+13X^2T+13X^2Y+53X^3$	60	55
$\mathcal{G}_3^1$	$47T^3+68YT^2+68Y^2T+68XT^2+47Y^3+64XYT+68XY^2+68X^2T+68X^2Y+47X^3$	60	26
$\mathcal{G}_3^1$	$45T^3+62YT^2+62Y^2T+62XT^2+45Y^3+52XYT+62XY^2+62X^2T+62X^2Y+45X^3$	60	23
$\mathcal{G}_3^1$	$11T^3+33YT^2+33Y^2T+33XT^2+11Y^3+67XYT+33XY^2+33X^2T+33X^2Y+11X^3$	60	62
$\overline{\mathcal{E}}_3^1$	$25T^3+XY^2+X^2Y$	84	0
$\overline{\mathcal{E}}_3^1$	$5T^3+XY^2+X^2Y$	57	0
$\mathcal{H}_1^4$	$YT^2+52XY^2+X^3$	58	49
$\mathcal{E}_1^4$	$YT^2+14Y^3+X^3$	67	0
$\mathcal{E}_1^1$	$YT^2+68Y^3+X^3$	91	0
$\mathcal{E}_1^1$	$YT^2+21Y^3+X^3$	64	0
$\mathcal{H}_1^0$	$YT^2+XY^2+X^3$	80	49
$\mathcal{H}_1^0$	$YT^2+25XY^2+X^3$	68	49

Table 110 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 18Y^3 + 3XY^2 + X^3$	89	46
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 5XY^2 + X^3$	88	54
$\mathcal{G}_1$	$YT^2 + 36Y^3 + 5XY^2 + X^3$	88	71
$\mathcal{G}_1$	$YT^2 + 31Y^3 + 5XY^2 + X^3$	88	23
$\mathcal{G}_1$	$YT^2 + 23Y^3 + 3XY^2 + X^3$	88	62
$\mathcal{G}_1$	$YT^2 + 19Y^3 + 5XY^2 + X^3$	88	26
$\mathcal{G}_1$	$YT^2 + 16Y^3 + XY^2 + X^3$	88	55
$\mathcal{G}_1$	$YT^2 + 8Y^3 + 3XY^2 + X^3$	86	63
$\mathcal{G}_1$	$YT^2 + 19Y^3 + 11XY^2 + X^3$	86	70
$\mathcal{G}_1$	$YT^2 + 31Y^3 + 11XY^2 + X^3$	85	45
$\mathcal{G}_1$	$YT^2 + 26Y^3 + XY^2 + X^3$	85	57
$\mathcal{G}_1$	$YT^2 + 26Y^3 + 11XY^2 + X^3$	85	33
$\mathcal{G}_1$	$YT^2 + 24Y^3 + 3XY^2 + X^3$	85	24
$\mathcal{G}_1$	$YT^2 + 17Y^3 + 5XY^2 + X^3$	85	13
$\mathcal{G}_1$	$YT^2 + 9Y^3 + 3XY^2 + X^3$	83	65
$\mathcal{G}_1$	$YT^2 + 35Y^3 + 3XY^2 + X^3$	83	8
$\mathcal{G}_1$	$YT^2 + 13Y^3 + XY^2 + X^3$	83	3
$\mathcal{G}_1$	$YT^2 + 7Y^3 + XY^2 + X^3$	82	60
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 5XY^2 + X^3$	82	69
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 11XY^2 + X^3$	82	4
$\mathcal{G}_1$	$YT^2 + 29Y^3 + 3XY^2 + X^3$	82	29
$\mathcal{G}_1$	$YT^2 + 3Y^3 + XY^2 + X^3$	80	7
$\mathcal{G}_1$	$YT^2 + 35Y^3 + 5XY^2 + X^3$	80	64
$\mathcal{G}_1$	$YT^2 + 34Y^3 + XY^2 + X^3$	80	66
$\mathcal{G}_1$	$YT^2 + 18Y^3 + 5XY^2 + X^3$	80	52
$\mathcal{G}_1$	$YT^2 + 16Y^3 + 11XY^2 + X^3$	80	27
$\mathcal{G}_1$	$YT^2 + 13Y^3 + 11XY^2 + X^3$	80	22
$\mathcal{G}_1$	$YT^2 + 12Y^3 + XY^2 + X^3$	80	72
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 11XY^2 + X^3$	79	31
$\mathcal{G}_1$	$YT^2 + 13Y^3 + 3XY^2 + X^3$	79	37
$\mathcal{G}_1$	$YT^2 + 8Y^3 + 5XY^2 + X^3$	77	30

Table 110 Continue 5

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 27Y^3 + XY^2 + X^3$	77	1
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 5XY^2 + X^3$	77	51
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 3XY^2 + X^3$	76	39
$\mathcal{G}_1$	$YT^2 + 32Y^3 + XY^2 + X^3$	76	21
$\mathcal{G}_1$	$YT^2 + 28Y^3 + XY^2 + X^3$	76	25
$\mathcal{G}_1$	$YT^2 + 27Y^3 + 3XY^2 + X^3$	76	41
$\mathcal{G}_1$	$YT^2 + 25Y^3 + 11XY^2 + X^3$	76	38
$\mathcal{G}_1$	$YT^2 + 22Y^3 + XY^2 + X^3$	76	10
$\mathcal{G}_1$	$YT^2 + 22Y^3 + 11XY^2 + X^3$	76	43
$\mathcal{G}_1$	$YT^2 + 15Y^3 + 3XY^2 + X^3$	76	5
$\mathcal{G}_1$	$YT^2 + 10Y^3 + 3XY^2 + X^3$	76	44
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 3XY^2 + X^3$	74	56
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 11XY^2 + X^3$	74	9
$\mathcal{G}_1$	$YT^2 + 15Y^3 + 5XY^2 + X^3$	74	9
$\mathcal{G}_1$	$YT^2 + 14Y^3 + XY^2 + X^3$	74	56
$\mathcal{G}_1$	$YT^2 + 3Y^3 + 11XY^2 + X^3$	73	14
$\mathcal{G}_1$	$YT^2 + 31Y^3 + 3XY^2 + X^3$	73	67
$\mathcal{G}_1$	$YT^2 + 2Y^3 + 5XY^2 + X^3$	73	11
$\mathcal{G}_1$	$YT^2 + 21Y^3 + 11XY^2 + X^3$	73	40
$\mathcal{G}_1$	$YT^2 + 7Y^3 + 11XY^2 + X^3$	71	30
$\mathcal{G}_1$	$YT^2 + 27Y^3 + 11XY^2 + X^3$	71	51
$\mathcal{G}_1$	$YT^2 + 22Y^3 + 3XY^2 + X^3$	71	1
$\mathcal{G}_1$	$YT^2 + Y^3 + 11XY^2 + X^3$	70	32
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 3XY^2 + X^3$	70	42
$\mathcal{G}_1$	$YT^2 + 4Y^3 + 5XY^2 + X^3$	70	36
$\mathcal{G}_1$	$YT^2 + 36Y^3 + 3XY^2 + X^3$	70	59
$\mathcal{G}_1$	$YT^2 + 32Y^3 + 5XY^2 + X^3$	70	35
$\mathcal{G}_1$	$YT^2 + 24Y^3 + XY^2 + X^3$	70	28
$\mathcal{G}_1$	$YT^2 + 17Y^3 + 11XY^2 + X^3$	70	2
$\mathcal{G}_1$	$YT^2 + 12Y^3 + 11XY^2 + X^3$	70	19
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 5XY^2 + X^3$	68	22

Table 110 Continue 6

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+34Y^3+11XY^2+X^3$	68	52
$\mathcal{G}_1$	$YT^2+30Y^3+3XY^2+X^3$	68	7
$\mathcal{G}_1$	$YT^2+26Y^3+3XY^2+X^3$	68	72
$\mathcal{G}_1$	$YT^2+25Y^3+3XY^2+X^3$	68	66
$\mathcal{G}_1$	$YT^2+15Y^3+11XY^2+X^3$	68	64
$\mathcal{G}_1$	$YT^2+13Y^3+5XY^2+X^3$	68	27
$\mathcal{G}_1$	$YT^2+9Y^3+11XY^2+X^3$	67	58
$\mathcal{G}_1$	$YT^2+29Y^3+XY^2+X^3$	67	61
$\mathcal{G}_1$	$YT^2+26Y^3+5XY^2+X^3$	67	68
$\mathcal{G}_1$	$YT^2+23Y^3+5XY^2+X^3$	67	17
$\mathcal{G}_1$	$YT^2+33Y^3+XY^2+X^3$	65	8
$\mathcal{G}_1$	$YT^2+21Y^3+XY^2+X^3$	65	65
$\mathcal{G}_1$	$YT^2+16Y^3+3XY^2+X^3$	65	3
$\mathcal{G}_1$	$YT^2+Y^3+5XY^2+X^3$	64	53
$\mathcal{G}_1$	$YT^2+8Y^3+11XY^2+X^3$	64	16
$\mathcal{G}_1$	$YT^2+7Y^3+3XY^2+X^3$	64	34
$\mathcal{G}_1$	$YT^2+33Y^3+5XY^2+X^3$	64	47
$\mathcal{G}_1$	$YT^2+2Y^3+XY^2+X^3$	64	20
$\mathcal{G}_1$	$YT^2+17Y^3+3XY^2+X^3$	64	50
$\mathcal{G}_1$	$YT^2+16Y^3+5XY^2+X^3$	64	18
$\mathcal{G}_1$	$YT^2+30Y^3+XY^2+X^3$	62	63
$\mathcal{G}_1$	$YT^2+20Y^3+5XY^2+X^3$	62	70
$\mathcal{G}_1$	$YT^2+34Y^3+3XY^2+X^3$	61	12
$\mathcal{G}_1$	$YT^2+33Y^3+3XY^2+X^3$	61	48
$\mathcal{G}_1$	$YT^2+31Y^3+XY^2+X^3$	59	46
$\mathcal{G}_1$	$YT^2+23Y^3+XY^2+X^3$	58	15
$\mathcal{G}_1$	$YT^2+11Y^3+5XY^2+X^3$	58	6
$\mathcal{H}_0^4$	$25T^3+5Y^3+64XYT+X^3$	90	49
$\mathcal{H}_0^4$	$25T^3+5Y^3+61XYT+X^3$	90	49
$\mathcal{G}_0^4$	$25T^3+5Y^3+67XYT+X^3$	81	17
$\mathcal{G}_0^4$	$25T^3+5Y^3+47XYT+X^3$	81	17

Table 110 Continue 7

type	equation	n	$j-$ inv.
$\mathcal{G}_0^4$	$25T^3+5Y^3+44XYT+X^3$	81	17
$\mathcal{G}_0^4$	$25T^3+5Y^3+17XYT+X^3$	81	17
$\mathcal{G}_0^4$	$25T^3+5Y^3+71XYT+X^3$	72	10
$\mathcal{G}_0^4$	$25T^3+5Y^3+70XYT+X^3$	72	43
$\mathcal{G}_0^4$	$25T^3+5Y^3+68XYT+X^3$	72	21
$\mathcal{G}_0^4$	$25T^3+5Y^3+65XYT+X^3$	72	10
$\mathcal{G}_0^4$	$25T^3+5Y^3+55XYT+X^3$	72	21
$\mathcal{G}_0^4$	$25T^3+5Y^3+52XYT+X^3$	72	21
$\mathcal{G}_0^4$	$25T^3+5Y^3+40XYT+X^3$	72	10
$\mathcal{G}_0^4$	$25T^3+5Y^3+38XYT+X^3$	72	43
$\mathcal{G}_0^4$	$25T^3+5Y^3+37XYT+X^3$	72	10
$\mathcal{G}_0^4$	$25T^3+5Y^3+31XYT+X^3$	72	21
$\mathcal{G}_0^4$	$25T^3+5Y^3+19XYT+X^3$	72	43
$\mathcal{G}_0^4$	$25T^3+5Y^3+10XYT+X^3$	72	43
$\mathcal{G}_0^4$	$25T^3+5Y^3+46XYT+X^3$	63	24
$\mathcal{G}_0^4$	$25T^3+5Y^3+41XYT+X^3$	63	24
$\mathcal{G}_0^4$	$25T^3+5Y^3+34XYT+X^3$	63	24
$\mathcal{G}_0^4$	$25T^3+5Y^3+20XYT+X^3$	63	24
$\overline{\mathcal{E}}_0^4$	$25T^3+5Y^3+X^3$	81	0
$\mathcal{E}_0^4$	$25T^3+5Y^3+22XYT+X^3$	81	0
$\mathcal{G}_0^1$	$32T^3+5YT^2+21Y^3+10XYT+XY^2+X^2T+48X^3$	90	6
$\mathcal{G}_0^1$	$25T^3+25YT^2+Y^3+70XYT+XY^2+X^2T+38X^3$	90	15
$\mathcal{G}_0^1$	$59T^3+5YT^2+41Y^3+23XYT+XY^2+X^2T+52X^3$	87	48
$\mathcal{G}_0^1$	$15T^3+25YT^2+59Y^3+42XYT+XY^2+X^2T+52X^3$	87	12
$\mathcal{G}_0^1$	$T^3+5YT^2+44Y^3+14XYT+XY^2+X^2T+38X^3$	84	34
$\mathcal{G}_0^1$	$65T^3+25YT^2+61Y^3+36XYT+XY^2+X^2T+55X^3$	84	47
$\mathcal{G}_0^1$	$61T^3+5YT^2+56Y^3+51XYT+XY^2+X^2T+55X^3$	84	53
$\mathcal{G}_0^1$	$48T^3+5YT^2+68Y^3+15XYT+XY^2+X^2T+72X^3$	84	16
$\mathcal{G}_0^1$	$40T^3+5YT^2+8Y^3+49XYT+XY^2+X^2T+60X^3$	84	18
$\mathcal{G}_0^1$	$19T^3+25YT^2+65Y^3+24XYT+XY^2+X^2T+61X^3$	84	50
$\mathcal{G}_0^1$	$15T^3+5YT^2+3Y^3+64XYT+XY^2+X^2T+59X^3$	84	20

Table 110 Continue 8

type	equation	n	$j-$ inv.
$\mathcal{G}_0^1$	$55T^3 + 25YT^2 + 46Y^3 + 8XYT + XY^2 + X^2T + 69X^3$	81	61
$\mathcal{G}_0^1$	$46T^3 + 25YT^2 + 69Y^3 + 12XYT + XY^2 + X^2T + 67X^3$	81	68
$\mathcal{G}_0^1$	$34T^3 + 25YT^2 + 51Y^3 + 66XYT + XY^2 + X^2T + 40X^3$	81	58
$\mathcal{G}_0^1$	$71T^3 + 5YT^2 + 58Y^3 + 45XYT + XY^2 + X^2T + 70X^3$	78	19
$\mathcal{G}_0^1$	$65T^3 + 5YT^2 + 13Y^3 + 34XYT + XY^2 + X^2T + 61X^3$	78	2
$\mathcal{G}_0^1$	$49T^3 + 5YT^2 + 39Y^3 + 29XYT + XY^2 + X^2T + 37X^3$	78	42
$\mathcal{G}_0^1$	$33T^3 + 25YT^2 + 13Y^3 + 34XYT + XY^2 + X^2T + 56X^3$	78	28
$\mathcal{G}_0^1$	$29T^3 + 25YT^2 + 7Y^3 + 52XYT + XY^2 + X^2T + 47X^3$	78	32
$\mathcal{G}_0^1$	$23T^3 + 25YT^2 + 71Y^3 + 6XYT + XY^2 + X^2T + 70X^3$	78	36
$\mathcal{G}_0^1$	$20T^3 + 5YT^2 + 4Y^3 + 61XYT + XY^2 + X^2T + 30X^3$	78	59
$\mathcal{G}_0^1$	$14T^3 + 25YT^2 + 21Y^3 + 10XYT + XY^2 + X^2T + 68X^3$	78	35
$\mathcal{G}_0^1$	$62T^3 + 25YT^2 + 20Y^3 + 13XYT + XY^2 + X^2T + 30X^3$	75	11
$\mathcal{G}_0^1$	$5T^3 + 25YT^2 + 44Y^3 + 14XYT + XY^2 + X^2T + 66X^3$	75	40
$\mathcal{G}_0^1$	$55T^3 + 5YT^2 + 11Y^3 + 40XYT + XY^2 + X^2T + 46X^3$	75	14
$\mathcal{G}_0^1$	$23T^3 + 5YT^2 + 63Y^3 + 30XYT + XY^2 + X^2T + 71X^3$	75	67
$\mathcal{G}_0^1$	$69T^3 + 5YT^2 + 43Y^3 + 17XYT + XY^2 + X^2T + 67X^3$	72	25
$\mathcal{G}_0^1$	$61T^3 + 25YT^2 + 55Y^3 + 54XYT + XY^2 + X^2T + 46X^3$	72	5
$\mathcal{G}_0^1$	$32T^3 + 25YT^2 + 48Y^3 + 2XYT + XY^2 + X^2T + 72X^3$	72	38
$\mathcal{G}_0^1$	$21T^3 + 5YT^2 + 48Y^3 + 2XYT + XY^2 + X^2T + 68X^3$	72	39
$\mathcal{G}_0^1$	$17T^3 + 5YT^2 + 18Y^3 + 19XYT + XY^2 + X^2T + 62X^3$	72	44
$\mathcal{G}_0^1$	$10T^3 + 25YT^2 + 15Y^3 + 28XYT + XY^2 + X^2T + 59X^3$	72	41
$\mathcal{G}_0^1$	$60T^3 + 25YT^2 + 17Y^3 + 22XYT + XY^2 + X^2T + 62X^3$	69	37
$\mathcal{G}_0^1$	$44T^3 + 5YT^2 + 38Y^3 + 32XYT + XY^2 + X^2T + 66X^3$	69	31
$\mathcal{G}_0^1$	$64T^3 + 25YT^2 + 23Y^3 + 4XYT + XY^2 + X^2T + 71X^3$	66	69
$\mathcal{G}_0^1$	$51T^3 + 25YT^2 + 40Y^3 + 26XYT + XY^2 + X^2T + 60X^3$	66	4
$\mathcal{G}_0^1$	$46T^3 + 5YT^2 + 53Y^3 + 60XYT + XY^2 + X^2T + 69X^3$	66	60
$\mathcal{G}_0^1$	$13T^3 + 5YT^2 + 61Y^3 + 36XYT + XY^2 + X^2T + 56X^3$	66	29
$\mathcal{G}_0^1$	$70T^3 + 25YT^2 + 32Y^3 + 50XYT + XY^2 + X^2T + 48X^3$	63	45
$\mathcal{G}_0^1$	$67T^3 + 5YT^2 + 28Y^3 + 62XYT + XY^2 + X^2T + 64X^3$	63	13
$\mathcal{G}_0^1$	$45T^3 + 5YT^2 + 9Y^3 + 46XYT + XY^2 + X^2T + 31X^3$	63	57
$\mathcal{G}_0^1$	$30T^3 + 25YT^2 + 45Y^3 + 11XYT + XY^2 + X^2T + 31X^3$	63	33

Table 110 Continue 9

type	equation	n	$j-$ inv.
$\mathcal{G}_0^1$	$7T^3+5YT^2+16Y^3+25XYT+XY^2+X^2T+47X^3$	60	71
$\mathcal{G}_0^1$	$69T^3+25YT^2+67Y^3+18XYT+XY^2+X^2T+64X^3$	60	62
$\mathcal{G}_0^1$	$66T^3+25YT^2+26Y^3+68XYT+XY^2+X^2T+39X^3$	60	26
$\mathcal{G}_0^1$	$57T^3+25YT^2+49Y^3+72XYT+XY^2+X^2T+37X^3$	60	23
$\mathcal{G}_0^1$	$51T^3+5YT^2+54Y^3+57XYT+XY^2+X^2T+40X^3$	60	55
$\mathcal{G}_0^1$	$26T^3+5YT^2+49Y^3+72XYT+XY^2+X^2T+39X^3$	60	54
$\mathcal{E}_0^1$	$25YT^2+XY^2+X^2T$	84	0
$\mathcal{E}_0^1$	$5YT^2+XY^2+X^2T$	57	0

Table 111 $q=79$, a. i. singular cubic curves giving incomplete $(n,3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_1^0$	$9YT^2+76XT^2+Y^3+XY^2$	81	1

Table 112 $q=79$, a. i. singular cubic curves giving complete $(n,3)$-arcs

type	equation	n
$\mathcal{N}_3^2$	T^3+Y^3+XYT	79
$\mathcal{N}_1^1$	T^3+XY^2	80
$\mathcal{N}_0^2$	$2T^3+Y^3+XYT$	79

Table 113 $q = 79$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_9^4$	$T^3 + Y^3 + 70XYT + X^3$	90	27
$\mathcal{G}_9^4$	$T^3 + Y^3 + 49XYT + X^3$	90	38
$\mathcal{G}_9^4$	$T^3 + Y^3 + 73XYT + X^3$	81	62
$\mathcal{G}_9^4$	$T^3 + Y^3 + 46XYT + X^3$	81	71
$\mathcal{G}_9^4$	$T^3 + Y^3 + 64XYT + X^3$	72	65
$\mathcal{G}_9^4$	$T^3 + Y^3 + 55XYT + X^3$	72	22
$\mathcal{E}_9^4$	$T^3 + Y^3 + X^3$	63	0
$\mathcal{G}_3^1$	$73T^3 + 61YT^2 + 61Y^2T + 61XT^2 + 73Y^3 + 44XYT + 61XY^2 + 61X^2T + 61X^2Y + 73X^3$	96	31
$\mathcal{G}_3^1$	$4T^3 + 12YT^2 + 12Y^2T + 12XT^2 + 4Y^3 + 25XYT + 12XY^2 + 12X^2T + 12X^2Y + 4X^3$	96	73
$\mathcal{G}_3^1$	$44T^3 + 53YT^2 + 53Y^2T + 53XT^2 + 44Y^3 + 28XYT + 53XY^2 + 53X^2T + 53X^2Y + 44X^3$	96	2
$\mathcal{G}_3^1$	$34T^3 + 23YT^2 + 23Y^2T + 23XT^2 + 34Y^3 + 47XYT + 23XY^2 + 23X^2T + 23X^2Y + 34X^3$	96	3
$\mathcal{G}_3^1$	$7T^3 + 21YT^2 + 21Y^2T + 21XT^2 + 7Y^3 + 43XYT + 21XY^2 + 21X^2T + 21X^2Y + 7X^3$	93	45
$\mathcal{G}_3^1$	$31T^3 + 14YT^2 + 14Y^2T + 14XT^2 + 31Y^3 + 29XYT + 14XY^2 + 14X^2T + 14X^2Y + 31X^3$	93	54
$\mathcal{G}_3^1$	$67T^3 + 43YT^2 + 43Y^2T + 43XT^2 + 67Y^3 + 8XYT + 43XY^2 + 43X^2T + 43X^2Y + 67X^3$	90	20
$\mathcal{G}_3^1$	$62T^3 + 28YT^2 + 28Y^2T + 28XT^2 + 62Y^3 + 57XYT + 28XY^2 + 28X^2T + 28X^2Y + 62X^3$	90	56

Table 113 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$61T^3+25YT^2+25Y^2T+25XT^2+61Y^3+51XYT+25XY^2+25X^2T+25X^2Y+61X^3$	90	51
$\mathcal{G}_3^1$	$58T^3+16YT^2+16Y^2T+16XT^2+58Y^3+33XYT+16XY^2+16X^2T+16X^2Y+58X^3$	90	60
$\mathcal{G}_3^1$	$57T^3+13YT^2+13Y^2T+13XT^2+57Y^3+27XYT+13XY^2+13X^2T+13X^2Y+57X^3$	90	37
$\mathcal{G}_3^1$	$22T^3+66YT^2+66Y^2T+66XT^2+22Y^3+54XYT+66XY^2+66X^2T+66X^2Y+22X^3$	90	53
$\mathcal{G}_3^1$	$75T^3+67YT^2+67Y^2T+67XT^2+75Y^3+56XYT+67XY^2+67X^2T+67X^2Y+75X^3$	87	70
$\mathcal{G}_3^1$	$42T^3+47YT^2+47Y^2T+47XT^2+42Y^3+16XYT+47XY^2+47X^2T+47X^2Y+42X^3$	87	30
$\mathcal{G}_3^1$	$6T^3+18YT^2+18Y^2T+18XT^2+6Y^3+37XYT+18XY^2+18X^2T+18X^2Y+6X^3$	84	34
$\mathcal{G}_3^1$	$63T^3+31YT^2+31Y^2T+31XT^2+63Y^3+63XYT+31XY^2+31X^2T+31X^2Y+63X^3$	84	4
$\mathcal{G}_3^1$	$54T^3+4YT^2+4Y^2T+4XT^2+54Y^3+9XYT+4XY^2+4X^2T+4X^2Y+54X^3$	84	50
$\mathcal{G}_3^1$	$3T^3+9YT^2+9Y^2T+9XT^2+3Y^3+19XYT+9XY^2+9X^2T+9X^2Y+3X^3$	84	29
$\mathcal{G}_3^1$	$35T^3+26YT^2+26Y^2T+26XT^2+35Y^3+53XYT+26XY^2+26X^2T+26X^2Y+35X^3$	84	68
$\mathcal{G}_3^1$	$32T^3+17YT^2+17Y^2T+17XT^2+32Y^3+35XYT+17XY^2+17X^2T+17X^2Y+32X^3$	84	63
$\mathcal{G}_3^1$	$25T^3+75YT^2+75Y^2T+75XT^2+25Y^3+72XYT+75XY^2+75X^2T+75X^2Y+25X^3$	84	19
$\mathcal{G}_3^1$	$19T^3+57YT^2+57Y^2T+57XT^2+19Y^3+36XYT+57XY^2+57X^2T+57X^2Y+19X^3$	84	43
$\mathcal{G}_3^1$	$13T^3+39YT^2+39Y^2T+39XT^2+13Y^3+39XY^2+39X^2T+39X^2Y+13X^3$	84	75
$\mathcal{G}_3^1$	$8T^3+24YT^2+24Y^2T+24XT^2+8Y^3+49XYT+24XY^2+24X^2T+24X^2Y+8X^3$	81	6

Table 113 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$64T^3+34YT^2+34Y^2T+34XT^2+64Y^3+69XYT+34XY^2+34X^2T+34X^2Y+64X^3$	81	13
$\mathcal{G}_3^1$	$27T^3+2YT^2+2Y^2T+2XT^2+27Y^3+5XYT+2XY^2+2X^2T+2X^2Y+27X^3$	81	28
$\mathcal{G}_3^1$	$10T^3+30YT^2+30Y^2T+30XT^2+10Y^3+61XYT+30XY^2+30X^2T+30X^2Y+10X^3$	81	40
$\mathcal{G}_3^1$	$74T^3+64YT^2+64Y^2T+64XT^2+74Y^3+50XYT+64XY^2+64X^2T+64X^2Y+74X^3$	78	5
$\mathcal{G}_3^1$	$72T^3+58YT^2+58Y^2T+58XT^2+72Y^3+38XYT+58XY^2+58X^2T+58X^2Y+72X^3$	78	72
$\mathcal{G}_3^1$	$45T^3+56YT^2+56Y^2T+56XT^2+45Y^3+34XYT+56XY^2+56X^2T+56X^2Y+45X^3$	78	25
$\mathcal{G}_3^1$	$43T^3+50YT^2+50Y^2T+50XT^2+43Y^3+22XYT+50XY^2+50X^2T+50X^2Y+43X^3$	78	44
$\mathcal{G}_3^1$	$9T^3+27YT^2+27Y^2T+27XT^2+9Y^3+55XYT+27XY^2+27X^2T+27X^2Y+9X^3$	75	66
$\mathcal{G}_3^1$	$66T^3+40YT^2+40Y^2T+40XT^2+66Y^3+2XYT+40XY^2+40X^2T+40X^2Y+66X^3$	75	32
$\mathcal{G}_3^1$	$51T^3+74YT^2+74Y^2T+74XT^2+51Y^3+70XYT+74XY^2+74X^2T+74X^2Y+51X^3$	75	9
$\mathcal{G}_3^1$	$29T^3+8YT^2+8Y^2T+8XT^2+29Y^3+17XYT+8XY^2+8X^2T+8X^2Y+29X^3$	75	16
$\mathcal{G}_3^1$	$T^3+3YT^2+3Y^2T+3XT^2+Y^3+7XYT+3XY^2+3X^2T+3X^2Y+X^3$	72	26
$\mathcal{G}_3^1$	$78T^3+76YT^2+76Y^2T+76XT^2+78Y^3+74XYT+76XY^2+76X^2T+76X^2Y+78X^3$	72	76
$\mathcal{G}_3^1$	$69T^3+49YT^2+49Y^2T+49XT^2+69Y^3+20XYT+49XY^2+49X^2T+49X^2Y+69X^3$	72	49

Table 113 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_3^1$	$41T^3+44YT^2+44Y^2T+44XT^2+41Y^3+10XYT+44XY^2+44X^2T+44X^2Y+41X^3$	72	74
$\mathcal{G}_3^1$	$33T^3+20YT^2+20Y^2T+20XT^2+33Y^3+41XYT+20XY^2+20X^2T+20X^2Y+33X^3$	72	77
$\mathcal{G}_3^1$	$18T^3+54YT^2+54Y^2T+54XT^2+18Y^3+30XYT+54XY^2+54X^2T+54X^2Y+18X^3$	72	48
$\mathcal{G}_3^1$	$14T^3+42YT^2+42Y^2T+42XT^2+14Y^3+6XYT+42XY^2+42X^2T+42X^2Y+14X^3$	72	7
$\mathcal{G}_3^1$	$12T^3+36YT^2+36Y^2T+36XT^2+12Y^3+73XYT+36XY^2+36X^2T+36X^2Y+12X^3$	72	42
$\mathcal{G}_3^1$	$77T^3+73YT^2+73Y^2T+73XT^2+77Y^3+68XYT+73XY^2+73X^2T+73X^2Y+77X^3$	69	36
$\mathcal{G}_3^1$	$68T^3+46YT^2+46Y^2T+46XT^2+68Y^3+14XYT+46XY^2+46X^2T+46X^2Y+68X^3$	69	39
$\mathcal{G}_3^1$	$49T^3+68YT^2+68Y^2T+68XT^2+49Y^3+58XYT+68XY^2+68X^2T+68X^2Y+49X^3$	69	35
$\mathcal{G}_3^1$	$40T^3+41YT^2+41Y^2T+41XT^2+40Y^3+4XYT+41XY^2+41X^2T+41X^2Y+40X^3$	69	11
$\mathcal{G}_3^1$	$70T^3+52YT^2+52Y^2T+52XT^2+70Y^3+26XYT+52XY^2+52X^2T+52X^2Y+70X^3$	66	59
$\mathcal{G}_3^1$	$47T^3+62YT^2+62Y^2T+62XT^2+47Y^3+46XYT+62XY^2+62X^2T+62X^2Y+47X^3$	66	24
$\mathcal{G}_3^1$	$36T^3+29YT^2+29Y^2T+29XT^2+36Y^3+59XYT+29XY^2+29X^2T+29X^2Y+36X^3$	66	23
$\mathcal{G}_3^1$	$2T^3+6YT^2+6Y^2T+6XT^2+2Y^3+13XYT+6XY^2+6X^2T+6X^2Y+2X^3$	66	47
$\mathcal{G}_3^1$	$15T^3+45YT^2+45Y^2T+45XT^2+15Y^3+12XYT+45XY^2+45X^2T+45X^2Y+15X^3$	63	55
$\overline{\mathcal{E}}_3^1$	$9T^3+XY^2+X^2Y$	93	0
$\overline{\mathcal{E}}_3^1$	$3T^3+XY^2+X^2Y$	84	0
$\mathcal{E}_1^4$	$YT^2+76Y^3+X^3$	97	0

Table 113 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{E}_1^1$	$YT^2 + 52Y^3 + X^3$	76	0
$\mathcal{E}_1^1$	$YT^2 + 73Y^3 + X^3$	67	0
$\mathcal{H}_1^0$	$YT^2 + XY^2 + X^3$	80	69
$\mathcal{H}_1^0$	$YT^2 + 3XY^2 + X^3$	80	69
$\mathcal{G}_1$	$YT^2 + 73Y^3 + XY^2 + X^3$	97	55
$\mathcal{G}_1$	$YT^2 + 73Y^3 + 3XY^2 + X^3$	95	78
$\mathcal{G}_1$	$YT^2 + 20Y^3 + 3XY^2 + X^3$	95	57
$\mathcal{G}_1$	$YT^2 + 67Y^3 + XY^2 + X^3$	94	47
$\mathcal{G}_1$	$YT^2 + 61Y^3 + 3XY^2 + X^3$	94	23
$\mathcal{G}_1$	$YT^2 + 32Y^3 + XY^2 + X^3$	94	59
$\mathcal{G}_1$	$YT^2 + 30Y^3 + XY^2 + X^3$	94	24
$\mathcal{G}_1$	$YT^2 + 71Y^3 + 3XY^2 + X^3$	92	18
$\mathcal{G}_1$	$YT^2 + 70Y^3 + 3XY^2 + X^3$	92	46
$\mathcal{G}_1$	$YT^2 + 68Y^3 + XY^2 + X^3$	92	58
$\mathcal{G}_1$	$YT^2 + 64Y^3 + XY^2 + X^3$	92	10
$\mathcal{G}_1$	$YT^2 + 58Y^3 + XY^2 + X^3$	91	11
$\mathcal{G}_1$	$YT^2 + 35Y^3 + 3XY^2 + X^3$	91	35
$\mathcal{G}_1$	$YT^2 + 32Y^3 + 3XY^2 + X^3$	91	39
$\mathcal{G}_1$	$YT^2 + 19Y^3 + XY^2 + X^3$	91	36
$\mathcal{G}_1$	$YT^2 + 63Y^3 + 3XY^2 + X^3$	89	12
$\mathcal{G}_1$	$YT^2 + 31Y^3 + XY^2 + X^3$	89	1
$\mathcal{G}_1$	$YT^2 + 7Y^3 + XY^2 + X^3$	88	42
$\mathcal{G}_1$	$YT^2 + 77Y^3 + 3XY^2 + X^3$	88	74
$\mathcal{G}_1$	$YT^2 + 75Y^3 + XY^2 + X^3$	88	26
$\mathcal{G}_1$	$YT^2 + 75Y^3 + 3XY^2 + X^3$	88	77
$\mathcal{G}_1$	$YT^2 + 62Y^3 + XY^2 + X^3$	88	48
$\mathcal{G}_1$	$YT^2 + 61Y^3 + XY^2 + X^3$	88	7
$\mathcal{G}_1$	$YT^2 + 45Y^3 + 3XY^2 + X^3$	88	49
$\mathcal{G}_1$	$YT^2 + 39Y^3 + XY^2 + X^3$	88	22
$\mathcal{G}_1$	$YT^2 + 33Y^3 + 3XY^2 + X^3$	88	76
$\mathcal{G}_1$	$YT^2 + 26Y^3 + 3XY^2 + X^3$	88	65

Table 113 Continue 5

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 78Y^3 + XY^2 + X^3$	86	14
$\mathcal{G}_1$	$YT^2 + 71Y^3 + XY^2 + X^3$	86	33
$\mathcal{G}_1$	$YT^2 + 45Y^3 + XY^2 + X^3$	86	61
$\mathcal{G}_1$	$YT^2 + 17Y^3 + 3XY^2 + X^3$	86	67
$\mathcal{G}_1$	$YT^2 + 70Y^3 + XY^2 + X^3$	85	32
$\mathcal{G}_1$	$YT^2 + 54Y^3 + 3XY^2 + X^3$	85	66
$\mathcal{G}_1$	$YT^2 + 35Y^3 + XY^2 + X^3$	85	9
$\mathcal{G}_1$	$YT^2 + 22Y^3 + XY^2 + X^3$	85	16
$\mathcal{G}_1$	$YT^2 + 42Y^3 + XY^2 + X^3$	83	8
$\mathcal{G}_1$	$YT^2 + 38Y^3 + 3XY^2 + X^3$	83	41
$\mathcal{G}_1$	$YT^2 + 20Y^3 + XY^2 + X^3$	83	52
$\mathcal{G}_1$	$YT^2 + 64Y^3 + 3XY^2 + X^3$	82	5
$\mathcal{G}_1$	$YT^2 + 37Y^3 + 3XY^2 + X^3$	82	25
$\mathcal{G}_1$	$YT^2 + 31Y^3 + 3XY^2 + X^3$	82	72
$\mathcal{G}_1$	$YT^2 + 30Y^3 + 3XY^2 + X^3$	82	44
$\mathcal{G}_1$	$YT^2 + 74Y^3 + XY^2 + X^3$	80	21
$\mathcal{G}_1$	$YT^2 + 74Y^3 + 3XY^2 + X^3$	80	64
$\mathcal{G}_1$	$YT^2 + 5Y^3 + XY^2 + X^3$	80	21
$\mathcal{G}_1$	$YT^2 + 5Y^3 + 3XY^2 + X^3$	80	64
$\mathcal{G}_1$	$YT^2 + 58Y^3 + 3XY^2 + X^3$	80	15
$\mathcal{G}_1$	$YT^2 + 55Y^3 + XY^2 + X^3$	80	17
$\mathcal{G}_1$	$YT^2 + 24Y^3 + XY^2 + X^3$	80	17
$\mathcal{G}_1$	$YT^2 + 21Y^3 + 3XY^2 + X^3$	80	15
$\mathcal{G}_1$	$YT^2 + Y^3 + 3XY^2 + X^3$	79	71
$\mathcal{G}_1$	$YT^2 + 68Y^3 + 3XY^2 + X^3$	79	6
$\mathcal{G}_1$	$YT^2 + 65Y^3 + XY^2 + X^3$	79	13
$\mathcal{G}_1$	$YT^2 + 36Y^3 + XY^2 + X^3$	79	40
$\mathcal{G}_1$	$YT^2 + 29Y^3 + 3XY^2 + X^3$	79	28
$\mathcal{G}_1$	$YT^2 + 26Y^3 + XY^2 + X^3$	79	62
$\mathcal{G}_1$	$YT^2 + 59Y^3 + XY^2 + X^3$	77	52
$\mathcal{G}_1$	$YT^2 + 41Y^3 + 3XY^2 + X^3$	77	41

Table 113 Continue 6

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+37Y^3+XY^2+X^3$	77	8
$\mathcal{G}_1$	$YT^2+69Y^3+XY^2+X^3$	76	68
$\mathcal{G}_1$	$YT^2+67Y^3+3XY^2+X^3$	76	4
$\mathcal{G}_1$	$YT^2+66Y^3+3XY^2+X^3$	76	50
$\mathcal{G}_1$	$YT^2+3Y^3+XY^2+X^3$	76	75
$\mathcal{G}_1$	$YT^2+38Y^3+XY^2+X^3$	76	43
$\mathcal{G}_1$	$YT^2+36Y^3+3XY^2+X^3$	76	34
$\mathcal{G}_1$	$YT^2+24Y^3+3XY^2+X^3$	76	19
$\mathcal{G}_1$	$YT^2+14Y^3+3XY^2+X^3$	76	63
$\mathcal{G}_1$	$YT^2+13Y^3+XY^2+X^3$	76	29
$\mathcal{G}_1$	$YT^2+Y^3+XY^2+X^3$	74	14
$\mathcal{G}_1$	$YT^2+8Y^3+XY^2+X^3$	74	33
$\mathcal{G}_1$	$YT^2+62Y^3+3XY^2+X^3$	74	67
$\mathcal{G}_1$	$YT^2+34Y^3+XY^2+X^3$	74	61
$\mathcal{G}_1$	$YT^2+69Y^3+3XY^2+X^3$	73	30
$\mathcal{G}_1$	$YT^2+52Y^3+3XY^2+X^3$	73	70
$\mathcal{G}_1$	$YT^2+48Y^3+XY^2+X^3$	71	1
$\mathcal{G}_1$	$YT^2+16Y^3+3XY^2+X^3$	71	12
$\mathcal{G}_1$	$YT^2+7Y^3+3XY^2+X^3$	70	38
$\mathcal{G}_1$	$YT^2+50Y^3+XY^2+X^3$	70	53
$\mathcal{G}_1$	$YT^2+40Y^3+3XY^2+X^3$	70	51
$\mathcal{G}_1$	$YT^2+33Y^3+XY^2+X^3$	70	27
$\mathcal{G}_1$	$YT^2+28Y^3+3XY^2+X^3$	70	20
$\mathcal{G}_1$	$YT^2+27Y^3+XY^2+X^3$	70	37
$\mathcal{G}_1$	$YT^2+25Y^3+XY^2+X^3$	70	60
$\mathcal{G}_1$	$YT^2+23Y^3+XY^2+X^3$	70	56
$\mathcal{G}_1$	$YT^2+9Y^3+3XY^2+X^3$	68	46
$\mathcal{G}_1$	$YT^2+8Y^3+3XY^2+X^3$	68	18
$\mathcal{G}_1$	$YT^2+15Y^3+XY^2+X^3$	68	10
$\mathcal{G}_1$	$YT^2+11Y^3+XY^2+X^3$	68	58
$\mathcal{G}_1$	$YT^2+19Y^3+3XY^2+X^3$	67	54

Table 113 Continue 7

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2 + 16Y^3 + XY^2 + X^3$	67	45
$\mathcal{G}_1$	$YT^2 + 6Y^3 + 3XY^2 + X^3$	65	78
$\mathcal{G}_1$	$YT^2 + 59Y^3 + 3XY^2 + X^3$	65	57
$\mathcal{G}_1$	$YT^2 + 77Y^3 + XY^2 + X^3$	64	73
$\mathcal{G}_1$	$YT^2 + 76Y^3 + 3XY^2 + X^3$	64	3
$\mathcal{G}_1$	$YT^2 + 23Y^3 + 3XY^2 + X^3$	64	2
$\mathcal{G}_1$	$YT^2 + 22Y^3 + 3XY^2 + X^3$	64	31
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 68XYT + X^3$	90	38
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 67XYT + X^3$	90	38
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 56XYT + X^3$	90	38
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 52XYT + X^3$	90	27
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 47XYT + X^3$	90	38
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 35XYT + X^3$	90	27
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 26XYT + X^3$	90	27
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 17XYT + X^3$	90	27
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 77XYT + X^3$	81	62
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 61XYT + X^3$	81	62
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 59XYT + X^3$	81	71
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 55XYT + X^3$	81	71
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 43XYT + X^3$	81	62
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 38XYT + X^3$	81	71
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 28XYT + X^3$	81	71
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 25XYT + X^3$	81	62
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 7XYT + X^3$	72	22
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 76XYT + X^3$	72	65
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 73XYT + X^3$	72	65
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 64XYT + X^3$	72	22
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 49XYT + X^3$	72	22
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 46XYT + X^3$	72	22
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 34XYT + X^3$	72	65
$\mathcal{G}_0^4$	$9T^3 + 3Y^3 + 13XYT + X^3$	72	65

Table 113 Continue 8

type	equation	n	$j-$ inv.
$\overline{\mathcal{E}}_0^4$	$9T^3+3Y^3+X^3$	63	0
$\mathcal{E}_0^4$	$9T^3+3Y^3+19XYT+X^3$	63	0
$\mathcal{G}_0^1$	$77T^3+3YT^2+52Y^3+2XYT+XY^2+X^2T+70X^3$	96	73
$\mathcal{G}_0^1$	$64T^3+9YT^2+51Y^3+5XYT+XY^2+X^2T+32X^3$	96	3
$\mathcal{G}_0^1$	$45T^3+9YT^2+5Y^3+64XYT+XY^2+X^2T+62X^3$	96	2
$\mathcal{G}_0^1$	$23T^3+3YT^2+34Y^3+56XYT+XY^2+X^2T+64X^3$	96	31
$\mathcal{G}_0^1$	$39T^3+9YT^2+57Y^3+66XYT+XY^2+X^2T+59X^3$	93	54
$\mathcal{G}_0^1$	$13T^3+9YT^2+19Y^3+22XYT+XY^2+X^2T+46X^3$	93	45
$\mathcal{G}_0^1$	$70T^3+3YT^2+76Y^3+9XYT+XY^2+X^2T+78X^3$	90	60
$\mathcal{G}_0^1$	$63T^3+9YT^2+7Y^3+58XYT+XY^2+X^2T+71X^3$	90	37
$\mathcal{G}_0^1$	$62T^3+3YT^2+47Y^3+17XYT+XY^2+X^2T+42X^3$	90	56
$\mathcal{G}_0^1$	$5T^3+9YT^2+62Y^3+51XYT+XY^2+X^2T+42X^3$	90	20
$\mathcal{G}_0^1$	$59T^3+9YT^2+68Y^3+33XYT+XY^2+X^2T+69X^3$	90	51
$\mathcal{G}_0^1$	$25T^3+3YT^2+61Y^3+54XYT+XY^2+X^2T+73X^3$	90	53
$\mathcal{G}_0^1$	$35T^3+9YT^2+39Y^3+41XYT+XY^2+X^2T+57X^3$	87	30
$\mathcal{G}_0^1$	$19T^3+3YT^2+59Y^3+60XYT+XY^2+X^2T+46X^3$	87	70
$\mathcal{G}_0^1$	$78T^3+3YT^2+26Y^3+XYT+XY^2+X^2T+35X^3$	84	29
$\mathcal{G}_0^1$	$71T^3+9YT^2+43Y^3+29XYT+XY^2+X^2T+75X^3$	84	63
$\mathcal{G}_0^1$	$5T^3+3YT^2+28Y^3+74XYT+XY^2+X^2T+62X^3$	84	75
$\mathcal{G}_0^1$	$57T^3+3YT^2+19Y^3+22XYT+XY^2+X^2T+59X^3$	84	50
$\mathcal{G}_0^1$	$43T^3+3YT^2+67Y^3+36XYT+XY^2+X^2T+75X^3$	84	4
$\mathcal{G}_0^1$	$34T^3+3YT^2+64Y^3+45XYT+XY^2+X^2T+74X^3$	84	68
$\mathcal{G}_0^1$	$25T^3+9YT^2+73Y^3+18XYT+XY^2+X^2T+52X^3$	84	34
$\mathcal{G}_0^1$	$11T^3+9YT^2+10Y^3+49XYT+XY^2+X^2T+45X^3$	84	43
$\mathcal{G}_0^1$	$10T^3+3YT^2+56Y^3+69XYT+XY^2+X^2T+45X^3$	84	19
$\mathcal{G}_0^1$	$69T^3+9YT^2+34Y^3+56XYT+XY^2+X^2T+74X^3$	81	13
$\mathcal{G}_0^1$	$68T^3+3YT^2+49Y^3+11XYT+XY^2+X^2T+69X^3$	81	6
$\mathcal{G}_0^1$	$59T^3+3YT^2+46Y^3+20XYT+XY^2+X^2T+68X^3$	81	40
$\mathcal{G}_0^1$	$31T^3+9YT^2+21Y^3+16XYT+XY^2+X^2T+55X^3$	81	28
$\mathcal{G}_0^1$	$67T^3+9YT^2+25Y^3+4XYT+XY^2+X^2T+73X^3$	78	25
$\mathcal{G}_0^1$	$61T^3+9YT^2+77Y^3+6XYT+XY^2+X^2T+70X^3$	78	44

Table 113 Continue 9

type	equation	n	$j-$ inv.
$\mathcal{G}_0^1$	$46T^3 + 3YT^2 + 68Y^3 + 33XYT + XY^2 + X^2T + 49X^3$	78	72
$\mathcal{G}_0^1$	$39T^3 + 3YT^2 + 13Y^3 + 40XYT + XY^2 + X^2T + 57X^3$	78	5
$\mathcal{G}_0^1$	$7T^3 + 3YT^2 + 55Y^3 + 72XYT + XY^2 + X^2T + 71X^3$	75	9
$\mathcal{G}_0^1$	$73T^3 + 3YT^2 + 77Y^3 + 6XYT + XY^2 + X^2T + 52X^3$	75	32
$\mathcal{G}_0^1$	$55T^3 + 9YT^2 + 50Y^3 + 8XYT + XY^2 + X^2T + 67X^3$	75	16
$\mathcal{G}_0^1$	$43T^3 + 9YT^2 + 75Y^3 + 12XYT + XY^2 + X^2T + 61X^3$	75	66
$\mathcal{G}_0^1$	$76T^3 + 9YT^2 + 26Y^3 + XYT + XY^2 + X^2T + 38X^3$	72	42
$\mathcal{G}_0^1$	$75T^3 + 9YT^2 + 61Y^3 + 54XYT + XY^2 + X^2T + 77X^3$	72	49
$\mathcal{G}_0^1$	$75T^3 + 3YT^2 + 25Y^3 + 4XYT + XY^2 + X^2T + 61X^3$	72	7
$\mathcal{G}_0^1$	$70T^3 + 9YT^2 + 78Y^3 + 3XYT + XY^2 + X^2T + 35X^3$	72	76
$\mathcal{G}_0^1$	$61T^3 + 3YT^2 + 73Y^3 + 18XYT + XY^2 + X^2T + 77X^3$	72	26
$\mathcal{G}_0^1$	$26T^3 + 3YT^2 + 35Y^3 + 53XYT + XY^2 + X^2T + 38X^3$	72	74
$\mathcal{G}_0^1$	$21T^3 + 3YT^2 + 7Y^3 + 58XYT + XY^2 + X^2T + 55X^3$	72	48
$\mathcal{G}_0^1$	$19T^3 + 9YT^2 + 46Y^3 + 20XYT + XY^2 + X^2T + 49X^3$	72	77
$\mathcal{G}_0^1$	$77T^3 + 9YT^2 + 70Y^3 + 27XYT + XY^2 + X^2T + 78X^3$	69	35
$\mathcal{G}_0^1$	$52T^3 + 3YT^2 + 70Y^3 + 27XYT + XY^2 + X^2T + 76X^3$	69	39
$\mathcal{G}_0^1$	$49T^3 + 9YT^2 + 23Y^3 + 10XYT + XY^2 + X^2T + 64X^3$	69	36
$\mathcal{G}_0^1$	$35T^3 + 3YT^2 + 38Y^3 + 44XYT + XY^2 + X^2T + 39X^3$	69	11
$\mathcal{G}_0^1$	$78T^3 + 9YT^2 + 35Y^3 + 53XYT + XY^2 + X^2T + 39X^3$	66	24
$\mathcal{G}_0^1$	$57T^3 + 9YT^2 + 59Y^3 + 60XYT + XY^2 + X^2T + 68X^3$	66	59
$\mathcal{G}_0^1$	$51T^3 + 3YT^2 + 17Y^3 + 28XYT + XY^2 + X^2T + 32X^3$	66	47
$\mathcal{G}_0^1$	$50T^3 + 3YT^2 + 43Y^3 + 29XYT + XY^2 + X^2T + 67X^3$	66	23
$\mathcal{G}_0^1$	$73T^3 + 9YT^2 + 52Y^3 + 2XYT + XY^2 + X^2T + 76X^3$	63	55
$\mathcal{E}_0^1$	$9YT^2 + XY^2 + X^2T$	93	0
$\mathcal{E}_0^1$	$3YT^2 + XY^2 + X^2T$	84	0

Table 114 $q = 81$, a. i. singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points
$\mathcal{N}_q^1$	$T^3 + XY^2$	82	41
$\mathcal{N}_1^0$	$\xi^3 XT^2 + Y^3 + XY^2$	83	1

Table 115 $q = 81$, a. i. singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n
$\mathcal{N}_1^2$	$T^3 + Y^3 + XYT$	81
$\mathcal{N}_0^1$	$T^3 + YT^2 + XY^2$	82

Table 116 $q = 81$, non-singular cubic curves giving incomplete $(n, 3)$-arcs

type	equation	n	# of residual points	$j-$ inv.
$\mathcal{S}_1^1$	$YT^2+Y^3+\xi^{41}XY^2+X^3$	82	1	0
$\mathcal{S}_1^1$	$YT^2+Y^3+\xi^3XY^2+X^3$	82	1	0

Table 117 $q = 81$, non-singular cubic curves giving complete $(n, 3)$-arcs

type	equation	n	$j-$ inv.
$\mathcal{G}_3$	$\xi^{60}T^3 + \xi^{60}Y^3 + XYT + \xi^{60}X^3$	99	ξ^{20}
$\mathcal{G}_3$	$\xi^{20}T^3 + \xi^{20}Y^3 + XYT + \xi^{20}X^3$	99	ξ^{60}
$\mathcal{G}_3$	$T^3 + Y^3 + XYT + X^3$	96	ξ^{40}
$\mathcal{G}_3$	$\xi^{70}T^3 + \xi^{70}Y^3 + XYT + \xi^{70}X^3$	96	ξ^{70}
$\mathcal{G}_3$	$\xi^{57}T^3 + \xi^{57}Y^3 + XYT + \xi^{57}X^3$	96	ξ^{29}
$\mathcal{G}_3$	$\xi^{50}T^3 + \xi^{50}Y^3 + XYT + \xi^{50}X^3$	96	ξ^{50}
$\mathcal{G}_3$	$\xi^{33}T^3 + \xi^{33}Y^3 + XYT + \xi^{33}X^3$	96	ξ^{21}
$\mathcal{G}_3$	$\xi^{19}T^3 + \xi^{19}Y^3 + XYT + \xi^{19}X^3$	96	ξ^{63}
$\mathcal{G}_3$	$\xi^{11}T^3 + \xi^{11}Y^3 + XYT + \xi^{11}X^3$	96	ξ^{7}
$\mathcal{G}_3$	$\xi^{58}T^3 + \xi^{58}Y^3 + XYT + \xi^{58}X^3$	93	ξ^{26}
$\mathcal{G}_3$	$\xi^{46}T^3 + \xi^{46}Y^3 + XYT + \xi^{46}X^3$	93	ξ^{62}
$\mathcal{G}_3$	$\xi^{42}T^3 + \xi^{42}Y^3 + XYT + \xi^{42}X^3$	93	ξ^{74}
$\mathcal{G}_3$	$\xi^{14}T^3 + \xi^{14}Y^3 + XYT + \xi^{14}X^3$	93	ξ^{78}
$\mathcal{G}_3$	$\xi^{79}T^3 + \xi^{79}Y^3 + XYT + \xi^{79}X^3$	90	ξ^{43}
$\mathcal{G}_3$	$\xi^{77}T^3 + \xi^{77}Y^3 + XYT + \xi^{77}X^3$	90	ξ^{49}
$\mathcal{G}_3$	$\xi^{75}T^3 + \xi^{75}Y^3 + XYT + \xi^{75}X^3$	90	ξ^{55}
$\mathcal{G}_3$	$\xi^{71}T^3 + \xi^{71}Y^3 + XYT + \xi^{71}X^3$	90	ξ^{67}
$\mathcal{G}_3$	$\xi^{65}T^3 + \xi^{65}Y^3 + XYT + \xi^{65}X^3$	90	ξ^{5}
$\mathcal{G}_3$	$\xi^{53}T^3 + \xi^{53}Y^3 + XYT + \xi^{53}X^3$	90	ξ^{41}
$\mathcal{G}_3$	$\xi^{35}T^3 + \xi^{35}Y^3 + XYT + \xi^{35}X^3$	90	ξ^{15}
$\mathcal{G}_3$	$\xi^{25}T^3 + \xi^{25}Y^3 + XYT + \xi^{25}X^3$	90	ξ^{45}
$\mathcal{G}_3$	$\xi^{8}T^3 + \xi^{8}Y^3 + XYT + \xi^{8}X^3$	87	ξ^{16}
$\mathcal{G}_3$	$\xi^{76}T^3 + \xi^{76}Y^3 + XYT + \xi^{76}X^3$	87	ξ^{52}
$\mathcal{G}_3$	$\xi^{72}T^3 + \xi^{72}Y^3 + XYT + \xi^{72}X^3$	87	ξ^{64}
$\mathcal{G}_3$	$\xi^{68}T^3 + \xi^{68}Y^3 + XYT + \xi^{68}X^3$	87	ξ^{76}
$\mathcal{G}_3$	$\xi^{56}T^3 + \xi^{56}Y^3 + XYT + \xi^{56}X^3$	87	ξ^{32}
$\mathcal{G}_3$	$\xi^{52}T^3 + \xi^{52}Y^3 + XYT + \xi^{52}X^3$	87	ξ^{44}
$\mathcal{G}_3$	$\xi^{44}T^3 + \xi^{44}Y^3 + XYT + \xi^{44}X^3$	87	ξ^{68}
$\mathcal{G}_3$	$\xi^{24}T^3 + \xi^{24}Y^3 + XYT + \xi^{24}X^3$	87	ξ^{48}
$\mathcal{G}_3$	$\xi^{7}T^3 + \xi^{7}Y^3 + XYT + \xi^{7}X^3$	84	ξ^{19}
$\mathcal{G}_3$	$\xi^{73}T^3 + \xi^{73}Y^3 + XYT + \xi^{73}X^3$	84	ξ^{61}

Table 117 Continue 1

type	equation	n	$j-$ inv.
$\mathcal{G}_3$	$\xi^{63}T^3+\xi^{63}Y^3+XYT+\xi^{63}X^3$	84	ξ^{11}
$\mathcal{G}_3$	$\xi^{59}T^3+\xi^{59}Y^3+XYT+\xi^{59}X^3$	84	ξ^{23}
$\mathcal{G}_3$	$\xi^{51}T^3+\xi^{51}Y^3+XYT+\xi^{51}X^3$	84	ξ^{47}
$\mathcal{G}_3$	$\xi^{4}T^3+\xi^{4}Y^3+XYT+\xi^{4}X^3$	84	ξ^{28}
$\mathcal{G}_3$	$\xi^{36}T^3+\xi^{36}Y^3+XYT+\xi^{36}X^3$	84	ξ^{12}
$\mathcal{G}_3$	$\xi^{30}T^3+\xi^{30}Y^3+XYT+\xi^{30}X^3$	84	ξ^{30}
$\mathcal{G}_3$	$\xi^{29}T^3+\xi^{29}Y^3+XYT+\xi^{29}X^3$	84	ξ^{33}
$\mathcal{G}_3$	$\xi^{28}T^3+\xi^{28}Y^3+XYT+\xi^{28}X^3$	84	ξ^{36}
$\mathcal{G}_3$	$\xi^{21}T^3+\xi^{21}Y^3+XYT+\xi^{21}X^3$	84	ξ^{57}
$\mathcal{G}_3$	$\xi^{17}T^3+\xi^{17}Y^3+XYT+\xi^{17}X^3$	84	ξ^{69}
$\mathcal{G}_3$	$\xi^{12}T^3+\xi^{12}Y^3+XYT+\xi^{12}X^3$	84	ξ^{4}
$\mathcal{G}_3$	$\xi^{10}T^3+\xi^{10}Y^3+XYT+\xi^{10}X^3$	84	ξ^{10}
$\mathcal{G}_3$	$\xi^{78}T^3+\xi^{78}Y^3+XYT+\xi^{78}X^3$	81	ξ^{46}
$\mathcal{G}_3$	$\xi^{74}T^3+\xi^{74}Y^3+XYT+\xi^{74}X^3$	81	ξ^{58}
$\mathcal{G}_3$	$\xi^{62}T^3+\xi^{62}Y^3+XYT+\xi^{62}X^3$	81	ξ^{14}
$\mathcal{G}_3$	$\xi^{26}T^3+\xi^{26}Y^3+XYT+\xi^{26}X^3$	81	ξ^{42}
$\mathcal{G}_3$	$\xi^{9}T^3+\xi^{9}Y^3+XYT+\xi^{9}X^3$	78	ξ^{13}
$\mathcal{G}_3$	$\xi^{69}T^3+\xi^{69}Y^3+XYT+\xi^{69}X^3$	78	ξ^{73}
$\mathcal{G}_3$	$\xi^{61}T^3+\xi^{61}Y^3+XYT+\xi^{61}X^3$	78	ξ^{17}
$\mathcal{G}_3$	$\xi^{47}T^3+\xi^{47}Y^3+XYT+\xi^{47}X^3$	78	ξ^{59}
$\mathcal{G}_3$	$\xi^{3}T^3+\xi^{3}Y^3+XYT+\xi^{3}X^3$	78	ξ^{31}
$\mathcal{G}_3$	$\xi^{27}T^3+\xi^{27}Y^3+XYT+\xi^{27}X^3$	78	ξ^{39}
$\mathcal{G}_3$	$\xi^{23}T^3+\xi^{23}Y^3+XYT+\xi^{23}X^3$	78	ξ^{51}
$\mathcal{G}_3$	$\xi T^3+\xi Y^3+XYT+\xi X^3$	78	ξ^{37}
$\mathcal{G}_3$	$\xi^{64}T^3+\xi^{64}Y^3+XYT+\xi^{64}X^3$	75	ξ^{8}
$\mathcal{G}_3$	$\xi^{48}T^3+\xi^{48}Y^3+XYT+\xi^{48}X^3$	75	ξ^{56}
$\mathcal{G}_3$	$\xi^{40}T^3+\xi^{40}Y^3+XYT+\xi^{40}X^3$	75	1
$\mathcal{G}_3$	$\xi^{32}T^3+\xi^{32}Y^3+XYT+\xi^{32}X^3$	75	ξ^{24}
$\mathcal{G}_3$	$\xi^{16}T^3+\xi^{16}Y^3+XYT+\xi^{16}X^3$	75	ξ^{72}
$\mathcal{G}_3$	$\xi^{66}T^3+\xi^{66}Y^3+XYT+\xi^{66}X^3$	72	ξ^{2}
$\mathcal{G}_3$	$\xi^{5}T^3+\xi^{5}Y^3+XYT+\xi^{5}X^3$	72	ξ^{25}

Table 117 Continue 2

type	equation	n	$j-$ inv.
$\mathcal{G}_3$	$\xi^{55}T^3+\xi^{55}Y^3+XYT+\xi^{55}X^3$	72	ξ^{35}
$\mathcal{G}_3$	$\xi^{45}T^3+\xi^{45}Y^3+XYT+\xi^{45}X^3$	72	ξ^{65}
$\mathcal{G}_3$	$\xi^{39}T^3+\xi^{39}Y^3+XYT+\xi^{39}X^3$	72	ξ^{3}
$\mathcal{G}_3$	$\xi^{38}T^3+\xi^{38}Y^3+XYT+\xi^{38}X^3$	72	ξ^{6}
$\mathcal{G}_3$	$\xi^{37}T^3+\xi^{37}Y^3+XYT+\xi^{37}X^3$	72	ξ^{9}
$\mathcal{G}_3$	$\xi^{34}T^3+\xi^{34}Y^3+XYT+\xi^{34}X^3$	72	ξ^{18}
$\mathcal{G}_3$	$\xi^{31}T^3+\xi^{31}Y^3+XYT+\xi^{31}X^3$	72	ξ^{27}
$\mathcal{G}_3$	$\xi^{22}T^3+\xi^{22}Y^3+XYT+\xi^{22}X^3$	72	ξ^{54}
$\mathcal{G}_3$	$\xi^{15}T^3+\xi^{15}Y^3+XYT+\xi^{15}X^3$	72	ξ^{75}
$\mathcal{G}_3$	$\xi^{13}T^3+\xi^{13}Y^3+XYT+\xi^{13}X^3$	72	ξ
$\mathcal{G}_3$	$\xi^{6}T^3+\xi^{6}Y^3+XYT+\xi^{6}X^3$	69	ξ^{22}
$\mathcal{G}_3$	$\xi^{54}T^3+\xi^{54}Y^3+XYT+\xi^{54}X^3$	69	ξ^{38}
$\mathcal{G}_3$	$\xi^{2}T^3+\xi^{2}Y^3+XYT+\xi^{2}X^3$	69	ξ^{34}
$\mathcal{G}_3$	$\xi^{18}T^3+\xi^{18}Y^3+XYT+\xi^{18}X^3$	69	ξ^{66}
$\mathcal{G}_3$	$\xi^{67}T^3+\xi^{67}Y^3+XYT+\xi^{67}X^3$	66	ξ^{79}
$\mathcal{G}_3$	$\xi^{49}T^3+\xi^{49}Y^3+XYT+\xi^{49}X^3$	66	ξ^{53}
$\mathcal{G}_3$	$\xi^{43}T^3+\xi^{43}Y^3+XYT+\xi^{43}X^3$	66	ξ^{71}
$\mathcal{G}_3$	$\xi^{41}T^3+\xi^{41}Y^3+XYT+\xi^{41}X^3$	66	ξ^{77}
$\mathcal{S}_1^3$	$YT^2+\xi^{43}Y^3+\xi^{2}XY^2+X^3$	100	0
$\mathcal{S}_1^3$	$YT^2+\xi^{55}Y^3+\xi^{40}XY^2+X^3$	64	0
$\mathcal{S}_1^0$	$YT^2+Y^3+\xi^{40}XY^2+X^3$	91	0
$\mathcal{S}_1^0$	$YT^2+Y^3+\xi^{2}XY^2+X^3$	73	0
$\mathcal{G}_1$	$YT^2+\xi^{36}Y^3+\xi^{43}X^2Y+X^3$	98	ξ^{53}
$\mathcal{G}_1$	$YT^2+\xi^{18}Y^3+\xi^{43}X^2Y+X^3$	98	ξ^{71}
$\mathcal{G}_1$	$YT^2+\xi^{12}Y^3+\xi^{43}X^2Y+X^3$	98	ξ^{77}
$\mathcal{G}_1$	$YT^2+\xi^{10}Y^3+\xi^{43}X^2Y+X^3$	98	ξ^{79}
$\mathcal{G}_1$	$YT^2+\xi^{67}Y^3+\xi^{43}X^2Y+X^3$	95	ξ^{22}
$\mathcal{G}_1$	$YT^2+\xi^{55}Y^3+\xi^{43}X^2Y+X^3$	95	ξ^{34}
$\mathcal{G}_1$	$YT^2+\xi^{51}Y^3+\xi^{43}X^2Y+X^3$	95	ξ^{38}
$\mathcal{G}_1$	$YT^2+\xi^{23}Y^3+\xi^{43}X^2Y+X^3$	95	ξ^{66}
$\mathcal{G}_1$	$YT^2+Y^3+\xi^{43}X^2Y+X^3$	92	ξ^{9}

Table 117 Continue 3

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+\xi^8Y^3+\xi^{43}X^2Y+X^3$	92	ξ
$\mathcal{G}_1$	$YT^2+\xi^7Y^3+\xi^{43}X^2Y+X^3$	92	ξ^2
$\mathcal{G}_1$	$YT^2+\xi^{71}Y^3+\xi^{43}X^2Y+X^3$	92	ξ^{18}
$\mathcal{G}_1$	$YT^2+\xi^6Y^3+\xi^{43}X^2Y+X^3$	92	ξ^3
$\mathcal{G}_1$	$YT^2+\xi^{64}Y^3+\xi^{43}X^2Y+X^3$	92	ξ^{25}
$\mathcal{G}_1$	$YT^2+\xi^{62}Y^3+\xi^{43}X^2Y+X^3$	92	ξ^{27}
$\mathcal{G}_1$	$YT^2+\xi^{54}Y^3+\xi^{43}X^2Y+X^3$	92	ξ^{35}
$\mathcal{G}_1$	$YT^2+\xi^3Y^3+\xi^{43}X^2Y+X^3$	92	ξ^6
$\mathcal{G}_1$	$YT^2+\xi^{35}Y^3+\xi^{43}X^2Y+X^3$	92	ξ^{54}
$\mathcal{G}_1$	$YT^2+\xi^{24}Y^3+\xi^{43}X^2Y+X^3$	92	ξ^{65}
$\mathcal{G}_1$	$YT^2+\xi^{14}Y^3+\xi^{43}X^2Y+X^3$	92	ξ^{75}
$\mathcal{G}_1$	$YT^2+\xi^9Y^3+\xi^{43}X^2Y+X^3$	89	1
$\mathcal{G}_1$	$YT^2+\xi^{65}Y^3+\xi^{43}X^2Y+X^3$	89	ξ^{24}
$\mathcal{G}_1$	$YT^2+\xi^{33}Y^3+\xi^{43}X^2Y+X^3$	89	ξ^{56}
$\mathcal{G}_1$	$YT^2+\xi^{17}Y^3+\xi^{43}X^2Y+X^3$	89	ξ^{72}
$\mathcal{G}_1$	$YT^2+\xi Y^3+\xi^{43}X^2Y+X^3$	89	ξ^8
$\mathcal{G}_1$	$YT^2+\xi^{76}Y^3+\xi^{43}X^2Y+X^3$	86	ξ^{13}
$\mathcal{G}_1$	$YT^2+\xi^{72}Y^3+\xi^{43}X^2Y+X^3$	86	ξ^{17}
$\mathcal{G}_1$	$YT^2+\xi^{58}Y^3+\xi^{43}X^2Y+X^3$	86	ξ^{31}
$\mathcal{G}_1$	$YT^2+\xi^{52}Y^3+\xi^{43}X^2Y+X^3$	86	ξ^{37}
$\mathcal{G}_1$	$YT^2+\xi^{50}Y^3+\xi^{43}X^2Y+X^3$	86	ξ^{39}
$\mathcal{G}_1$	$YT^2+\xi^{38}Y^3+\xi^{43}X^2Y+X^3$	86	ξ^{51}
$\mathcal{G}_1$	$YT^2+\xi^{30}Y^3+\xi^{43}X^2Y+X^3$	86	ξ^{59}
$\mathcal{G}_1$	$YT^2+\xi^{16}Y^3+\xi^{43}X^2Y+X^3$	86	ξ^{73}
$\mathcal{G}_1$	$YT^2+\xi^{75}Y^3+\xi^{43}X^2Y+X^3$	83	ξ^{14}
$\mathcal{G}_1$	$YT^2+\xi^{47}Y^3+\xi^{43}X^2Y+X^3$	83	ξ^{42}
$\mathcal{G}_1$	$YT^2+\xi^{43}Y^3+\xi^{43}X^2Y+X^3$	83	ξ^{46}
$\mathcal{G}_1$	$YT^2+\xi^{31}Y^3+\xi^{43}X^2Y+X^3$	83	ξ^{58}
$\mathcal{G}_1$	$YT^2+\xi^{79}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{10}
$\mathcal{G}_1$	$YT^2+\xi^{78}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{11}
$\mathcal{G}_1$	$YT^2+\xi^{77}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{12}

Table 117 Continue 4

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+\xi^{70}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{19}
$\mathcal{G}_1$	$YT^2+\xi^{66}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{23}
$\mathcal{G}_1$	$YT^2+\xi^{61}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{28}
$\mathcal{G}_1$	$YT^2+\xi^{5}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{4}
$\mathcal{G}_1$	$YT^2+\xi^{59}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{30}
$\mathcal{G}_1$	$YT^2+\xi^{56}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{33}
$\mathcal{G}_1$	$YT^2+\xi^{53}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{36}
$\mathcal{G}_1$	$YT^2+\xi^{42}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{47}
$\mathcal{G}_1$	$YT^2+\xi^{32}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{57}
$\mathcal{G}_1$	$YT^2+\xi^{28}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{61}
$\mathcal{G}_1$	$YT^2+\xi^{20}Y^3+\xi^{43}X^2Y+X^3$	80	ξ^{69}
$\mathcal{G}_1$	$YT^2+\xi^{73}Y^3+\xi^{43}X^2Y+X^3$	77	ξ^{16}
$\mathcal{G}_1$	$YT^2+\xi^{57}Y^3+\xi^{43}X^2Y+X^3$	77	ξ^{32}
$\mathcal{G}_1$	$YT^2+\xi^{45}Y^3+\xi^{43}X^2Y+X^3$	77	ξ^{44}
$\mathcal{G}_1$	$YT^2+\xi^{41}Y^3+\xi^{43}X^2Y+X^3$	77	ξ^{48}
$\mathcal{G}_1$	$YT^2+\xi^{37}Y^3+\xi^{43}X^2Y+X^3$	77	ξ^{52}
$\mathcal{G}_1$	$YT^2+\xi^{25}Y^3+\xi^{43}X^2Y+X^3$	77	ξ^{64}
$\mathcal{G}_1$	$YT^2+\xi^{21}Y^3+\xi^{43}X^2Y+X^3$	77	ξ^{68}
$\mathcal{G}_1$	$YT^2+\xi^{13}Y^3+\xi^{43}X^2Y+X^3$	77	ξ^{76}
$\mathcal{G}_1$	$YT^2+\xi^{74}Y^3+\xi^{43}X^2Y+X^3$	74	ξ^{15}
$\mathcal{G}_1$	$YT^2+\xi^{4}Y^3+\xi^{43}X^2Y+X^3$	74	ξ^{5}
$\mathcal{G}_1$	$YT^2+\xi^{48}Y^3+\xi^{43}X^2Y+X^3$	74	ξ^{41}
$\mathcal{G}_1$	$YT^2+\xi^{46}Y^3+\xi^{43}X^2Y+X^3$	74	ξ^{43}
$\mathcal{G}_1$	$YT^2+\xi^{44}Y^3+\xi^{43}X^2Y+X^3$	74	ξ^{45}
$\mathcal{G}_1$	$YT^2+\xi^{40}Y^3+\xi^{43}X^2Y+X^3$	74	ξ^{49}
$\mathcal{G}_1$	$YT^2+\xi^{34}Y^3+\xi^{43}X^2Y+X^3$	74	ξ^{55}
$\mathcal{G}_1$	$YT^2+\xi^{22}Y^3+\xi^{43}X^2Y+X^3$	74	ξ^{67}
$\mathcal{G}_1$	$YT^2+\xi^{63}Y^3+\xi^{43}X^2Y+X^3$	71	ξ^{26}
$\mathcal{G}_1$	$YT^2+\xi^{27}Y^3+\xi^{43}X^2Y+X^3$	71	ξ^{62}
$\mathcal{G}_1$	$YT^2+\xi^{15}Y^3+\xi^{43}X^2Y+X^3$	71	ξ^{74}
$\mathcal{G}_1$	$YT^2+\xi^{11}Y^3+\xi^{43}X^2Y+X^3$	71	ξ^{78}

Table 117 Continue 5

type	equation	n	$j-$ inv.
$\mathcal{G}_1$	$YT^2+\xi^{68}Y^3+\xi^{43}X^2Y+X^3$	68	ξ^{21}
$\mathcal{G}_1$	$YT^2+\xi^{60}Y^3+\xi^{43}X^2Y+X^3$	68	ξ^{29}
$\mathcal{G}_1$	$YT^2+\xi^{49}Y^3+\xi^{43}X^2Y+X^3$	68	ξ^{40}
$\mathcal{G}_1$	$YT^2+\xi^{39}Y^3+\xi^{43}X^2Y+X^3$	68	ξ^{50}
$\mathcal{G}_1$	$YT^2+\xi^{2}Y^3+\xi^{43}X^2Y+X^3$	68	ξ^{7}
$\mathcal{G}_1$	$YT^2+\xi^{26}Y^3+\xi^{43}X^2Y+X^3$	68	ξ^{63}
$\mathcal{G}_1$	$YT^2+\xi^{19}Y^3+\xi^{43}X^2Y+X^3$	68	ξ^{70}
$\mathcal{G}_1$	$YT^2+\xi^{69}Y^3+\xi^{43}X^2Y+X^3$	65	ξ^{20}
$\mathcal{G}_1$	$YT^2+\xi^{29}Y^3+\xi^{43}X^2Y+X^3$	65	ξ^{60}
$\mathcal{G}_0$	$\xi^{56}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	99	ξ^{20}
$\mathcal{G}_0$	$\xi^{23}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	99	ξ^{60}
$\mathcal{G}_0$	$\xi^{74}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	96	ξ^{7}
$\mathcal{G}_0$	$\xi^{6}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	96	ξ^{29}
$\mathcal{G}_0$	$\xi^{68}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	96	ξ^{63}
$\mathcal{G}_0$	$\xi^{45}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	96	ξ^{21}
$\mathcal{G}_0$	$\xi^{42}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	96	ξ^{40}
$\mathcal{G}_0$	$\xi^{41}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	96	ξ^{50}
$\mathcal{G}_0$	$\xi^{29}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	96	ξ^{70}

Table 117 Continue 6

type	equation	n	$j-$ inv.
$\mathcal{G}_0$	$\xi^{67}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	93	ξ^{26}
$\mathcal{G}_0$	$\xi^{66}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	93	ξ^{78}
$\mathcal{G}_0$	$\xi^{50}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	93	ξ^{74}
$\mathcal{G}_0$	$\xi^{22}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	93	ξ^{62}
$\mathcal{G}_0$	$\xi^{9}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	90	ξ^{15}
$\mathcal{G}_0$	$\xi^{52}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	90	ξ^{55}
$\mathcal{G}_0$	$\xi^{4}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	90	ξ^{5}
$\mathcal{G}_0$	$\xi^{3}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	90	ξ^{41}
$\mathcal{G}_0$	$\xi^{33}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	90	ξ^{49}
$\mathcal{G}_0$	$\xi^{31}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	90	ξ^{45}
$\mathcal{G}_0$	$\xi^{15}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	90	ξ^{43}
$\mathcal{G}_0$	$\xi^{12}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	90	ξ^{67}
$\mathcal{G}_0$	$\xi^{8}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	87	ξ^{32}

Table 117 Continue 7

type	equation	n	$j-$ inv.
$\mathcal{G}_0$	$\xi^{75}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	87	ξ^{52}
$\mathcal{G}_0$	$\xi^{72}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	87	ξ^{16}
$\mathcal{G}_0$	$\xi^{65}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	87	ξ^{48}
$\mathcal{G}_0$	$\xi^{24}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	87	ξ^{68}
$\mathcal{G}_0$	$\xi^{20}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	87	ξ^{64}
$\mathcal{G}_0$	$\xi^{14}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	87	ξ^{76}
$\mathcal{G}_0$	$\xi^{10}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	87	ξ^{44}
$\mathcal{G}_0$	$\xi^{77}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{10}
$\mathcal{G}_0$	$\xi^{76}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{57}
$\mathcal{G}_0$	$\xi^{64}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{33}
$\mathcal{G}_0$	$\xi^{60}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{4}
$\mathcal{G}_0$	$\xi^{59}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{61}
$\mathcal{G}_0$	$\xi^{54}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{69}

Table 117 Continue 8

type	equation	n	$j-$ inv.
$\mathcal{G}_0$	$\xi^{48}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{47}
$\mathcal{G}_0$	$\xi^{47}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{28}
$\mathcal{G}_0$	$\xi^{46}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{12}
$\mathcal{G}_0$	$\xi^{35}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{36}
$\mathcal{G}_0$	$\xi^{34}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{30}
$\mathcal{G}_0$	$\xi^{2}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{19}
$\mathcal{G}_0$	$\xi^{28}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{11}
$\mathcal{G}_0$	$\xi T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	84	ξ^{23}
$\mathcal{G}_0$	$\xi^{53}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	81	ξ^{58}
$\mathcal{G}_0$	$\xi^{43}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	81	ξ^{42}
$\mathcal{G}_0$	$\xi^{40}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	81	ξ^{14}
$\mathcal{G}_0$	$\xi^{38}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	81	ξ^{46}
$\mathcal{G}_0$	$\xi^{62}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	78	ξ^{73}
$\mathcal{G}_0$	$\xi^{51}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	78	ξ^{37}
$\mathcal{G}_0$	$\xi^{37}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	78	ξ^{51}
$\mathcal{G}_0$	$\xi^{36}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	78	ξ^{13}
$\mathcal{G}_0$	$\xi^{27}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	78	ξ^{17}
$\mathcal{G}_0$	$\xi^{26}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	78	ξ^{31}

Table 117 Continue 9

type	equation	n	$j-$ inv.
$\mathcal{G}_0$	$\xi^{19}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	78	ξ^{39}
$\mathcal{G}_0$	$\xi^{18}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	78	ξ^{59}
$\mathcal{G}_0$	$\xi^{69}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	75	ξ^{72}
$\mathcal{G}_0$	$\xi^{61}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	75	ξ^{56}
$\mathcal{G}_0$	$\xi^{58}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	75	ξ^{8}
$\mathcal{G}_0$	$\xi^{30}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	75	ξ^{24}
$\mathcal{G}_0$	$\xi^{25}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	75	1
$\mathcal{G}_0$	$\xi^{78}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ^{65}
$\mathcal{G}_0$	$\xi^{73}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ^{3}
$\mathcal{G}_0$	$\xi^{71}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ^{2}
$\mathcal{G}_0$	$\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ^{54}
$\mathcal{G}_0$	$\xi^{63}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ^{6}
$\mathcal{G}_0$	$\xi^{57}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ^{9}

Table 117 Continue 10

type	equation	n	$j-$ inv.
$\mathcal{G}_0$	$\xi^{55}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ^{35}
$\mathcal{G}_0$	$\xi^{49}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ^{18}
$\mathcal{G}_0$	$\xi^{44}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ
$\mathcal{G}_0$	$\xi^{17}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ^{75}
$\mathcal{G}_0$	$\xi^{16}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ^{25}
$\mathcal{G}_0$	$\xi^{13}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	72	ξ^{27}
$\mathcal{G}_0$	$\xi^{7}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	69	ξ^{22}
$\mathcal{G}_0$	$\xi^{79}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	69	ξ^{66}
$\mathcal{G}_0$	$\xi^{70}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	69	ξ^{34}
$\mathcal{G}_0$	$\xi^{21}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	69	ξ^{38}
$\mathcal{G}_0$	$\xi^{5}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	66	ξ^{77}
$\mathcal{G}_0$	$\xi^{39}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	66	ξ^{53}
$\mathcal{G}_0$	$\xi^{32}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	66	ξ^{71}
$\mathcal{G}_0$	$\xi^{11}T^3+\xi^6YT^2+Y^3+\xi^6XY^2+\xi^6X^2T+\xi^{12}X^2Y+X^3$	66	ξ^{79}

4 Appendix: Errata for Projective Geometries over Finite Fields, Chapter 11

Performing our computations, we found some typos in [14, Chapter 11].

page	line	errata	corrige
261	+4	$\mathcal{N}_2^3$	$\mathcal{N}_3^2$
283	+9	$\mathcal{G}_3^1$	$\mathcal{G}_1^1$
284	+17	$X_2^2X_1 + X_1X_2^2$	$X_2^2X_1 + X_1^2X_2$
288	-4	α, λ	$\alpha\lambda$
289	+18	$d^2X_0^2$	$d^2X_0^2X_1$
290	+1	$q = 2^h$	$q = p^h$

References

[1] Anbar, N., Bartoli, D., Giulietti, M. and Platoni, I.: *Small complete caps from a. i. singular cubics, II*, J. Algebr. Comb. **41**, 185–216 (2015).

[2] Ball S. and Hirschfeld J.W.P.: *Bounds on (n,r)-arcs and their application to linear codes*,, Finite Fields Appl., **11** 326–336 (2005).

[3] Bartoli D., Marcugini S. and Pambianco F.: *The non-existence of some NMDS codes and the extremal sizes of complete (n, 3)-arcs in PG(2, 16)*, Des. Codes Cryptogr. **72**, 129–134 (2014)

[4] Bartoli D., Marcugini S. and Pambianco F.: *On the completeness of plane cubic curves over finite fields* , preprint.

[5] Bosma W., Cannon J. and Playoust C., *The Magma algebra system. I. The user language*, J. Symbolic Comput., **24**, 235–265 (1997).

[6] De Boer, M.A.: *Almost MDS codes*, Des. Codes Cryptogr. **9**, 143–155 (1996).

[7] Coolsaet K. and Sticker H.: *The complete (k,3)-arcs of PG(2,q), q≤13*, J. Comb. Des. **20**, 89–111 (2012).

[8] Bierbrauer J., Introduction to Coding Theory, Chapman and Hall/CRC Press (2004).

[9] De Groote R. and Hirschfeld J. W. P., *The number of points on an elliptic cubic curve over a finite field*, European J. Combin. **1**, 327-333 (1980)

[10] Dodunekov S.M. and Landjev I. N., *On Near-MDS codes*, Proc. IEEE ISIT'94, Trondheim, Norway, (1994), 427.

[11] Dodunekov S.M. and Landjev I. N., *On Near-MDS codes*, *J. Geometr*Y **54**, 30-43 (1995).

[12] Giulietti, M.: *On Plane Arcs contained in Cubic Curves*, Finite Fields Appl. **8**, 69–90 (2002).

[13] Giulietti, M.:*On the Extendibility of Near-MDS Elliptic Codes*, AAECC **15**, 1-11. (2004)

[14] Hirschfeld J.W.P.: Projective Geometries Over Finite Fields, 2nd edition. Oxford: Oxford University Press, 1998.

[15] Hirschfeld J. W. P. and Storme L., *The packing problem in statistics, coding theory, and finite projective spaces: update 2001*, in Developments in Mathematics, 3, Kluwer Academic Publishers, Finite Geometries, Proceedings of the Fourth Isle of Thorns Conference, Eds. A. Blokhuis, J. W. P. Hirschfeld, D. Jungnickel and J. A. Thas, 201-246 (2000).

[16] Hirschfeld J.W.P. and Voloch, J.F.: *The characterization of elliptic curves over finite fields*, J. Austral. Math. Soc. Ser. A **45**, 275–286 (1988)

[17] Keedwell A. D., *Simple constructions for elliptic cubic curves with specified small numbers of points*, Europ. J. Combinatorics **9**, 463-481 (1988).

[18] R. J. Schoof, *Nonsingular plane cubic curves over finite fields*, J. Combin. Theory, Ser. A **46**, 183-211 (1987).

[19] Segre, B.: *Ovali e curve σ nei piani di Galois di caratteristica due*, Atti Accad. Naz. Lincei Rend. Cl. Sci. Fis. Mat. Nat. (8) **32**, 785–790 (1962).

[20] Segre B. and Bartocci U.: *Ovali ed altre curve nei piani di Galois di caratteristica due*, Acta Arith. **18**, 423–449 (1971).

[21] Tate J., *The arithmetic of elliptic curves*, Invent. Math. **23**, 179-206 (1974).

[22] Thas J., *Some results concerning* $((q+1)(n-1),n)-$*arcs*, J. Combin Theory Ser. A **19,** 228-232 (1975).

[23] Waterhouse W. G., *Abelian varieties over finite fields*, Ann. Sci. Ecole Norm. Sup. **2**, 521-560 (1969).